

## Varietal Characteristics and Allowable Described Variants 2023

These variants are allowed in the field at the amounts listed. Any other plant type is an off-type or other variety

Note: This list is for reference only as a service to seed growers. While every attempt has been made to ensure accuracy, KCIA will not be held responsible for decisions by growers based on its use. If an error is suspected, please contact KCIA. Information on varietal descriptors can be found at the Plant Variety Protection website or at AOSCA.org or from the owner of the variety of interest.

Variety	Key Varietal Characteristics	Variant
Descriptor Key	<p><b>Type</b> = market class or crop type; HRWW = hard red winter wheat HWWW=hard white winter wheat</p> <p><b>Spkdens</b> = spike density: lax (open or loose); <b>md</b> (mid-dense); <b>den</b> (dense or tight)</p> <p><b>Spike Shape</b> = fusiform (tapering, usually fusiform wider at base than at tip); oblong (strap, or same width at top and bottom, not tapering).</p> <p><b>Chaff Color</b>=the color of the plant when it has matured and has dried down: white, white-amber, yellow, brown, bronze, red</p> <p><b>Glume l x w</b> = the length x width of the outer glume; l=long, s=short, n=narrow, w=wide, m=medium (i.e. med-long and med-wide)</p> <p><b>Glume Shoulder</b> = the shape of the shoulder of the outer glumes; w=wanting; o=oblique; s=square; r=round; e=elevated; a=apiculate</p> <p><b>Beak Length/Shape</b> = the length of the beak (vs=very short, s=short, m=medium, ml-medium long, l=long)</p> <p style="text-align: center;"><b>Note: some characters may be missing in the descriptions for some varieties</b></p>	<p>Note: This table is for guidance only. Every attempt has been made to accurately reflect varietal information as provided by companies and from Plant Variety Protection applications and national review board summaries. For direct confirmation of the information contained in this table, please contact those above sources.</p>
1863	<p><b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> fus <b>Chaff Color:</b> white</p> <p><b>Glume l x w:</b> m x n <b>Glume Shoulder:</b> elevated <b>Beak Length/Shape:</b> med x acuminate</p>	1/500 Brown chaff
122016W Brand name HG Force	<p><b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> oblong <b>Chaff Color:</b> white/amber</p> <p><b>Glume l x w:</b> m x n <b>Glume Shoulder:</b> oblique <b>Beak Length/Shape:</b> med x acuminate</p>	10/1000 taller (8 to 15 cm)  1.8% white seed variant
336 Triticale	<p><b>Type:</b> Winter triticale <b>Description:</b> mid-tall, color is green (as opposed to yellow-green or blue-green), neck moderately hairy and wavy, no stem anthocyanin. Twisted flag leaf, waxy bloom on leaf, leaf is recurved (as opposed to upright, or drooping). Head is mid-dense, tapering, awned with tan awns. Glumes at maturity are glabrous (hairless), tan, long, mid-wide with a wanting shoulder and acuminate beak.</p>	None provided
348 Triticale	<p><b>Type:</b> Triticale <b>Spkdens:</b> mid dense <b>Spike Shape:</b> Oblong <b>Chaff Color:</b> yellow</p> <p><b>Awnletted</b></p> <p><b>Glume l x w:</b> l x mw <b>Glume Shoulder:</b> wanting <b>Beak Length/Shape:</b> long/obtuse</p>	5/1000 awns 4 to 5 cm and hairy neck
422T see NE422T	PVP certificate 200200153	
718 Triticale	<p>Winter triticale – awnletted variety where awns are greatly reduced but can vary from head to head, heads tend to be inclined, neck just below head generally straight but can have a slight wave. Pubescence on stem 1.5 to 2 inches below head (spike)</p>	No variants listed. Awns though greatly reduced in length can vary from head to head but should not appear fully awned.

## Varietal Characteristics and Allowable Described Variants 2023

These variants are allowed in the field at the amounts listed. Any other plant type is an off-type or other variety

Note: This list is for reference only as a service to seed growers. While every attempt has been made to ensure accuracy, KCIA will not be held responsible for decisions by growers based on its use. If an error is suspected, please contact KCIA. Information on varietal descriptors can be found at the Plant Variety Protection website or at AOSCA.org or from the owner of the variety of interest.

719 Flex triticale Var 841446398	<b>Type:</b> Triticale <b>Spkdens:</b> dense <b>Spike Shape:</b> Oblong Awnletted <b>Chaff Color:</b> yellow <b>Neck:</b> Straight, slightly hairy <b>Glume l x w:</b> ml x mw <b>Glume Shoulder:</b> rounded <b>Beak length/shape:</b> ?/acuminate	< 10/1000 Bearded heads
AG Golden	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white Beak length officially not stated, 2021 foundation field observation <b>Glume l x w:</b> m x m <b>Glume Shoulder:</b> oblique <b>Beak Length/Shape:</b> m 7-8 mm x acuminate	Taller up to 3 spike lengths above canopy 1/1000 Red or bronze glumes 1/1000 Awnless or awnletted 1/10000
AG Icon	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white <b>Glume l x w:</b> m x m <b>Glume Shoulder:</b> square <b>Beak Length/Shape:</b> m x acuminate	Taller 1/1000 Dark chaff 1/1000 White seeded up to 0.8%
AG Radical	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white Juvenile plants have purple auricles present. Beak length officially not stated, 2021 foundation field observation <b>Glume l x w:</b> m x n <b>Glume Shoulder:</b> oblique <b>Beak Length/Shape:</b> med. 5-6 mm x acuminate	Taller up to 3 spike lengths above canopy 1/1000 Red or bronze glumes 1/1000 Awnless or awnletted 1/10000
AM Cartwright	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> fusiform <b>Chaff Color:</b> White <b>Glume l x w:</b> m x m <b>Glume Shoulder:</b> oblique <b>Beak Length/Shape:</b> s x acuminate	Taller 1 per 1000 Up to 0.8 % white seed
AM Eastwood	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> oblong <b>Chaff Color:</b> white <b>Glume l x w:</b> s x n <b>Glume Shoulder:</b> rounded <b>Beak Length/Shape:</b> ?/acuminate	1 per 100 Taller (3 spike lengths) 1 per 1000 red/bronze plants 1/10,000 awnless Up to 3% white grain
AM 473	<b>Type:</b> SRW <b>Spkdens:</b> lax <b>Spike Shape:</b> strap <b>Chaff Color:</b> white <b>Glume l x w:</b> m x m <b>Glume Shoulder:</b> oblique <b>Beak Length/Shape:</b> m /acuminate	Taller (3 spike lengths) 1/1000 Awnless 1/10,000
AP18 AX	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white Revised for 2022 based on certificate 2020000351 <b>Glume l x w:</b> m x n <b>Glume Shoulder:</b> rounded <b>Beak Length/Shape:</b> ?/acuminate	1/1000 Taller 1/1000 Red chaff 1/1000 Awnless
AP503CL2	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white Revised for 2021 based on Aug. 2017 AOSCA Small Grain Review Board <b>Glume l x w:</b> m x n <b>Glume Shoulder:</b> Oblique <b>Beak Length/Shape:</b> ? x acuminate	8/1000 Taller (8 to 15 cm) (0.8%) 1/2500 Bronze Chaff (0.04%) 1/2500 Awnless (0.04%)
AP Bigfoot	<b>Type:</b> HRWW <b>Spkdens:</b> dense <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white/amber <b>Glume l x w:</b> m x n <b>Glume Shoulder:</b> Oblique <b>Beak Length/Shape:</b> l x acuminate	2/1000 Taller (8 to 15 cm) (0.2%) 9/10000 Red Chaff (0.09%) 4/1000 Awnless (0.4%)
AP EverRock	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> oblong <b>Chaff Color:</b> white/amber Revised for 2022 based on certificate no. 202100055 <b>Glume l x w:</b> l x w <b>Glume Shoulder:</b> Oblique <b>Beak Length/Shape:</b> l x acuminate	Taller (8 to 15 cm) 10/1000 (1%) Less than 1/10000 awnless 1.8% white seed

## Varietal Characteristics and Allowable Described Variants 2023

These variants are allowed in the field at the amounts listed. Any other plant type is an off-type or other variety

Note: This list is for reference only as a service to seed growers. While every attempt has been made to ensure accuracy, KCIA will not be held responsible for decisions by growers based on its use. If an error is suspected, please contact KCIA. Information on varietal descriptors can be found at the Plant Variety Protection website or at AOSCA.org or from the owner of the variety of interest.

AP Longjack awnless	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> oblong <b>Chaff Color:</b> white/amber <b>Glume l x w:</b> l x m <b>Glume Shoulder:</b> rounded <b>Beak Length/Shape:</b> short x obtuse	Taller (8-15 cm) 3/10000 Awned 4/10000 Red chaff 1/10000
AP Prolific	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white/amber <b>Glume l x w:</b> m x m <b>Glume Shoulder:</b> square <b>Beak Length/Shape:</b> medium x acuminate	Allowed variants are taller and awnless plants up to 1% or 10/1000. White seed variant about 1.8%
AP Roadrunner AP14T21619	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white/amber <small>Revised 2022 based on certificate 202100344</small> <b>Glume l x w:</b> m x w <b>Glume Shoulder:</b> oblique <b>Beak Length/Shape:</b> medium x acuminate	Taller (8 to 15 cm) 1/100 (1%) White seed variant 1.8%
Aspen	<b>Type:</b> HWWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> fusiform <b>Chaff Color:</b> tan <b>Glume l x w:</b> ml x <b>Glume Shoulder:</b> square <b>Beak Length/Shape:</b> s x acuminate	3/1000 Taller (5-10) 1/1000 Bronze/brown chaff 5/1000 Red Seed
Avery (CO11D174)	<b>Type:</b> HRWW <b>Spkdens:</b> dense <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white/amber <b>Glume l x w:</b> s x m <b>Glume Shoulder:</b> Oblique <b>Beak Length/Shape:</b> m x acuminate	Taller 1 per 1000 Red Chaff 1 per 1000
Bakers Ann	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> fusiform <b>Chaff Color:</b> Bronze <b>Glume l x w:</b> short x wide <b>Glume Shoulder:</b> oblique <b>Beak Length/Shape:</b> m? x acuminate	Taller <10cm 1 per 750 White glumes 1 per 100 or 1%
Bentley	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> tapering <b>Chaff Color:</b> tan <b>Glume l x w:</b> m x w <b>Glume Shoulder:</b> Oblique <b>Beak Length/Shape:</b> m x acuminate	Taller (< 4 in) 1/500 White chaff 1/500
Big Country Awnless to Apically awnletted	<b>Type:</b> HWWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white <b>Glume l x w:</b> l x n to m <b>Glume Shoulder:</b> Oblique <b>Beak Length/Shape:</b> v short (2mm) x acumin	Bronze chaff < 8/10000 (0.8%) Awned < 1/750 or 13/10,000 (0.13%)
Bob Dole	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> Tapering <b>Chaff Color:</b> white <b>Glume l x w:</b> m x n <b>Glume Shoulder:</b> wanting <b>Beak Length/Shape:</b> (see note) long x acuminate <b>Note:</b> We think the description may be incorrect and beak length should be short, wanting to oblique shoulder if you have questions contact KCIA	Taller 1/1000 Dark Chaff 1/1000 White seeded up to 0.8%
Brawl CL Plus	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> fusiform <b>Chaff Color:</b> white <b>Glume l x w:</b> m x n <b>Glume Shoulder:</b> Oblique <b>Beak Length/Shape:</b> ? x acuminate	1 per 1000 Very tall greater than two spikelengths 1 per 1000 Red Chaff
Breck	<b>Type:</b> HWWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> Tapering <b>Chaff Color:</b> white/amber <b>Glume l x w:</b> m x w <b>Glume Shoulder:</b> elevated <b>Beak Length/Shape:</b> m x acuminate	Taller 1/1000 Awnless 1/2000 Red seeded fewer than 1/200 plants

## Varietal Characteristics and Allowable Described Variants 2023

These variants are allowed in the field at the amounts listed. Any other plant type is an off-type or other variety

Note: This list is for reference only as a service to seed growers. While every attempt has been made to ensure accuracy, KCIA will not be held responsible for decisions by growers based on its use. If an error is suspected, please contact KCIA. Information on varietal descriptors can be found at the Plant Variety Protection website or at AOSCA.org or from the owner of the variety of interest.

Buckhorn AX	<b>Type:</b> HRWW <b>Spkdens:</b> lax <b>Spike Shape:</b> Tapering <b>Chaff Color:</b> white <b>Glume l x w:</b> l x n <b>Glume Shoulder:</b> wanting <b>Beak Length/Shape:</b> ? x acuminate	Taller 1 per 1000 ( 2 spike lengths) Red or Bronze glumes 1 per 1000 Awnless 1 per 1000 White seed 0.75%
Butlers Gold	<b>Type:</b> HRWW <b>Spkdens:</b> lax <b>Spike Shape:</b> tapering <b>Chaff Color:</b> tan ~9mm x ~4mm <b>Glume l x w:</b> l x w <b>Glume Shoulder:</b> Square <b>Beak Length/Shape:</b> med (5mm) x acuminate	White chaff < 1/1000 (0.1%)
Byrd	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> fusiform <b>Chaff Color:</b> white <b>Glume l x w:</b> m x n <b>Glume Shoulder:</b> Oblique <b>Beak Length/Shape:</b> ? x acuminate	1/1000 tall (two spike lengths or more) 1/1000 red chaff
Byrd CL Plus	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white/amber <b>Glume l x w:</b> m x n <b>Glume Shoulder:</b> rounded <b>Beak Length/Shape:</b> m x acuminate	Taller 1/1000 Brown glumes 1/1000 Awnless 1/1000 White seeded 1/200
Canvas (CSU)	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white/amber <b>Glume l x w:</b> m x n <b>Glume Shoulder:</b> rounded <b>Beak Length/Shape:</b> m x acuminate	Taller 1/1000 Brown glumes 1/1000 Awnless 1/1000 White seeded 1/200
Crescent AX Aka CO14A050	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white/amber <b>Glume l x w:</b> m x n <b>Glume Shoulder:</b> rounded <b>Beak Length/Shape:</b> med x acuminate	Taller 1/1000 Brown glumes 1/1000 Awnless 1/1000 White seeded 1/200
CO14A070	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white/amber <b>Glume l x w:</b> m x n <b>Glume Shoulder:</b> rounded <b>Beak Length/Shape:</b> m x acuminate	Taller 1/1000 Brown glumes 1/1000 Awnless 1/1000 White seeded 1/200
CO14AX136-135	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white/amber <b>Glume l x w:</b> m x m <b>Glume Shoulder:</b> rounded <b>Beak Length/Shape:</b> s x acuminate	Taller 1/1000 Brown glumes 1/1000 Awnless 1/1000 White seeded 1/200
CP7017 AX	<b>Type:</b> HRWW <b>Spkdens:</b> lax <b>Spike Shape:</b> Tapering <b>Chaff Color:</b> white <b>Glume l x w:</b> m x w <b>Glume Shoulder:</b> oblique <b>Beak Length/Shape:</b> ? x acuminate	Taller 1/1000 up to 2 spike lengths Red or Bronze glumes 1/1000 Awnless or awnletted 1/1000 White seeded 0.75%

## Varietal Characteristics and Allowable Described Variants 2023

These variants are allowed in the field at the amounts listed. Any other plant type is an off-type or other variety

Note: This list is for reference only as a service to seed growers. While every attempt has been made to ensure accuracy, KCIA will not be held responsible for decisions by growers based on its use. If an error is suspected, please contact KCIA. Information on varietal descriptors can be found at the Plant Variety Protection website or at AOSCA.org or from the owner of the variety of interest.

CP7050 AX	<b>Type:</b> HRWW <b>Spkdens:</b> lax <b>Spike Shape:</b> Tapering <b>Chaff Color:</b> white <b>Glume l x w:</b> m x m <b>Glume Shoulder:</b> oblique <b>Beak Length/Shape:</b> ? x acuminate	Taller 1/1000 up to 2 spike lengths Red or Bronze glumes 1/1000 Awnless or awnletted 1/1000 White seeded 0.75%
CP7909		
CP7266 AX Aka LCH18-7066 PVP: 20221866 AX	<b>Type:</b> HRWW <b>Spkdens:</b> lax <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white <b>Glume l x w:</b> L x m <b>Glume Shoulder:</b> oblique <b>Beak Length/Shape:</b> med x acuminate	Taller (up tp 2 spike lengths) < 1/1,000 Red/tan/bronze glumes < 1/1,000 Awnless < 1/1,000 White seed up to 0.75%
Danby	<b>Type:</b> HWWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> fusiform <b>Chaff Color:</b> white <b>Glume l x w:</b> ml x ? <b>Glume Shoulder:</b> rounded <b>Beak Length/Shape:</b> m 2-4mm x acuminate	1/1000 Slightly taller 1/1000 Brown chaff 1/200 Red seeded
Doublestop CL Plus	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> Oblong <b>Chaff Color:</b> bronze* <i>* Updated by OSU 6/16/14</i> <b>Glume l x w:</b> l x w <b>Glume Shoulder:</b> wanting <b>Beak Length/Shape:</b> ? x acuminate	1/200 Taller (>5 inches) below okay 1/250 White glume
Everest	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> f usiform <b>Chaff Color:</b> tan <b>Glume l x w:</b> m x n <b>Glume Shoulder:</b> elevated <b>Beak Length/Shape:</b> med x acuminate	1/1000 Taller, may or may not have wanting to oblique shoulders, short to medium beak 1/1000 red chaff
Fredro Triticale	<b>Type:</b> Triticale <b>Height:</b> mid-tall <b>Spkden:</b> mid-dense <b>Spike Shape:</b> oblong <b>Spike awnedness:</b> awnless; <b>Neck shape:</b> ? <b>Neck hairiness:</b> ? <b>Glume Pubescence:</b> hairless <b>Glume color:</b> white <b>Glume l x w:</b> mid-long, mid-wide, <b>Glume color:</b> white <b>Glume shoulder:</b> oblique <b>Glume beak shape:</b> acuminate	No variants noted beyond normal environmental differences
Gainer 154 Pvp 946802617	<b>Type:</b> Triticale <b>Spkdens:</b> mid-dense <b>Spike Shape:</b> fusiform <b>Spike awnedness:</b> Awned <b>Neck shape :</b> wavy <b>Neck hairiness:</b> Heavy <b>Glume Pubescence:</b> slightly pubescent <b>Glume Color:</b> yellow <b>Glume l x w:</b> ml x mw <b>Glume Shoulder:</b> wanting <b>Glume Beak shape:</b> obtuse	Taller 1/1000
Gallagher	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> fusiform <b>Chaff Color:</b> tan <b>Glume l x w:</b> m x n <b>Glume Shoulder:</b> Oblique <b>Beak Length/Shape:</b> ? x acuminate	1/ 500 Taller (>6in) later (3 days) 1/ 1000 Bronze glume
GB206 QA K1203SRW Brand 6PLKV03B	<b>Type:</b> SRW <b>Spkdens:</b> dense <b>Spike Shape:</b> tapering <b>Chaff Color:</b> tan JoMar JM 1521 shoulder shape and beak length not stated <b>Glume l x w:</b> ? x ? <b>Glume Shoulder:</b> ? <b>Beak Length/Shape:</b> ? x acuminate	Taller 1/100 (1.0%) Awnless1/100 (1.0%)
GB208 QA K1203SRW Brand 6PJRS71B	<b>Type:</b> SRW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> tapering <b>Chaff Color:</b> tan JoMar JM 1529 glume width, and beak length not stated <b>Glume l x w:</b> s x ? <b>Glume Shoulder:</b> oblique <b>Beak Length/Shape:</b> ? x acuminate	Taller 1/100 (1.0%) Awnless1/100 (1.0%)

## Varietal Characteristics and Allowable Described Variants 2023

These variants are allowed in the field at the amounts listed. Any other plant type is an off-type or other variety

Note: This list is for reference only as a service to seed growers. While every attempt has been made to ensure accuracy, KCIA will not be held responsible for decisions by growers based on its use. If an error is suspected, please contact KCIA. Information on varietal descriptors can be found at the Plant Variety Protection website or at AOSCA.org or from the owner of the variety of interest.

Goliath	<b>Type:</b> OATS <b>HEAD:</b> panicle shape intermediate, size medium, width mid broad <b>Glumes:</b> width 8 mm, length 19mm, no. of veins 9, color striped <b>Lemma:</b> length 12 mm, color white, dorsal surface hairless	None listed
Green Hammer	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> fusiform <b>Chaff Color:</b> bronze <b>Glume l x w:</b> m x m <b>Glume Shoulder:</b> square <b>Beak Length/Shape:</b> m? x acuminate	Taller <10cm 2 per 1000 White glume color 5 per 1000
Gunner field peas	Field Pea Gunner is a semi-leafless upright, white flowered, yellow cotyledon dry pea. Gunner has smooth round small seed.	None provided
Guardian	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> fusiform <b>Chaff Color:</b> white/amber <b>Glume l x w:</b> m x n <b>Glume Shoulder:</b> rounded <b>Beak Length/Shape:</b> med x acuminate	Taller > one spike length 1/1000 Brown glumes 1/1000 Awnless 1/1000 White seed 0.5%
Hayden	<b>Type:</b> OATS <b>HEAD:</b> panicle shape equilateral, size medium, width mid broad <b>Glumes:</b> width 5 mm, length 20mm, no. of veins 9, color striped <b>Lemma:</b> length 15 mm, color white, dorsal surface hairless	Taller 25/10000
HG Force	See description for 122016W	
High Country	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white/amber <b>Glume l x w:</b> m x m <b>Glume Shoulder:</b> oblique <b>Beak Length/Shape:</b> long x acuminate	Taller (15-20cm) 4/10,000 Awnless 1/10,000 Red chaff 3/10,000 Up to 1.8% white seed variant
6452018 (10-0887)	<b>Type:</b> HRWW <b>Spkdens:</b> lax <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white <b>Glume l x w:</b> l x n <b>Glume Shoulder:</b> apiculate <b>Beak Length/Shape:</b> long x acuminate	Taller (15-20cm) 10 per 10,000 Awnless 10 per 10,000 Bronze head 10 per 10,000 Up to 0.50% white seed variant
Jagger	<b>Type:</b> HRWW <b>Spkdens:</b> l <b>Spike Shape:</b> Oblong <b>Chaff Color:</b> brown <b>Glume l x w:</b> l x W <b>Glume Shoulder:</b> r-s <b>Beak Length/Shape:</b> med x acuminate	50/5,000 Blue-green 5/5000 White to tan glumes 5/5000 Talls 1/10,000 Red glumes &/or later
Jerry Oats	Tall. Culms and leaf margins glabrous (without hair); ligules present; Equilateral panicle with ascending branches; mid-long lemmas are glabrous and without basal hairs; second-floret rachilla segments glabrous and mid-long.	
Joe Formerly KS11HW39-5-4	<b>Type:</b> HWWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> tapering <b>Chaff Color:</b> tan <small>Revised for 2021 based on Mar. 2020 AOSCA Small Grain Review Board</small> <b>Glume l x w:</b> m x m <b>Glume Shoulder:</b> oblique <b>Beak Length/Shape:</b> med x acuminate	1/1000 taller White or dark chaff 5/1000 Up to 0.3% red seed (amended 9/4/2018)

## Varietal Characteristics and Allowable Described Variants 2023

These variants are allowed in the field at the amounts listed. Any other plant type is an off-type or other variety

Note: This list is for reference only as a service to seed growers. While every attempt has been made to ensure accuracy, KCIA will not be held responsible for decisions by growers based on its use. If an error is suspected, please contact KCIA. Information on varietal descriptors can be found at the Plant Variety Protection website or at AOSCA.org or from the owner of the variety of interest.

KanMark	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> Oblong <b>Chaff Color:</b> white <b>Glume l x w:</b> m x m <b>Glume Shoulder:</b> square <b>Beak Length/Shape:</b> med x acuminate	1/1000 tall 1/1000 dark chaff
Karl 92	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> ob-fus <b>Chaff Color:</b> white <b>Glume lxw:</b> ml x n-mw <b>Glume Shoulder:</b> r-s <b>Beak Length/Shape:</b> 4-9mm x acum	Slightly taller Slightly darker Slightly later <b>Total 1/10,000</b>
Kivari AX	<b>Type:</b> HRWW <b>Spkden:</b> mid dense <b>Spike Shape:</b> tapering <b>Chaff Color:</b> White <b>Glume lxw:</b> m x m <b>Glume Shoulder:</b> Square <b>Beak Length/Shape:</b> long/acuminate	Taller <1/1000 Red glumed plants <1/1000 Awnless <1/1000 White seed coat plants <1/200
Kona	Spring Oat; erect juvenile growth; medium stem diameter; drooping, light green leaf; ligule present; panicle shape equilateral; panicle size medium with mid-broad width; avg 2.0 florets/spikelet; lemma color white; awn first floret is absent;	May be some frequency of awned first floret
KS12D03-1 Aka DH-AFQ3-1	<b>Type:</b> Durum <b>Spkden:</b> dense <b>Spike Shape:</b> Oblong <b>Chaff Color:</b> White/amber <b>Glume l x w:</b> m x n <b>Glume Shoulder:</b> Oblique <b>Beak Length/Shape:</b> Medium/Acute	Taller 1/1000 Dark chaff 1/1000
KS Ahearn KS12DH0156-88	<b>Type:</b> HRWW <b>Spkdens:</b> dense <b>Spike Shape:</b> oblong <b>Chaff Color:</b> white/amber <b>Glume l x w:</b> l x w <b>Glume Shoulder:</b> square <b>Beak Length/Shape:</b> short x acuminate	Taller 1/1000 (0.1%) Dark chaff 1/1000 (0.1%) White seeded plants (0.8%)
KS Big Bow Aka KS18HW106-4	<b>Type:</b> HWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white/amber <b>Glume l x w:</b> l x m <b>Glume Shoulder:</b> square <b>Beak Length/Shape:</b> medium x acuminate	Taller <1/100 (1.0%) red seeded plants (1.0%)
KS14H180-4-6	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white/amber <b>Glume l x w:</b> m x n <b>Glume Shoulder:</b> oblique <b>Beak Length/Shape:</b> med x acuminate	Taller 1/100 White seeded plants < 1/1000
KS Dallas	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> tapering <b>Chaff Color:</b> White/Amber <b>Glume l x w:</b> l x n <b>Glume Shoulder:</b> oblique <b>Beak Length/Shape:</b> m x acuminate	Slightly taller 1 per 100 0.1% white seed
KS Hamilton Formerly KS15H137-2-2	<b>Type:</b> HRWW <b>Spkdens:</b> lax <b>Spike Shape:</b> tapering <b>Chaff Color:</b> White/Amber <b>Glume l x w:</b> m x m <b>Glume Shoulder:</b> elevated <b>Beak Length/Shape:</b> m x acuminate	Taller < 1/100 (1%) White seeded < 5/1000 (0.5%)
KS Hatchett Aka KS090049K-8	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> tapering <b>Chaff Color:</b> White <b>Glume l x w:</b> m x m <b>Glume Shoulder:</b> elevated <b>Beak Length/Shape:</b> s x acuminate <small>Beak length officially short 2021 foundation field observations to med.</small>	Taller 1/1000 Dark chaff 1/1000 White seed up to 0.8%

## Varietal Characteristics and Allowable Described Variants 2023

These variants are allowed in the field at the amounts listed. Any other plant type is an off-type or other variety

Note: This list is for reference only as a service to seed growers. While every attempt has been made to ensure accuracy, KCIA will not be held responsible for decisions by growers based on its use. If an error is suspected, please contact KCIA. Information on varietal descriptors can be found at the Plant Variety Protection website or at AOSCA.org or from the owner of the variety of interest.

KS16DH0010-17 Aka KS Mako	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> tapering <b>Chaff Color:</b> White/Amber <b>Glume l x w:</b> m x m <b>Glume Shoulder:</b> square <b>Beak Length/Shape:</b> L x obtuse	Taller 1/1000 Dark chaff 1/1000 White seed up to 0.8%
KS19H10	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> tapering <b>Chaff Color:</b> White/Amber <b>Glume l x w:</b> L x narrow <b>Glume Shoulder:</b> Oblique <b>Beak Length/Shape:</b> L x Acuminate	Taller 10cm and above 100/10,000 White seed 150/10,000
KS Providence Aka KS13DH0041-35	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white/amber <b>Glume l x w:</b> l x med <b>Glume Shoulder:</b> elevated <b>Beak Length/Shape:</b> s x acuminate	Taller 1/1000 Dark chaff 1/1000 White seed up to 0.8%
KS Silverado	<b>Type:</b> HWWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white/amber <b>Glume l x w:</b> m x m <b>Glume Shoulder:</b> square <b>Beak Length/Shape:</b> m x acuminate	Slightly taller 1 per 100 Red seed 2%
KS Territory Aka KS18H111-3	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white/amber <b>Glume l x w:</b> l x n <b>Glume Shoulder:</b> Oblique <b>Beak Length/Shape:</b> long x acuminate	Taller < 1/100 (1.0%) White seeds < 3/1000 (0.3%)
KS Venada aka KS13HW92-3	<b>Type:</b> HWWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white/amber <b>Glume l x w:</b> l x m <b>Glume Shoulder:</b> oblique <b>Beak Length/Shape:</b> l x acuminate	Taller 1/100 red seeded plants < 2/100
KS Western Star	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> fusiform <b>Chaff Color:</b> white/amber <b>Glume l x w:</b> l x n <b>Glume Shoulder:</b> oblique <b>Beak Length/Shape:</b> m x acuminate	Slightly taller 1 per 100 White seed 0.1%
Langin	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white <b>Glume l x w:</b> m x m <b>Glume Shoulder:</b> Oblique <b>Beak Length/Shape:</b> med x acuminate	Taller 1/1000 Red chaff 1/1000 White seed fewer than 1/200
Larned	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> fusiform <b>Chaff Color:</b> white <b>Glume l x w:</b> m x n <b>Glume Shoulder:</b> rounded <b>Beak Length/Shape:</b> short x acuminate	
Larry	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> Oblong <b>Chaff Color:</b> white <b>Glume l x w:</b> m x m <b>Glume Shoulder:</b> elevated <b>Beak Length/Shape:</b> long x acuminate	Taller 1/1000 Dark chaff 1/1000
LCS Atomic AX	<b>Type:</b> HRWW <b>Spkdens:</b> lax <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white <b>Glume m x n :</b> <b>Glume Shoulder:</b> rounded <b>Beak Length/Shape:</b> ?/acuminate	1 per 1000 taller up to 2 spike lengths 1 per 1000 red or bronze glumes 1 per 1000 awnless or awnletted Up to .75% white seeds



## Varietal Characteristics and Allowable Described Variants 2023

These variants are allowed in the field at the amounts listed. Any other plant type is an off-type or other variety

Note: This list is for reference only as a service to seed growers. While every attempt has been made to ensure accuracy, KCIA will not be held responsible for decisions by growers based on its use. If an error is suspected, please contact KCIA. Information on varietal descriptors can be found at the Plant Variety Protection website or at AOSCA.org or from the owner of the variety of interest.

LCS Avenger	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white <b>Glume l x w:</b> l x m <b>Glume Shoulder:</b> oblique <b>Beak Length/Shape:</b> med x acuminate	Taller by 3 spike lengths 1/100 Red or bronze chaff 1/1000 Awnless 1/10,000 White seed up to 3%
LCS Bar	<b>Type:</b> Triticale <b>Spkdens:</b> mid dense <b>Spike Shape:</b> oblong <b>Spike awnedness:</b> medium length awns <b>Chaff Color:</b> tan <b>Neck shape :</b> wavy <b>Neck hairiness:</b> hairy <b>Glume pubescence:</b> slightly <b>Glume l x w:</b> l x w <b>Glume Shoulder:</b> wanting <b>Glume Beak shape:</b> acuminate	Taller Awnless Total variants less than 20/1000
LCS Calypso	<b>Type:</b> 2 row Barley <b>Spkdens:</b> erect(dense) <b>Spike Shape:</b> strap slightly waxy <b>Head:</b> Slightly waxy; <b>Glume Awns:</b> equal to length of glumes; awn surface semi-smooth <b>Glume:</b> 1/2 length of lemma; no hair <b>Lemma awns:</b> longer than length of spike <b>Lemma:</b> Numerous teeth; hair present; shape of base slight crease; rachilla hairs long. <b>Shape of neck:</b> Snaky	Taller up to 8 inches 1/1000 Later-drooping heads 1/1000
LCS Chrome	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> oblong <b>Chaff Color:</b> tan <b>Glume l x w:</b> l x n <b>Glume Shoulder:</b> wanting <b>Beak Length/Shape:</b> medium / acuminate	Awnless 2/ 1000 Taller (up to three spike lengths) 5/1000 White chaff 1/1000
LCS Fusion AX	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white <b>Glume l x w:</b> m x n <b>Glume Shoulder:</b> rounded <b>Beak Length/Shape:</b> med x acuminate	Taller by 3 spike lengths 1/1000 Red chaff 1/1000 Awnless 1/2000
LCS Galloway AX	<b>Type:</b> HRWW <b>Spkdens:</b> lax <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white <b>Glume l x w:</b> l x m <b>Glume Shoulder:</b> elevated <b>Beak Length/Shape:</b> medium x acuminate ~9 mm x ~3.5mm ~0.5cm	Taller by 2 spike lengths 1/1000 Red or bronze chaff 1/1000 Awnless 1/1000 Up to 0.75% white grain
LCS Helix AX	<b>Type:</b> HRWW <b>Spkdens:</b> lax <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white Beak length officially not stated, 2021 foundation field observation was med. to med. long 6-7 mm. <b>Glume l x w:</b> m x n <b>Glume Shoulder:</b> square <b>Beak Length/Shape:</b> med. 6-7mm x acuminate	Taller up to 2 spike lengths 1/1000 Red or bronze chaff 1/1000 Awnless or awnletted 1/1000
LCS Julep	<b>Type:</b> HRWW <b>Spkdens:</b> lax <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white Beak length officially not stated, 2021 foundation field observation beak was med to med. long +- 1 cm. <b>Glume l x w:</b> l x m <b>Glume Shoulder:</b> rounded <b>Beak Length/Shape:</b> med. +- 1 cm x acuminate	Taller to 3 spikelengths 1 per 1000 Red or Bronze 1 per 1000 Awnless 1 per 10,000 0.75% white grain
LCS Link	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> oblong <b>Chaff Color:</b> white <b>Glume l x w:</b> m x m <b>Glume Shoulder:</b> wanting <b>Beak Length/Shape:</b> medium/acuminate	2 per 1000 Taller (up to 3 spikelengths) 1/1000 red/brown chaff, square/obliq glumes 1 per 1000 awnless May contain up to 3% white grain
LCS Mint	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> oblong <b>Chaff Color:</b> white/amber <b>Glume l x w:</b> m x w <b>Glume Shoulder:</b> square <b>Beak Length/Shape:</b> med x acuminate	1 per 1000 brown glumes 1 per 1000 taller plants (two spikelengths above canopy)

## Varietal Characteristics and Allowable Described Variants 2023

These variants are allowed in the field at the amounts listed. Any other plant type is an off-type or other variety

Note: This list is for reference only as a service to seed growers. While every attempt has been made to ensure accuracy, KCIA will not be held responsible for decisions by growers based on its use. If an error is suspected, please contact KCIA. Information on varietal descriptors can be found at the Plant Variety Protection website or at AOSCA.org or from the owner of the variety of interest.

LCS Odessey (spring type 2-row barley)	<b>Awns</b> strong anthocyanin (reddish) coloration of tips. Ear (head) parallel shape, medium dense, long awns, two rows. Awns are medium to long compared to ear.	None listed
LCS Photon AX	<b>Type:</b> HRWW <b>Spkdens:</b> lax <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white/amber <b>Glume l x w:</b> l x n <b>Glume Shoulder:</b> elevated <b>Beak Length/Shape:</b> vl x acuminate	Awnless/awnletted 1/1000 Taller up to two spikes 1/1000 Red or Bronze 1 per 1000 White seed 0.75%
LCS Pistol	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white/amber <b>Glume l x w:</b> m x m <b>Glume Shoulder:</b> rounded <b>Beak Length/Shape:</b> m x acuminate	1/1000 red/brown chaffed 1/1000 awnless 5/1000 taller (2 spikelengths above canopy)
LCS Revere	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> Tapering <b>Chaff Color:</b> white <b>Glume l x w:</b> ml x w <b>Glume Shoulder:</b> oblique <b>Beak Length/Shape:</b> med x acuminate	Taller up to 3 spike lengths 1/1000 Red or bronze glumes 1/1000 Awnless 1/10000 White seed up to 0.75%
LCS Runner	<b>Type:</b> HRWW <b>Spkdens:</b> lax <b>Spike Shape:</b> Tapering <b>Chaff Color:</b> white <small>Beak length not officially stated</small> <b>Glume l x w:</b> m x m <b>Glume Shoulder:</b> rounded <b>Beak Length/Shape:</b> ? x acuminate	Taller up to 3 spike lengths 1/1000 Red or bronze glumes 1/1000 Awnless 1/10000 White seed up to 0.75%
LCS Saturn	<b>Type:</b> Six-Rowed Barley <b>Spkdens:</b> Drooping, medium <b>Spike Shape:</b> Tapering <b>Glume length:</b> More than 1/2 of Lemma Long awns, Slightly waxy head	Taller up to 6 inches 5/1000
LCS Steel AX	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> tapering <b>Chaff Color:</b> tan <small>Beak length officially not stated, 2021 foundation field observation, shoulder also oblique to square, length med. to ml</small> <b>Glume l x w:</b> m x m <b>Glume Shoulder:</b> oblique <b>Beak Length/Shape:</b> med. +- 1 cm X acuminate	Taller up to 2 spike lengths above canopy 1/1000 White or red glumes 1/1000 Awnless or awnletted 1/1000
LCS Valiant	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> Tapering <b>Chaff Color:</b> white <b>Glume l x w:</b> m ~3-5mm X m ~8mm <b>Glume Shoulder:</b> oblique <b>Beak Length/Shape:</b> m (0.92cm) X acuminat <small>revised for 2021 based on PVP certificate 202000191</small>	Taller by 10 cm 1/200 What is described as glume variants 1/100 No color or awn variants observed
<b>LCS Violetta</b>	<b>Two-row Barley straight, long, rough awns. White auricles</b>	
LCS White Lightning (LCH18-9027)	<b>Type:</b> HWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> Tapering <b>Chaff Color:</b> white <small>Beak length not officially stated</small> <b>Glume l x w:</b> l x w <b>Glume Shoulder:</b> square <b>Beak Length/Shape:</b> v. long (~1.2 cm) x acuminate ~9mm X ~4mm	Taller up to 3 spike lengths 1/1000 Red or bronze glumes 1/1000 Awnless 1/10,000 Red seed up to 0.75%
LCS Wizard	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> o to slightly fusiform <b>Chaff Color:</b> white <b>Glume l x w:</b> l x n <b>Glume Shoulder:</b> oblique <b>Beak Length/Shape:</b> ? / obtuse	Awnless 1 per 1000 5 per 1000 taller (up to three spike lengths)

## Varietal Characteristics and Allowable Described Variants 2023

These variants are allowed in the field at the amounts listed. Any other plant type is an off-type or other variety

Note: This list is for reference only as a service to seed growers. While every attempt has been made to ensure accuracy, KCIA will not be held responsible for decisions by growers based on its use. If an error is suspected, please contact KCIA. Information on varietal descriptors can be found at the Plant Variety Protection website or at AOSCA.org or from the owner of the variety of interest.

LCS Yeti	<b>Type:</b> HWWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> tapering <b>Chaff Color:</b> bronze/tan <b>Glume l x w:</b> l x m <b>Glume Shoulder:</b> rounded <b>Beak Length/Shape:</b> v. long x acuminate	Taller by 2 spike lengths 1/1000 white chaff 1/1000 red seed up to 0.75%
LCH19DH-152-6 Aka LCS Radar	<b>No characteristics yet</b>	None listed yet
Lonerider	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white <b>Glume l x w:</b> m x m <b>Glume Shoulder:</b> rounded <b>Beak Length/Shape:</b> med x acuminate	Taller <10 cm 1/800 Bronze chaff 1/500
Long Branch	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white <b>Glume l x w:</b> s x m <b>Glume Shoulder:</b> elevated <b>Beak Length/Shape:</b> short / acuminate	Awnless 2/ 1000 Taller (up to three spike lengths) 5/1000 Red/brown chaff 2/1000
MS Iceman	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white <b>Beak Length/Shape:</b> very long / acum. <b>Glume l x w:</b> l (~9mm) x n (~3.5mm) <b>Glume Shoulder:</b> elevated	Awnless 1/ 10,000 Taller (up to three spike lengths) 1/1000 Red/brown chaff 1/1000
N104421	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> fusiform <b>Chaff Color:</b> tan <b>Glume l x w:</b> l x n <b>Glume Shoulder:</b> wanting <b>Beak Length/Shape:</b> ml x acuminate	Up to 2% (20/1000) taller (8-15cm) and/or and longer beak, or bronze chaff
Monarch white wheat	<b>Type:</b> HWWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white/amber <b>Glume l x w:</b> m x n <b>Glume Shoulder:</b> rounded <b>Beak Length/Shape:</b> m x acuminate	Taller 1/1000 Brown glumes 1/1000 Awnless 1/1000
Natty (oats)	<b>Type:</b> OATS <b>Spkdens:</b> ? <b>Spike Shape:</b> equilateral <b>Chaff Color:</b> striped <b>Plant height:</b> approx 106 cm; <b>Lemma:</b> 14 mm long, white, hairless <b>Glume l x w:</b> 20x 6 mm <b>Glume Shoulder:</b> ? <b>Beak Length/Shape:</b> ?	None listed
NE10589	See variety descriptors <b>Ruth</b>	
NE441T (triticale)	<b>Type:</b> Triticale <b>Spkdens:</b> dense <b>Spike Shape:</b> Clavate <b>Awned with Awn color:</b> tan <b>Glumes:</b> pubescent, tan in color, long, mid-wide with wanting shoulders, <b>Beak:</b> acuminate	None listed
NE422T (Triticale) aka 422T PVP cert. 200200153	<b>Type:</b> Winter triticale <b>Description:</b> tall ~148cm, color is green (as opposed to yellow-green or blue-green), neck is non hairy and straight, no stem anthocyanin. Flag leaf not twisted, waxy bloom on leaf, leaf is re-curved (as opposed to upright, or drooping). Head is mid-dense, ~9.6cm long, 4mm wide and oblong, awned with tan awns. Glumes at maturity are pubescent, tan, mid long, narrow with a wanting shoulder and acuminate beak.	Taller (10-20cm) 1/10,000 1/8000 Shorter (25-30cm) and later (3-4 days) Up to 1% 10/10,000 variant plants are allowed..
Oakley CL	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> fusiform <b>Chaff Color:</b> white <b>Glume l x w:</b> med x med <b>Glume Shoulder:</b> Oblique <b>Beak Length/Shape:</b> med /acuminate	Slightly taller 1 per 1000 Purple auricles 1 per 100 White-seeded plants 1 per 1000

## Varietal Characteristics and Allowable Described Variants 2023

These variants are allowed in the field at the amounts listed. Any other plant type is an off-type or other variety

Note: This list is for reference only as a service to seed growers. While every attempt has been made to ensure accuracy, KCIA will not be held responsible for decisions by growers based on its use. If an error is suspected, please contact KCIA. Information on varietal descriptors can be found at the Plant Variety Protection website or at AOSCA.org or from the owner of the variety of interest.

OK Corral Apically awnletted	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white Based on certificate 202000252 . <b>Glume l x w:</b> s ~7mm x w ~4mm <b>Glume Shoulder:</b> square <b>Beak Length/Shape:</b> v. short x acute	1/1000 Taller (<10cm) 1/750 Awned (0.133%) approx. 1.3/1000
OK15MASBx7ARS8-20	<b>Type:</b> HRWW <b>Spkdens:</b> Lax to Mid-Dense <b>Spike Shape:</b> Strap <b>Chaff Color:</b> White <b>Glume l x w:</b> m x w <b>Glume Shoulder:</b> Wanting <b>Beak Length/Shape:</b> med-long/Acuminate	No variants listed.
Overland aka NE01643	<b>Type:</b> <b>Spkdens:</b> mid dense <b>Spike Shape:</b> tapering to oblong <b>Chaff Color:</b> white <b>Glume l x w:</b> l x n <b>Glume Shoulder:</b> narrow to midwide <b>Beak Length/Shape:</b> m x acum	Taller (10-15cm) or awnless and/or with red chaff Up to 10/1000
Paradise	<b>Type:</b> HRWW <b>Spkdens:</b> lax <b>Spike Shape:</b> Tapering <b>Chaff Color:</b> tan (updated 2018) <b>Glume l x w:</b> l x m <b>Glume Shoulder:</b> oblique <b>Beak Length/Shape:</b> medium x acute	Taller by 8 to 15 cm 10/1000 (1%) White seed up to 1.8% (chaff color updated to bronze 6/19/18)
Pennbar 66 Barley	Winter barley. Six-row barley; medium tall; head 10-15 cm above flag; straight neck; erect and dense and compact head (spike); awns longer than length of glumes. Collar is closed; glume is ½ length of lemma; glume is hairy; few teeth on margin (edge) of lemma.	5/1000 awnletted
Post 90	Post is a short-strawed, 6-rowed, rough-awned barley with mid-to late-season maturity. Early plant growth is semi-prostrate when fall-seeded. Spikes are short and dense with rachis internodes approximately 2 mm in length and edged with long hairs, Glumes are partially covered with long hairs and are approximately one-half the length of the lemma. Lemma awns are long and glume awns are longer than the glumes. The covered kernels have a white aleurone and have a few lemma teeth on the lateral and marginal nerves. Hulls are slightly to semi-wrinkled	No variants listed
Presto (Triticale)	Winter Triticale; hexaploid ; mid-tall; blue-green at boot stage; flag not twisted, waxy bloom on leaf at boot, leaf recurved; mid-dense, Oblong, fully awned; Glumes have hair, strongly colored, mid-long, narrow, with oblique shoulder and acuminate beak.	None available
Ray Apically Awnletted	<b>Type:</b> HRWW <b>Spkdens:</b> lax <b>Spike Shape:</b> oblong <b>Chaff Color:</b> white <b>Glume l x w:</b> l x w <b>Glume Shoulder:</b> oblique <b>Beak Length/Shape:</b> ? x acute	Dark chaff < 5/10000 (0.05%) Fully Awned < 10/10000 ((0.1%)
Rock Star	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> tapering <b>Chaff Color:</b> tan <b>Glume l x w:</b> l x n <b>Glume Shoulder:</b> oblique <b>Beak Length/Shape:</b> l x acuminate	2/1000 Taller Up to 1.8% white seed variant
Ruth aka NE10589	<b>Type:</b> HRWW <b>Spkdens:</b> lax <b>Spike Shape:</b> tapering <b>Chaff Color:</b> tan <b>Glume l x w:</b> s x w <b>Glume Shoulder:</b> square to elevated <b>Beak Length/Shape:</b> m x acuminate	Taller by 5 to 15 cm Red chaff Awnless Variants up to 1% (10/1000)

## Varietal Characteristics and Allowable Described Variants 2023

These variants are allowed in the field at the amounts listed. Any other plant type is an off-type or other variety

Note: This list is for reference only as a service to seed growers. While every attempt has been made to ensure accuracy, KCIA will not be held responsible for decisions by growers based on its use. If an error is suspected, please contact KCIA. Information on varietal descriptors can be found at the Plant Variety Protection website or at AOSCA.org or from the owner of the variety of interest.

Shelby 427 Oat	Spring oat; mature <b>stem color</b> is yellow; <b>nodes on upper stem</b> hairy; hairless <b>leaf margin</b> ; <b>Equilateral panicle</b> (head); medium panicle size; midbroad panicle width; 21 branches on panicle in four whorls; 9 veins on <b>glume</b> and glume color is striped; <b>lemma</b> is awnless, hairless and white in color.	No variants listed
Short Beard Thunder Triticale NT06427	<b>Type:</b> Triticale <b>Spkdens:</b> mid dense <b>Spike Shape:</b> Oblong <b>Chaff Color/pubescence:</b> tan/pubescent <b>Neck:</b> Straight, moderately hairy <b>Awnedness:</b> Awnletted <b>Glume l x w:</b> l x w <b>Glume Shoulder:</b> wanting <b>Beak length/shape:</b> ?/acuminate	Up to 6% off types may be found in NT06427 of which most are awned, but also a few off types may be taller than the majority of lines which are awnletted and shorter.
Showdown	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> fusiform <b>Chaff Color:</b> white <b>Glume l x w:</b> l x m <b>Glume Shoulder:</b> oblique <b>Beak Length/Shape:</b> m? x acuminate	Taller <10cm 1 per 1000 Bronze glumes 1 per 800
Smiths Gold	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> Tapering <b>Chaff Color:</b> white <b>Glume l x w:</b> l x m <b>Glume Shoulder:</b> oblique <b>Beak Length/Shape:</b> ? x acuminate	Taller by <10 cm 1/800 Bronze glumes 1/500
Spirit Rider	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white <b>Glume l x w:</b> m x m <b>Glume Shoulder:</b> rounded <b>Beak Length/Shape:</b> ? x acuminate	Taller by <10 cm 1/500 Bronze glume 1/500
Strad CL Plus	<b>Type:</b> HRWW <b>Spkdens:</b> lax to mid dense <b>Spike Shape:</b> tapering <b>Chaff Color:</b> tan <b>Glume l x w:</b> m x m <b>Glume Shoulder:</b> oblique <b>Beak Length/Shape:</b> med to long x acum	White chaff < 1/1000 (0.1%)
SY 517 CL2	<b>Type:</b> HRWW <b>Spkdens:</b> lax <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white <b>Glume l x w:</b> m x n <b>Glume Shoulder:</b> oblique <b>Beak Length/Shape:</b> med x acuminate	Taller by 8 to 15 cm 10/1000 (1%) Awnless 10/1000 (1%) White seed up to 1.8%
SY Achieve CL2	<b>Type:</b> HRWW <b>Spkdens:</b> lax <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white <b>Glume l x w:</b> m x n <b>Glume Shoulder:</b> oblique <b>Beak Length/Shape:</b> m x acuminate	Taller (8-15cm) 8 per 1000 Awnless 1 per 10,000 Up to 10 per 1000 total Up to 1.8% white seed variant
SY Benefit	<b>Type:</b> HRWW <b>Spkdens:</b> lax <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white <b>Glume l x w:</b> s x n <b>Glume Shoulder:</b> oblique <b>Beak Length/Shape:</b> m x acuminate	Larger 6 per 1000 Taller (8-15cm) 2 per 1000 Awnless 1 per 1000 Up to 10 per 1000 total Up to 1.8% white seed variant
SY Flint	<b>Type:</b> HRWW <b>Spkdens:</b> lax <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white <b>Glume l x w:</b> m x m <b>Glume Shoulder:</b> oblique <b>Beak Length/Shape:</b> m / acuminate	1/1000 taller (8 to 15 cm) or awnletted

## Varietal Characteristics and Allowable Described Variants 2023

These variants are allowed in the field at the amounts listed. Any other plant type is an off-type or other variety

Note: This list is for reference only as a service to seed growers. While every attempt has been made to ensure accuracy, KCIA will not be held responsible for decisions by growers based on its use. If an error is suspected, please contact KCIA. Information on varietal descriptors can be found at the Plant Variety Protection website or at AOSCA.org or from the owner of the variety of interest.

SY-Grit	<b>Type:</b> HWWW <b>Spkdens:</b> lax <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white <b>Glume l x w:</b> l x m <b>Glume Shoulder:</b> square <b>Beak Length/Shape:</b> long x acuminate	8/1000 Taller (8 to 15cm) 1/1000 Awnless
SY Legend CL2	<b>Type:</b> HRWW <b>Spkdens:</b> lax <b>Spike Shape:</b> tapering <b>Chaff Color:</b> tan Revised for 2021 based on PVP certificate 201800226 <b>Glume l x w:</b> l x m <b>Glume Shoulder:</b> oblique <b>Beak Length/Shape:</b> med x acuminate	Taller amounts not specified Awned Variants up to (1%) White seed up to 1.8%
SY Llano	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white/amber <b>Glume l x w:</b> m x n <b>Glume Shoulder:</b> square <b>Beak Length/Shape:</b> m / acute	1/1000 taller 1/1000 awnless
SY Monument	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> fusiform <b>Chaff Color:</b> white/amber <b>Glume l x w:</b> med x med <b>Glume Shoulder:</b> oblique <b>Beak Length/Shape:</b> med / acuminate	Taller 9 per 1000 Red chaff 1 per 1000
SY TF 135 aka AG 135 Triticale	<b>Type:</b> Triticale <b>Spkdens:</b> mid dense <b>Spike Shape:</b> fusiform <b>Chaff Color:</b> white <b>Glume l x w:</b> ml x n <b>Glume Shoulder:</b> oblique <b>Beak Length/Shape:</b> m x acute <b>Awnletted; Neck shape:</b> Wavy <b>Neck hairiness:</b> slight to m <b>Height:</b> Semi-dwarf	1/1000 Taller 1/1000 extra long awns
SY TF 813 Triticale	<b>Type:</b> Triticale <b>Spkdens:</b> mid dense <b>Spike Shape:</b> clavate <b>Chaff Color:</b> white <b>Glume l x w:</b> l x n <b>Glume Shoulder:</b> wanting <b>Beak Length/Shape:</b> m x acute <b>Awnletted; Neck shape:</b> Wavy <b>Neck hairiness:</b> moderate <b>Height:</b> Semi-dwarf	1/1000 Taller 1/1000 Awned
SY Rugged	<b>Type:</b> HRWW <b>Spkdens:</b> lax <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white <b>Glume l x w:</b> m x n <b>Glume Shoulder:</b> oblique <b>Beak Length/Shape:</b> m x acuminate	Taller (8-15cm) 2 per 1000 Awnless 1 per 1000 Red chaffed 5 per 1000 Up to 10 per 1000 total Up to 1.8% white seed variant
SY-Sky	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> fusiform <b>Chaff Color:</b> white/amber <b>Glume l x w:</b> short x medium <b>Glume Shoulder:</b> oblique <b>Beak Length/Shape:</b> med / acute	Taller 8/1000
SY-Southwind	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> fusiform <b>Chaff Color:</b> white <b>Glume l x w:</b> m x m <b>Glume Shoulder:</b> square <b>Beak Length/Shape:</b> m x acuminate	8/1000 Taller 1/10000 Awnletted
SY-Sunrise	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white <b>Glume l x w:</b> m x m <b>Glume Shoulder:</b> oblique <b>Beak Length/Shape:</b> m x acuminate	7/1000 Taller 1/1000 Awnletted

## Varietal Characteristics and Allowable Described Variants 2023

These variants are allowed in the field at the amounts listed. Any other plant type is an off-type or other variety

Note: This list is for reference only as a service to seed growers. While every attempt has been made to ensure accuracy, KCIA will not be held responsible for decisions by growers based on its use. If an error is suspected, please contact KCIA. Information on varietal descriptors can be found at the Plant Variety Protection website or at AOSCA.org or from the owner of the variety of interest.

SY-Wolf	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white/amber <b>Glume l x w:</b> ml x mw <b>Glume Shoulder:</b> square <b>Beak Length/Shape:</b> l x acuminate	7/1000 Taller (8-15 cm) 1/1000 Awnless 1/1000 Red Chaff Up to 8/1000 total 1.8 % white seed
SY Wolverine	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white/amber <b>Glume l x w:</b> l x n <b>Glume Shoulder:</b> oblique <b>Beak Length/Shape:</b> short* x acuminate <small>*Amended by company 2020</small>	1.8% white seeded variant
Sunshine	<b>Type:</b> HWWW <b>Spkdens:</b> ? <b>Spike Shape:</b> ? <b>Chaff Color:</b> white <b>Glume l x w:</b> ? <b>Glume Shoulder:</b> ? <b>Beak Length/Shape:</b> ?	1/1000 Taller (2 spike lengths) 1/2000 Awnless 1/1000 Red Chaff
T158	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> fusiform <b>Chaff Color:</b> white-amber <b>Glume l x w:</b> m x w <b>Glume Shoulder:</b> oblique <b>Beak Length/Shape:</b> m x acute	Awnless Brown glumes Taller Total 3/10,000
T-173 (awnless)	<b>Type:</b> SRW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> tapering <b>Chaff Color:</b> tan <b>Glume l x w:</b> s x w <b>Glume Shoulder:</b> square <b>Beak Length/Shape:</b> m x acute	1/1000 Brown glumes 1/1000 Talls 1/1000 Awned (usually 6-12" shorter)
TAM 107	<b>Type:</b> HRWW <b>Spkdens:</b> <b>Spike Shape:</b> <b>Chaff Color:</b> reddish brown <b>Glume l x w:</b> ? x w <b>Glume Shoulder:</b> oblique <b>Beak Length/Shape:</b> M x -	5/5000 Whites & tall reds 5/5000 Tall whites
TAM 110	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> fusiform <b>Chaff Color:</b> brown <b>Glume l x w:</b> m x n-mw <b>Glume Shoulder:</b> o-s <b>Beak Length/Shape:</b> 3-4mm x acuminate	5/5000 Talls (twice head length) 5/5000 White chaffed
TAM 111	<b>Type:</b> HRWW <b>Spkdens:</b> dense <b>Spike Shape:</b> fusiform <b>Chaff Color:</b> white <b>Glume l x w:</b> s x mw <b>Glume Shoulder:</b> oblique <b>Beak Length/Shape:</b> s(6-7mm) x acuminate	2/1000 Taller (4 –6 inches) 1/1000 Red chaff color 1/1000 Awnless
TAM 112	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> fusiform <b>Chaff Color:</b> red <b>Glume l x w:</b> m x m <b>Glume Shoulder:</b> elevated <b>Beak Length/Shape:</b> x acuminate	5/1000 Taller (10 cm)
TAM 113	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> oblong <b>Chaff Color:</b> white <b>Glume l x w:</b> m x m <b>Glume Shoulder:</b> oblique <b>Beak Length/Shape:</b> med x acuminate	1/1000 4 – 6 “ taller with white glumes 1/10,000 4- 6 “ taller with red glumes

## Varietal Characteristics and Allowable Described Variants 2023

These variants are allowed in the field at the amounts listed. Any other plant type is an off-type or other variety

Note: This list is for reference only as a service to seed growers. While every attempt has been made to ensure accuracy, KCIA will not be held responsible for decisions by growers based on its use. If an error is suspected, please contact KCIA. Information on varietal descriptors can be found at the Plant Variety Protection website or at AOSCA.org or from the owner of the variety of interest.

TAM 114	<b>Type:</b> Spkdens: mid dense <b>Spike Shape:</b> oblong <b>Chaff Color:</b> tan <b>Glume l x w:</b> m x m <b>Glume Shoulder:</b> oblique <b>Beak Length/Shape:</b>	6/1000 taller 2/1000 white 1/1000 white awnless 1/1000 red awnless
TAM 115	<b>Type:</b> Spkdens: mid dense <b>Spike Shape:</b> oblong <b>Chaff Color:</b> red <b>Glume l x w:</b> m x m <b>Glume Shoulder:</b> oblique <b>Beak Length/Shape:</b> ? x acuminate	Taller up 5 to 15cm 8/1000 White glumes, awned 1/1000 Awnless red 1/2000 Awnless white 1/2000
TAM 204	<b>Type:</b> HRWW Spkdens: mid dense <b>Spike Shape:</b> oblong <b>Chaff Color:</b> red <b>Apically Awnletted</b> <b>Glume l x w:</b> m x m(3-5mm) <b>Glume Shoulder:</b> oblique <b>Beak Length/Shape:</b> m x obtuse	1/1000 Taller (4 to 6 inches)
TAM 205	<b>Type:</b> Spkdens: mid dense <b>Spike Shape:</b> oblong <b>Chaff Color:</b> white <b>Glume l x w:</b> m x m <b>Glume Shoulder:</b> oblique <b>Beak Length/Shape:</b> ? x acuminate	Taller 5 to 15 cm 1/100
TAM 304	<b>Type:</b> HRWW Spkdens: dense <b>Spike Shape:</b> oblong <b>Chaff Color:</b> white <b>Glume l x w:</b> m(8mm) x m <b>Glume Shoulder:</b> oblique <b>Beak Length/Shape:</b> m x acuminate	1/1000 Taller (4 to 6 inches)
Tambar 501 Winter Barley	<b>Type:</b> BARLEY 6 row <b>Plant height:</b> short <b>Spkdens:</b> dense <b>Spike Shape:</b> oblong, slightly waxy <b>Glumes:</b> length 1/2 of lemma, awns less than equal to length of glumes and semi smooth <b>Lemma:</b> awns longer than spike, surface rough, teeth few, shape of base slight crease, hair present	None listed
Tatanka	<b>Type:</b> HRWW Spkdens: mid dense <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white <b>Glume l x w:</b> m x m <b>Glume Shoulder:</b> square <b>Beak Length/Shape:</b> m x obtuse	Taller 1/1000 White seeded 1/1000
TriCal 102 Triticale	<b>TYPE:</b> Winter triticale. <b>Description:</b> Spikes (heads) are waxy, narrow, long, slightly recurved, and predominantly awnletted. Glumes are hairless, waxy, and light yellow at maturity. Short awns on four to five spikelets at the top of the spike	1/3500 fully awned, moderate to dense neck hair 1/5000 Tan to light brown glumes
TriCal 348 Triticale	<b>TYPE:</b> Winter triticale <b>Description:</b> Spike is mid-dense, and oblong. Glumes tend to be long and mid-wide to wide, shoulders are usually wanting. Beak is obtuse. 348 is slightly less waxy than 102.	5/1000 Awns 4 to 5 cm long and a hairy neck
Turkey Red	very old, pre-certification variety so landraces are possible. Tall, white chaff, fusiform spike narrow wanting to oblique shoulders, awned, beaks 2 to 8 mm	None
Uncharted	<b>Type:</b> HRWW Spkdens: lax to mid dense <b>Spike Shape:</b> tapering <b>Chaff Color:</b> tan <b>Glume l x w:</b> m x m <b>Glume Shoulder:</b> wanting <b>Beak Length/Shape:</b> short to m x acuminate	Taller (< 10 cm) < 1/750 or 13/10000 (0.1333%) White chaff < 1/750 or 13/10000 (0.1333%)



## Varietal Characteristics and Allowable Described Variants 2023

These variants are allowed in the field at the amounts listed. Any other plant type is an off-type or other variety

Note: This list is for reference only as a service to seed growers. While every attempt has been made to ensure accuracy, KCIA will not be held responsible for decisions by growers based on its use. If an error is suspected, please contact KCIA. Information on varietal descriptors can be found at the Plant Variety Protection website or at AOSCA.org or from the owner of the variety of interest.

Underwood	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> tapering <b>Chaff Color:</b> bronze <b>Glume l x w:</b> m x m <b>Glume Shoulder:</b> square <b>Beak Length/Shape:</b> m x acuminate	8/1000 taller (8cm) 1/1000 different chaff color 1/1000 awnless
WB2606 aka 9269052	<b>Type:</b> SRWW <b>Spkdens:</b> lax <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white/amber <b>Glume l x w:</b> s x n <b>Glume Shoulder:</b> apiculate <b>Beak Length/Shape:</b> m x acuminate	Taller (15-20cm) 20 per 10,000 (0.2%) Awnless 10 per 10,000 (0.1%) Bronze head 10 per 10,000 (0.1%) Up to 0.50% white seed variant
WB4269	<b>Type:</b> HRWW <b>Spkdens:</b> lax <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white/amber <b>Glume l x w:</b> l x n <b>Glume Shoulder:</b> square <b>Beak Length/Shape:</b> short* x acuminate *amended by company 2019	Taller (15-20cm) 20 per 10,000 Awnless 10 per 10,000 Bronze head 10 per 10,000 Up to 0.20% white seed variant
WB4303	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white <b>Glume l x w:</b> l x w <b>Glume Shoulder:</b> rounded <b>Beak Length/Shape:</b> l x acuminate	Bronze chaff 1/1000 Taller (10 - 20 cm) 2/1000 Awnless 1/1000
WB4401	<b>Type:</b> HRWW <b>Spkdens:</b> lax <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white <b>Glume l x w:</b> m x w <b>Glume Shoulder:</b> elevated <b>Beak Length/Shape:</b> short x acuminate Beak length changed to short for 2021 based on revision in AOSCA Aug. small grain VRB	Taller 10-15 cm 20 per 10,000 Awnless 10 per 10,000 Bronze chaff 10 per 10,000 White seed 0.50%
WB4418	<b>Type:</b> HRWW <b>Spkdens:</b> lax <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white/amber <b>Glume l x w:</b> m x n <b>Glume Shoulder:</b> square <b>Beak Length/Shape:</b> med x acuminate	Taller by 15 to 20 cm 20/10000 (0.2%) Awnless 10/10000 (0.1%) Bronze chaff 10/10000 (0.1%) White seed up to 0.5% (50/10000)
WB 4422	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> oblong <b>Chaff Color:</b> tan Purple auricles are present in juvenile plants <b>Glume l x w:</b> l x n <b>Glume Shoulder:</b> oblique <b>Beak Length/Shape:</b> l x acuminate	Taller by 15 to 20 cm 20/10000 (0.2%) Awnless 10/10000 (0.1%) White chaff 10/10,000 (0.1%) White seed .25%
WB 4458	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> oblong <b>Chaff Color:</b> tan <b>Glume l x w:</b> m x n <b>Glume Shoulder:</b> square <b>Beak Length/Shape:</b> l x acuminate	3/1000 white chaff 1/1000 talls (>10cm)
WB4462 Shoulder update to elevated 2019 based on PVP certificate	<b>Type:</b> HRWW <b>Spkdens:</b> lax <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white <b>Glume l x w:</b> l x m <b>Glume Shoulder:</b> elevated <b>Beak Length/Shape:</b> l x acuminate	Taller (15-20cm) 20 per 10,000 Awnless 10 per 10,000 Bronze head 10 per 10,000 Up to 0.25% white seed variant
WB4483	<b>Type:</b> HRWW <b>Spkdens:</b> lax <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white <b>Glume l x w:</b> l x n <b>Glume Shoulder:</b> oblique <b>Beak Length/Shape:</b> l x acuminate	Taller (15-20cm) 20 per 10,000 Awnless 10 per 10,000 Bronze head 10 per 10,000 Up to 0.5% white seed variant

## Varietal Characteristics and Allowable Described Variants 2023

These variants are allowed in the field at the amounts listed. Any other plant type is an off-type or other variety

Note: This list is for reference only as a service to seed growers. While every attempt has been made to ensure accuracy, KCIA will not be held responsible for decisions by growers based on its use. If an error is suspected, please contact KCIA. Information on varietal descriptors can be found at the Plant Variety Protection website or at AOSCA.org or from the owner of the variety of interest.

WB4510 CLP	<b>Type:</b> HRWW <b>Spkdens:</b> lax <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white/amber <b>Glume l x w:</b> l x n <b>Glume Shoulder:</b> oblique <b>Beak Length/Shape:</b> long x acuminate	Taller (15 to 20 cm) 20/10,000 (0.2%) Awnless 10/10,000 (0.1%) Bronze head 10/10,000 (0.1%) Up to 0.5% white seed variant
WB4515 Shoulder update to elevated 2019 based on PVP certificated (10-0458)	<b>Type:</b> HRWW <b>Spkdens:</b> lax <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white <b>Glume l x w:</b> m x n <b>Glume Shoulder:</b> elevated <b>Beak Length/Shape:</b> l x acuminate	Taller (15 to 20 cm) 20/10,000 (0.2%) Awnless 10/10,000 (0.1%) Bronze head 10/10,000 (0.1%) Up to 0.25% white seed variant
WB 4523	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> oblong <b>Chaff Color:</b> white/amber Purple auricles are present in juvenile plants <b>Glume l x w:</b> s x m <b>Glume Shoulder:</b> square <b>Beak Length/Shape:</b> ml x acute	Taller by 15 to 20 cm 20/10,000 (0.2%) Awnless 10/10,000 (0.1%) Bronze head 10/10,000 (0.1%) White seed .25%
WB4595	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white/amber <b>Glume l x w:</b> m x w <b>Glume Shoulder:</b> elevated <b>Beak Length/Shape:</b> long x acuminate	Taller (15-20cm) 20/10000 (0.2%) Awnless 10/10000 0.1% Bronze head 10/0000 (0.1%)
WB4632 aka XF4414	<b>Type:</b> HRWW <b>Spkdens:</b> Mid-Dense <b>Spike Shape:</b> Tapering <b>Chaff Color:</b> White/amber <b>Glume l x w:</b> l x m <b>Glume Shoulder:</b> Elevated <b>Beak Length/Shape:</b> Medium/Acuminate	White seed up to 50/10,000 (0.50%) Taller (15-20cm) 20/10,000 (0.2%) Bronze head 10/10,000 (0.1%) Awnless 10/10,000 (0.1%)
WB4699	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white/amber <b>Glume l x w:</b> m x n <b>Glume Shoulder:</b> elevated <b>Beak Length/Shape:</b> long x acuminate	Taller (15-20cm) 20/10000 (0.2%) Awnless 10/10000 0.1% Bronze head 10/0000 (0.1%)
WB4721	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> tapering <b>Chaff Color:</b> brown <b>Glume l x w:</b> m x n <b>Glume Shoulder:</b> elevated <b>Beak Length/Shape:</b> long x acuminate	1/1000 white chaff 2/1000 taller (15-20 cm) 1/1000 awnless
WB4733CLP Aka XF4108CLP	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> Tapering <b>Chaff Color:</b> White/Amber <b>Glume l x w:</b> m x n <b>Glume Shoulder:</b> wanting <b>Beak Length/Shape:</b> Short x Acuminate	White seed up to 50/10,000 (0.5%) Taller (15-20cm) 20/10,000 (0.2%) Bronze head 10/10,000 (0.1%) Awnless 10/10,000 (0.1%)
WB4739 AX Aka LCH18-7069	<b>Type:</b> HRWW <b>Spkden:</b> lax to mid-dense <b>Spike Shape:</b> Tapering <b>Chaff Color:</b> White <b>Glume l x w:</b> l x m <b>Glume Shoulder:</b> Oblique <b>Beak Length/Shape:</b> Medium x Acuminate	None listed

## Varietal Characteristics and Allowable Described Variants 2023

These variants are allowed in the field at the amounts listed. Any other plant type is an off-type or other variety

Note: This list is for reference only as a service to seed growers. While every attempt has been made to ensure accuracy, KCIA will not be held responsible for decisions by growers based on its use. If an error is suspected, please contact KCIA. Information on varietal descriptors can be found at the Plant Variety Protection website or at AOSCA.org or from the owner of the variety of interest.

WB4792	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white/amber <b>Glume l x w:</b> m x m <b>Glume Shoulder:</b> elevated <b>Beak Length/Shape:</b> short* x acuminate *amended by company	Taller (15-20cm) 20/10000 (0.2%) Awnless 10/10000 (0.1%) Bronze head 10/0000 0.1%
WB9303	<b>Type:</b> HRSW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> oblong <b>Chaff Color:</b> white/amber <b>Glume l x w:</b> l x n <b>Glume Shoulder:</b> Apiculate <b>Beak Length/Shape:</b> long x acuminate	Taller (15-20cm) 20/10,000 (0.2%) Bronze head 10/10,000 (0.1%) Awnless 10/10,000 (0.1%) White seed up to 0.5%
WB9590	<b>Type:</b> SRW <b>Spkdens:</b> lax <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white/amber <b>Glume l x w:</b> ? x n <b>Glume Shoulder:</b> oblique <b>Beak Length/Shape:</b> long x acuminate	Taller (15-20cm) 20/10,000 Bronze 10/10,000 Awnless 10/10,000
WB 9606	<b>Type:</b> HRS <b>Spkdens:</b> lax <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white/amber Purple auricles are present in juvenile plants <b>Glume l x w:</b> m x n <b>Glume Shoulder:</b> oblique <b>Beak Length/Shape:</b> long x acuminate	Taller (15-20cm) 20/10,000 Bronze 10/10,000 Awnless 10/10,000 White seed 0.5%
WB9719	<b>Type:</b> SRW <b>Spkdens:</b> lax <b>Spike Shape:</b> tapering <b>Chaff Color:</b> white/amber <b>Glume l x w:</b> ? x m <b>Glume Shoulder:</b> elevated <b>Beak Length/Shape:</b> long x acuminate	Taller (15-20cm) 20/10,000 Bronze 10/10,000 Awnless 10/10,000
WB-Cedar	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> fusiform <b>Chaff Color:</b> tan <b>Glume l x w:</b> ml x <b>Glume Shoulder:</b> square <b>Beak Length/Shape:</b> s x acuminate	5/1000 Taller 1/1000 Bronze/Brown Chaff 5/1000 White seed
WB-Deuce CL+	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> fusiform <b>Chaff Color:</b> bronze <b>Glume l x w:</b> l x <b>Glume Shoulder:</b> elevated <b>Beak Length/Shape:</b> m x acuminate	1/1000 Later maturing plants 1/1000 Taller 1/1000 Shorter, white chaffed 1/1000 White seed
WB-Grainfield	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> fusiform <b>Chaff Color:</b> white <b>Glume l x w:</b> s ~7mm x n <b>Glume Shoulder:</b> square <b>Beak Length/Shape:</b> ? x acuminate	2/10,000 Awnless 5/1000 Talls (10 cm ) 4/1000 Red Chaff
WB-Redhawk	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> fusiform <b>Chaff Color:</b> brown <b>Glume l x w:</b> m x n <b>Glume Shoulder:</b> square <b>Beak Length/Shape:</b> l x acuminate	1/10,000 awnless 1/200 tall (10 cm) 15/1000 white chaff Up to 7/100 darker chaff
WB-Stout	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> fusiform <b>Chaff Color:</b> bronze <b>Glume l x w:</b> l x m <b>Glume Shoulder:</b> square <b>Beak Length/Shape:</b> s x acuminate	1/1000 Taller (> 10 cm) 1/1000 White chaff

## Varietal Characteristics and Allowable Described Variants 2023

These variants are allowed in the field at the amounts listed. Any other plant type is an off-type or other variety

Note: This list is for reference only as a service to seed growers. While every attempt has been made to ensure accuracy, KCIA will not be held responsible for decisions by growers based on its use. If an error is suspected, please contact KCIA. Information on varietal descriptors can be found at the Plant Variety Protection website or at AOSCA.org or from the owner of the variety of interest.

Whistler (CO13D1783)	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> oblong <b>Chaff Color:</b> white <b>Glume l x w:</b> m x n <b>Glume Shoulder:</b> rounded <b>Beak Length/Shape:</b> m x acuminate	Taller 1/1000 Brown glumes 1/1000 Awnless 1/1000 White seeded 1/200
Willow Creek awnletted	<b>TYPE:</b> HRWW awnletted variety, At maturity 93% of heads were tan to amber, 5% white, < 2% red, chaff is described as white. Source: Journal of Plant Registrations, Vol. 3, No. 2, May 2009	No variants listed for this variety.
Winterhawk	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> fusiform <b>Chaff Color:</b> white-amber <b>Glume l x w:</b> ml x? <b>Glume Shoulder:</b> e to o* <b>Beak Length/Shape:</b> m x acuminate *slightly elevated shoulder falls to oblique	1/1000 Taller (5-10mm) 1/10000 Brown/bronze chaff
Zenda	<b>Type:</b> HRWW <b>Spkdens:</b> mid dense <b>Spike Shape:</b> oblong <b>Chaff Color:</b> white <b>Glume l x w:</b> m x m <b>Glume Shoulder:</b> square <b>Beak Length/Shape:</b> ml x acuminate	Taller 1/1000 Dark chaff 1/1000