

2025 Kansas WHEAT SEED BOOK



Kansas Crop
Improvement Association

KANSAS STATE
UNIVERSITY

PUBLISHED BY:
 HIGH PLAINS
JOURNAL™

KANSAS PERFORMANCE
TESTS WITH WINTER WHEAT
VARIETIES

REPORT OF PROGRESS 1193

Kansas State University Agricultural
Experiment Station and Cooperative
Extension Service

KANSAS CERTIFIED SEED
DIRECTORY of producers of field
crops including wheat, spring oats,
triticale, rye, canola, and winter barley

TABLE OF CONTENTS

KANSAS PERFORMANCE TESTS WITH WINTER WHEAT VARIETIES

2025 WHEAT CROP REVIEW.....	5
<i>Weather and Crop Development, Diseases, and Insects, Harvest Statistics</i>	
2025 PERFORMANCE TESTS.....	7
<i>Varieties, Results and Variety Characterization, Electronic Access, Research and Duplication Policy, and Contributors</i>	
TABLE 1 ENTRANTS.....	9
TABLE 2 COMPARISONS OF LEADING WINTER WHEAT VARIETIES	9
TABLE 3 BELLEVILLE, KANSAS DRYLAND WINTER WHEAT VARIETY TRIAL, 2024-2025.....	10
TABLE 4 BELOIT, KANSAS DRYLAND WINTER WHEAT VARIETY TRIAL, 2024-2025.....	10
TABLE 5 NORTH CENTRAL KANSAS DRYLAND MULTI-YEAR WINTER WHEAT PERFORMANCE TESTS, 2023-2025.....	11
TABLE 6 OTTAWA, KANSAS DRYLAND HARD WINTER WHEAT VARIETY TRIAL, 2024-2025.....	11
TABLE 7 PARSONS, KANSAS DRYLAND HARD WINTER WHEAT VARIETY TRIAL, 2024-2025	12
TABLE 8 SOUTHEAST KANSAS DRYLAND MULTI-YEAR WINTER WHEAT PERFORMANCE TESTS, 2023-2025.....	12
TABLE 9 OTTAWA, KANSAS DRYLAND SOFT WINTER WHEAT VARIETY TRIAL, 2024-2025	13
TABLE 10 PARSONS, KANSAS DRYLAND SOFT WINTER WHEAT VARIETY TRIAL, 2024-2025	13
TABLE 11 SOUTHEAST KANSAS SOFT MULTI-YEAR WINTER WHEAT PERFORMANCE TEST, 2023-2025.....	14
TABLE 12 LORRAINE, KANSAS DRYLAND WINTER WHEAT VARIETY TRIAL, 2024-2025.....	14
TABLE 13 HILLSBORO, KANSAS DRYLAND WINTER WHEAT VARIETY TRIAL, 2024-2025.....	15
TABLE 14 ASSARIA, KANSAS DRYLAND WINTER WHEAT VARIETY TRIAL, 2024-2025	15
TABLE 15 EAST CENTRAL DRYLAND MULTI-YEAR WINTER WHEAT PERFORMANCE TESTS, 2023-2025.....	16
TABLE 16 NEWTON, KANSAS DRYLAND WINTER WHEAT VARIETY TRIAL, 2024-2025.....	16
TABLE 17 HUTCHINSON, KANSAS DRYLAND WINTER WHEAT VARIETY TRIAL, 2024-2025.....	17
TABLE 18 SOUTH CENTRAL KANSAS DRYLAND MULTI-YEAR WINTER WHEAT PERFORMANCE TEST, 2023-2025.....	18
TABLE 19 WELLINGTON, KANSAS NON-TREATED WINTER WHEAT VARIETY TRIAL, 2024-2025.....	18
TABLE 20 SOUTH CENTRAL NON-TREATED DRYLAND MULTI-YEAR WINTER WHEAT PERFORMANCE TEST, 2023-2025.....	19
TABLE 21 RUSSELL, KANSAS DRYLAND WINTER WHEAT VARIETY TRIAL, 2024-2025	19
TABLE 22 LARNED, KANSAS DRYLAND WINTER WHEAT VARIETY TRIAL, 2024-2025	20
TABLE 23 WEST CENTRAL KANSAS DRYLAND MULTI-YEAR WINTER WHEAT PERFORMANCE TEST, 2023-2025.....	21
TABLE 24 COLBY, KANSAS DRYLAND WINTER WHEAT VARIETY TRIAL, 2024-2025	21
TABLE 25 TRIBUNE, KANSAS DRYLAND WINTER WHEAT VARIETY TRIAL, 2024-2025	22
TABLE 26 DECATUR, KANSAS DRYLAND WINTER WHEAT VARIETY TRIAL, 2024-2025	22
TABLE 27 GARDEN CITY, KANSAS DRYLAND WINTER WHEAT VARIETY TRIAL, 2024-2025	23
TABLE 28 HUGOTON, KANSAS DRYLAND WINTER WHEAT VARIETY TRIAL, 2024-2025	23
TABLE 29 WESTERN KANSAS DRYLAND MULTI-YEAR WINTER WHEAT PERFORMANCE TEST, 2024-2025	24
TABLE 30 COLBY, KANSAS IRRIGATED WINTER WHEAT VARIETY TRIAL, 2024-2025.....	24
TABLE 31 GARDEN CITY, KANSAS IRRIGATED WINTER WHEAT VARIETY TRIAL, 2024-2025.....	25
TABLE 32 HUGOTON, KANSAS IRRIGATED WINTER WHEAT VARIETY TRIAL, 2024-2025	25
TABLE 33 WESTERN KANSAS IRRIGATED MULTI-YEAR WINTER WHEAT PERFORMANCE TESTS, 2023-2025.....	26

KANSAS CERTIFIED SEED DIRECTORY

KCIA DIRECTORS, OFFICERS & STAFF, PLANT VARIETY PROTECTION.....	27
HARD RED WINTER WHEAT	28
122016W.....	28
HIGH COTTON.....	32
KIVARI AX.....	32
KS AHEARN.....	32
KS BILL SNYDER.....	32
KS DALLAS.....	33
KS HAMILTON.....	33
KS HOMESTEADER CL+.....	33
KS MAKO.....	34
KS PROVIDENCE.....	34
KS WESTERN STAR.....	35
LANGIN.....	35
LARRY.....	35
LCS ARIES.....	35
LCS ATOMIC AX.....	35
LCS CHROME.....	36
LCS COWIE AX.....	36
LCS GALLOWAY AX.....	36
LCS HELIX AX.....	36
LCS JULEP.....	36
LCS MINT.....	36
LCS MINT.....	36
LCS MOJO.....	36
LCS PHOTON AX.....	36
LCS RADAR.....	36
LCS RUNNER.....	36
LCS STEEL AX.....	36
LCS VALIANT.....	37
LCS WARBIRD AX.....	37
OAKLEY CL.....	37
OK CORRAL.....	37
ORANGE BLOSSOM CL PLUS.....	37
PARADISE.....	37
PARADOX.....	37
ROCK STAR.....	37
SHERIDAN.....	37
SHOWDOWN.....	37
SMITH'S GOLD.....	37
STRAD CL PLUS.....	37
SY GRIT.....	38
SY MONUMENT.....	38
SY RUGGED.....	38
SY WOLVERINE.....	38
T158.....	39
TAM 114.....	39
TAM 115.....	39
WB-GRAINFIELD.....	39
WB4347.....	39
WB4401.....	39
WB4422.....	41
WB4444.....	41
WB4445CLP.....	41
WB4459AX.....	42
WB4462.....	42
WB4523.....	42
WB4540.....	42
WB4595.....	42
WB4632.....	42
WB4699.....	42
WB4739AX.....	43
WB4792.....	43
WHISTLER.....	43
WINTERHAWK.....	43
ZENDA.....	43
HARD WHITE WINTER WHEAT	43
JOE.....	43
KS BIG BOW.....	43
KS SILVERADO.....	44
KS SNOW FOX.....	44
OTHER CROPS - TRITICALE, OATS, SOFT RED WINTER WHEAT, CANOLA, SPRING WHEAT, RYE.....	44
KCIA APPROVED CONDITIONERS.....	45

2025 WHEAT CROP REVIEW

Weather and Crop Development

Fall growing conditions

The 2024-25 winter wheat crop in Kansas had, overall, a great start to the growing season. A few scattered rains in early to mid-September brought up to 2 to 3 inches of rainfall in parts of the state, allowing for some early-planted wheat crops to emerge and tiller out well, especially in south-central and southwest Kansas. The remainder of the month of September, as well as the entire month of October, was very dry with virtually no precipitation across the state. This allowed for summer crops to be harvested on time, and for the wheat crop also to be planted on time. Crops planted until the early part of October had timely emergence due to remaining soil moisture from September rains, but crops planted later, either had uneven emergence depending on whether the seed reached moisture, or did not emerge until later in the fall. The month of November brought anywhere from 3 to 9 inches of rainfall across the state, ensuring a good emergence and stand establishment of the Kansas wheat crop. While a November emergence is usually considered late for winter wheat grown in Kansas, the fall of 2024 was extremely warm, with departure from normal temperature in the period between September 1 and November 30, 2024 ranging from +3 to +5°F warmer than average across the state. This ensured enough accumulation of growing degree days for the crop to produce enough tillers and root growth to withstand the winter. These conditions of above-average fall precipitation and temperature resulted in what was likely the best statewide crop establishment that we have had over the last three or four years. In some cases, producers who benefited from the early September rain were reporting too much crop fall growth, with reports of more than 2,500 pounds of biomass produced by December – which compares to some years where less than 600-800 pounds are produced. This led to concerns about the potential for winterkill and excessive water consumption during the vegetative period.

Winter growing conditions

The winter of 2025 was drier and cooler than average across the state. Departure from normal temperatures during the period from 1 January to 30 March 2025 ranged from 0 to -5°F, and total precipitation accumulated in the period was predominantly between 0 and 2 inches for most of the wheat growing region of Kansas (which reflects a departure from normal ranging from -1 to -3 inches). There were a couple of instances during the winter when air temperatures dropped well into the -20 to -30°F. While this could cause concerns related to winterkill, these events

usually occurred when there was good snow cover, insulating the wheat crop. Consequently, soil temperatures (which are a better indicator for potential for winterkill since that is where the crop's crown is located during this time of year) never reached below about 20°F, causing little to no winterkill to the Kansas wheat crop during the 2024-2025 growing season.

Early spring growing conditions

Warmer-than-average temperatures coupled with continued drought continued to be the norm during early spring as the crop took off into spring green up and stem elongation. The month of April was anywhere from +1 to +5°F warmer than average, and the departure from normal precipitation was negative for the majority of the wheat-growing region of the state. Consequently, by mid-to-late-April, much of the Kansas wheat crop was showing signs of drought stress. These included rolled up leaves, yellowing of the bottom canopy, and in many cases, decimated late-developed tillers. This dry early spring had a few major consequences to the wheat crop: First, this is the time of the year when many growers are applying nitrogen and sulfur fertilizers, which need moisture to leach into the root zone and be absorbed by the crop. The dry conditions were not conducive for proper fertilizer incorporation into the soil, thus making it likely unavailable for crop uptake in large portions of the state during this crucial period when the crop has increased demand for such nutrients. Second, due to warmer-than-average temperatures, the crop spring development started relatively early (mid-March in south-central Kansas, as compared to some years in which it does not start as late as the first 10 days in April). Third, the dry conditions made the crop more prone to spring freeze damage, since dry soils do not have the same buffer capacity against temperature changes as wet soils. While there were no major freeze events when temperatures dipped into the teens or low twenties, there was enough cold stress to show up as freeze damage in particular in the south central portion of the state.

Many wheat fields across the state also started to show symptoms of wheat streak mosaic virus complex during this early-spring growth period. Here, as temperatures increased and the crop grew, fields yellowed – sometimes with very severe symptoms turning the crop boot height and bright yellow; other times, milder and less severe. Regardless of the severity of the symptoms, the majority of Kansas wheat fields,

– from east to west – showed some level of wheat streak mosaic virus symptoms.

Heading and grain filling period

Starting April 19, the majority of the state of Kansas received multiple rainfall events and was blessed with cooler-than-average temperatures. During the month of May, the departure from normal temperature ranged from 0 to -4 °F, and the departure from normal precipitation ranged from -1 to +4 inches in parts of the state. These cool temperatures slowed down crop development and increased the duration of the grain filling period, which, coupled with above-average precipitation, helped the crop to be able to still produce some yield despite the severe wheat streak mosaic virus incidence. Parts of northwest Kansas missed many of these rainfall events, and the region ranging from Phillipsburg/Norton and west was under severe drought through the end of grain filling, severely limiting wheat yield in that region. Here, where water was most limiting, the differences between crop rotations was also evident: wheat fields grown under fallow were averaging 40-60 bushels per acre while wheat fields planted after soybeans were averaging 15-30 bushels per acre.

The conditions of prolonged grain filling also led to a late start of the wheat harvest. The first few reports of wheat being cut did not happen until around June 8, which is 8-10 days after we usually hear reports of fields being harvested in south central and southwest Kansas. The late start to the crop harvest was accompanied by multiple rainfall events – with the month of June ending with departure from normal precipitation ranging from -1.5 to +7.5 inches. These conditions led to a very long and slow wheat harvest, with multiple stops due to wet soils and wet grain, and many cases of crops being flooded in given regions of the state such as in McPherson County. The preharvest storms also brought about very windy conditions, which caused lodging and reduced test weight, as well as shattering of wheat grains. The shattered grains will become volunteer wheat during the current summer, and their control is critical to avoid another outbreak of wheat streak mosaic virus in the next growing season. (Romulo Lollato, Kansas State University Extension Wheat Specialist and Chip Redmond, Kansas State University Mesonet Manager)

Diseases

Wheat streak mosaic complex devastated many wheat fields across central and western Kansas in 2025. As a reminder, wheat streak mosaic is a complex of three viruses: *wheat streak mosaic virus*, *Triticum mosaic virus*, and *High Plains wheat mosaic virus*. The wheat streak mosaic complex of viruses is vectored by the tiny wheat curl mite (*Aceira tosicella*). The highest risk place for curl mites to survive the summer is volunteer wheat. Conditions that favor grain shattering, such as preharvest hail or

harvest delays due to windy storms (such as much of the 2025 Kansas wheat harvest), can increase the presence of preharvest volunteer wheat. If mites are allowed to survive on this volunteer wheat or alternative hosts until the fall established wheat crop is planted, there is a high likelihood of another outbreak in 2026.

To combat the occurrence of the wheat streak mosaic complex, there is a new recommendation for *wheat-free windows* (Figure 1). These windows include periods 30 days prior to the start of the optimal winter wheat planting window by zone in Kansas. As the wheat curl mite is a community pest, coordinated breaks in volunteer wheat and other cereals will have the highest likelihood of lowering local and statewide mite levels moving into our 2025 optimal winter wheat planting date periods. Volunteer wheat that emerges after the fall crop is already established poses a lower risk as a green bridge and can be thought of in a similar way as the fall crop. Fall wheat planted early, during *wheat-free windows*, risks bridging wheat curl mite to the fall-established crop.



Figure 1. Proposed *wheat-free windows* in different regions of Kansas.

Here are some important considerations for achieving success with *wheat-free windows*:

- All volunteer wheat should be terminated and completely dead prior to the start of your regional *wheat-free window*.
- Where possible, the fall wheat crop should not be planted until the end of the *wheat-free window*.
- Other winter cereals (such as rye and triticale) should not be planted during this period as they can serve as a “bridge” for the curl mites to move to fall-established wheat.
- A regional “break” in the volunteer wheat green bridge will allow for wheat curl mites to die off prior to the start of the optimal wheat planting window.
- Volunteer wheat that emerges after this period is of less concern, as it will be emerging at a similar time as the fall-established winter wheat crop.
- Success is dependent on coordinated efforts in communities. (Kelsey Andersen Onofre, Department of Plant Pathology, Kansas State University)

Insects

Wheat problems started relatively soon after planting in the fall of 2024. There were several fields in south and north central Kansas that were attacked by armyworms. Armyworms are considered an intermittent pest, which means if the fall weather is mild enough to allow these pests to stay active, and if wheat is planted early enough, they can reduce stands very quickly while these larvae are still active. Thus, there were a few localized infestations requiring replanting because of armyworms, and a few fields had to be replanted also because of Hessian flies.

Wheat curl mites caused the most concern in the 2024-2025 wheat season, especially throughout the western one-half to two-thirds of the state, because they vector wheat streak mosaic disease. Thus, many fields had to be replanted with a spring crop due to these mites. Later planting can help with all these wheat pests. The best management tactic is to destroy all your volunteer at least 2 weeks before planting. (Jeff Whitworth, Kansas State University Department of Entomology)

Harvest Statistics

The Kansas Agricultural Statistics' May estimate of the 2025 crop was 345 million bushels from 6.9 million acres, a slight decrease from last year's crop. Yield per harvested acre is expected to average 50 bushels per acre, up 8 bushels from last year's final yield. (May 2025, *Crops Report*, Kansas Agricultural Statistics)




Figure 2. Historical Kansas wheat production

SY Wolverine ended SY Monument's six-year reign as the top-seeded variety in Kansas, accounting for 3.6% of the state's planted acres. SY Monument moved down to second place with 3.0%. Bob Dole and KS Providence tied for third with 2.8%. Rockstar rounded out the top 5 with 2.3% of the seeded acreage in Kansas. (March 2025, *Wheat Variety*, Kansas Agricultural Statistics)




Figure 3. Leading wheat varieties in Kansas; percentage of seeded acreage for 2025 crop

2025 PERFORMANCE TESTS

The Kansas Agricultural Experiment Station annually compares both new and currently grown varieties in the state's major crop-producing areas. These performance tests generate unbiased performance information designed to help Kansas growers select wheat varieties suited for their area and conditions.

One-year or one-location results can be misleading because of the possibility of unusual weather or pest conditions. **Be sure to keep extenuating environmental conditions in mind when examining test results.** For more information please visit: agronomy.k-state.edu/outreach-and-services/crop-performance-tests.

Varieties

Public varieties are selected for inclusion in the tests on the basis of several criteria. Most represent new or established varieties from Oklahoma, Texas, and Colorado with potential for successful use in Kansas entered at the request of the originating institution.

Originators or marketers enter privately developed varieties voluntarily. Entrants choose both the entries and test sites. The 2025 entrants are listed in Table 1.

Results and Variety Characterization

Results from Kansas tests are presented in Tables 3 through 33. Yields are reported as bushels per acre (60 lb/bu) and are adjusted to a moisture content of 13% where moistures were reported at harvest. Yields also are converted to percentages of the test average to speed recognition of the highest-yielding entries. Multi-year averages are presented for those varieties entered more than 1 year.

Additional information such as test weight, heading date, and plant height is helpful for fine-tuning variety comparisons. Planting varieties with a range of maturities helps minimize weather risks.

At the bottom of each table is the (0.05) least significant difference (LSD) for each column of replicated data. One

can think of the LSD as a “margin of error” that shows how big the difference between two varieties must be for one to be 95% confident that the difference is real. The use of the LSD is intended to reduce the chance of overemphasizing small differences. Small variations in soil structure, fertility, water-holding characteristics, and other test-site characteristics can cause considerable yield variation among plots of one variety.

Electronic Access

To access crop performance testing information electronically, visit the website at:
agronomy.k-state.edu/outreach-and-services/crop-performance-tests

Research and Duplication Policy

When companies submit entries, permission is given to Kansas State University to test varieties and/or hybrids designated on the entry forms in the manner indicated in the test announcements. Seed submitted for testing should be a true sample of the seed being offered for sale.

All results from Kansas Crop Performance Tests belong to the university and the public and shall be controlled by the university to produce the greatest benefit to the public. Performance data may be used in the following ways: 1) Tables may be reproduced in their entirety, provided the source is referenced and data are not manipulated or reinterpreted; and 2) advertising statements by an individual company about the performance of its entries may be made as long as they are accurate statements about the data as published, with no reference to other companies' names or cultivars. In both cases, the following must be included with the reprint or ad citing the appropriate publication number and title: "See the official Kansas State University Agricultural Experiment Station and Cooperative Extension Service Report of Progress 1193 '2025 Kansas Performance Tests with Winter Wheat Varieties,' or the Kansas Crop Performance Test website, agronomy.k-state.edu/outreach-and-services/crop-performance-tests for details. Endorsement or recommendation by Kansas State University is not implied."

CONTRIBUTORS

Main Station, Manhattan

Jane Lingenfelser, assistant agronomist
 Kelsey Andersen Onofre, Extension Plant Pathology
 Romulo Lollato, Extension Agronomy
 Chip Redmond, Kansas Weather Data Library
 Jeff Whitworth, Extension Entomology

Experiment Fields

Eric Adee, Ottawa
 Scott Dooley, Scandia
 Darren Hibdon, Ottawa
 Michael Larson, Scandia
 Keith Thompson, Hutchinson

Research Centers

Garth Blackburn, Parsons
 Amanda Burnett, Tribune
 Lucas Haag, Colby
 Gretchen Sassenrath, Parsons

Cooperators

Mike and Tanner Brown, Colby
 Marty Fletchall, Beloit
 Gayle and Denton Haag, Decatur
 Brian Yutzy, Hutchinson

Brand names appearing in this publication are for product identification purposes only. No endorsement is intended, nor is criticism implied of similar products not mentioned.

Copyright 2025 Kansas State University Agricultural Experiment Station and Cooperative Extension Service. Contents of this publication may be freely reproduced for educational purposes. All other rights reserved. In each case, give credit to the author(s), 2025 Kansas Performance Tests with Winter Wheat Varieties, Kansas State University, August 2025. Contribution number 26-017-S from the Kansas Agricultural Experiment Station.

Table 1. Entrants in the 2025 Kansas wheat performance tests

AgriMAXX Wheat Company 7167 Highbanks Road Mascoutah, IL 62258 855-629-9432	Kansas Wheat Alliance 1900 Kimball Avenue Manhattan, KS 66502 785-320-4080	PlainsGold 4026 S. Timberline Road Fort Collins, CO 80525 970-702-1460
AgriPro Wheat, Inc. 11783 Ascher Rd. Junction City, KS 66441 620-532-6283	Limagrain Cereal Seeds 2040 SE Frontage Road Fort Collins, CO 80525 970-231-8875	Polansky Seed, Inc 2729 M Street Belleville, KS 66935 785-527-2271
AGSECO Star Seed Osborne, KS 67473 800-782-7311	Oklahoma Genetics, Inc P.O. Box 2113 Stillwater, OK 74076-2113 405-744-7741	Watley Seed Company 10590 Texas HWY 15 Spearman, TX 79081 806-659-3838
ARMOR/CROPLAN 4001 Lexington Ave N Arden Hills, MN 55126 651-481-2222	Phillips Seed Company 980 KS-15 Navarre, KS 67451 785-949-2204	WestBred-Bayer Crop Sci. 800 North Lindbergh Boulevard St. Louis, MO 63167 314-694-1000
Beachners Grain 6th and Central Street St. Paul, Kansas 66771 620-449-2286		

Table 2. Comparisons of leading winter wheat varieties--agronomy and quality

Variety ¹	% of Kansas 2025	Agronomic Ratings ²			Relative milling and quality ³	Resistance or tolerance to: ²											
		Straw strength ²	Matur- ity	Height		Soil- mosaic	Spindle mosaic	Wheat mosaic	Barley dwarf	Leaf rust	Stem rust	Stripe rust	Tritic blotch	Tan spot	Powd- mildew	Head scab	Hes- fly
SY Wolverine	3.6	1	3	3	AC	1	--	5	5	4	1	7	4	4	3	9	9
SY Monument	3.0	5	8	6	AC	1	1	7	6	4	5	4	5	5	7	7	7
Bob Dole	2.8	5	5	8	EX	1	--	8	7	1	1	1	3	3	5	5	9
KS Providence	2.8	2	5	6	AC	1	1	7	5	3	4	5	5	4	5	6	9
Rock Star	2.3	2	6	5	EX	1	1	6	6	5	3	2	3	3	7	6	6
Winterhawk	2.2	5	5	8	AC	1	1	7	5	7	6	6	7	6	6	7	3
WB-Grainfield	2.1	3	6	7	AC	1	1	8	7	6	7	7	6	6	6	7	8
Doublestop CL Plus	2.0	2	9	7	AC	1	1	6	6	3	2	4	6	6	5	8	9
AP Bigfoot	1.7	4	3	3	AC	1	--	3	5	1	1	3	3	3	2	7	9
Joe+	1.7	2	7	7	AC	8	8	6	7	7	3	8	3	8	5	7	2
Canvas	1.5	1	5	3	EX	5	--	1	--	6	2	4	--	5	--	--	8
KS Dallas	1.5	5	5	5	AC	9	--	1	2	1	1	5	--	8	7	--	7
T158	1.4	1	3	5	AC	2	2	5	5	8	8	3	7	4	2	8	4
Everest	1.3	5	1	6	LD	1	1	7	4	3	8	8	4	7	3	4	6
Langin	1.3	6	5	3	EX	1	1	7	--	7	8	3	7	8	7	8	8
WB 4515	1.2	2	7	5	AC	1	--	9	3	7	1	5	5	5	9	9	5
LCS Atomic AX	1.2	1	1	4	LD	1	--	--	--	5	9	1	5	--	1	8	--
TAM 114	1.1	4	6	6	EX	8	8	7	6	4	7	3	5	7	5	7	7
AP Prolific	1.1	3	4	5	AC	1	1	8	5	4	5	5	--	5	7	6	9
WB 4792	1.0	2	7	5	EX	8	--	5	3	1	--	--	--	5	7	9	3
WB 4699	0.9	1	7	1	AC	3	--	5	3	3	--	--	--	3	1	5	5
KS Western Star	0.8	2	4	6	AC	8	8	7	7	8	3	8	5	6	6	7	6
Jagger	0.8	7	1	5	EX	3	--	5	9	9	5	7	3	3	7	7	9
TAM 115	0.7	1	9	6	EX	7	--	3	5	1	1	--	--	1	--	--	3
Guardian	0.7	4	6	6	EX	9	9	6	7	7	3	5	--	--	--	--	9
WB 4401	0.7	5	3	3	EX	1	--	9	5	3	1	3	5	7	1	8	7
Whistler	0.6	6	7	8	EX	2	1	7	7	7	2	6	5	3	7	8	8
Avery	0.6	5	6	7	EX	1	1	5	7	8	8	8	--	7	3	7	9
Byrd	0.6	6	6	7	EX	2	2	5	7	8	8	8	--	7	3	7	9
KS Hamilton	0.6	5	5	6	AC	1	--	5	5	5	3	7	7	8	7	2	2
Paradise	0.6	5	4	5	EX	1	1	6	7	5	3	2	--	4	3	7	9
SY Rugged	0.6	5	3	1	EX	1	--	7	9	3	1	1	7	7	7	9	9
TAM 111	0.6	3	6	7	AC	8	8	7	7	8	3	8	6	6	6	7	8
Blends	8.5																
Other White	1.9																
Other Red	38.9																
Other Soft	4.2																

¹ Hard white variety Scale: 1=Best 1=Most resistant/tolerant
9=Poor 9=Least resistant/tolerant

² Varieties and percentage seeded acreage from the March 2025 wheat variety survey, Kansas Agricultural Statistics, Topeka, KS.

³ Ratings by Andersen et al., Final ratings and descriptions of disease and insect pests are available in "Kansas Wheat Variety Guide 2025" Publication MF991 from Kansas State University.


⁴ Ratings from Ehmke et al., "Wheat Varieties for Kansas and the Great Plains 2025" EX= most desirable baking quality; AC=acceptable baking quality; LD= least desirable baking quality.

Table 4. Beloit, Kansas dryland winter wheat variety trial, 2024-2025

Planted	12/4/2024	Marty Fletchall's Field, Mitchell County, 39°13'09.77"N, 98°15'10.20"W					
Previous crop	soybean	Mitchell 2W 365 Day Accumulated Precipitation					
Primary tillage	no-till	Beloit, KS 365 Day Accumulated Precipitation					
Harvested	7/16/2025	Beloit, KS 365 Day Accumulated Precipitation					
Fertility	90-0-0 lb/a N, P, K 10/24 2.4-8-0-2 lb/a N, P, K, S, Zn in-furrow	Beloit, KS 365 Day Accumulated Precipitation					
BRAND	NAME	YIELD (bu/a)	P AVG (%)	MOIST (%)	TW (lb/bu)	YIELD (bu/a)	P AVG (%)
AgriPro	AP Bigfoot	41.5	97.5	10.2	60.2	46.3	102.2
AgriPro	AP Prolific	37.6	88.3	9.8	57.3	40.6	89.6
AgriPro	AP Sunbird	46.1	108.3	9.7	59.6	53.6	118.2
AgriPro	AP24 AX	39.7	93.4	9.7	56.3	37.6	83.0
AGSECO	AG Golden	42.9	100.7	9.5	54.4	45.1	99.5
Armor	AR Iron Eagle 22AX	38.8	91.2	9.6	58.7	33.7	74.4
Armor	AR Turret 25	39.2	92.1	9.9	59.7	45.7	100.9
Croplan	CP7017AX	40.1	94.1	9.4	59.1	43.9	96.8
Croplan	CP7869	44.2	103.9	9.4	59.1	48.8	107.7
KWA	KS Bill Snyder	40.4	94.9	9.6	58.9	41.6	91.7
KWA	KS Mako	39.3	92.4	10.3	60.8	41.8	92.3
KWA	KS Providence	46.8	110.0	9.6	57.5	43.4	117.9
Limagrain	LCS Atomic AX	43.4	102.0	10.3	61.0	43.4	119.9
Limagrain	LCS Helix AX	43.2	101.4	10.0	61.3	43.4	95.7
Limagrain	LCS Radar	37.3	87.5	10.7	56.7	43.0	94.9
Limagrain	LCS Runner	41.1	96.6	10.2	60.5	43.0	109.4
Limagrain	LCS Steel AX	36.5	85.9	10.3	57.4	41.2	91.1
Limagrain	LCS Warbird	42.9	100.7	10.1	60.6	46.3	102.2
OGL	Paradox	36.8	86.5	9.6	55.2	44.8	98.9
PhillipsSeed	PS Elevate	42.7	100.3	9.6	55.6	48.7	107.6
PlainsGold	Canvas	44.8	105.3	10.4	58.0	49.7	109.7
PlainsGold	CO19410R	49.0	115.2	9.9	59.5	49.8	110.1
PlainsGold	CO19DO87R	45.2	106.1	9.5	58.7	52.8	116.6
PlainsGold	Sheridan	37.6	88.3	9.9	58.1	40.0	88.3
Polansky	Golden Hawk	47.7	112.0	10.3	59.5	47.3	104.5
Polansky	Paradise	41.8	98.1	9.6	60.2	48.5	107.1
Polansky	Rockstar	46.5	109.3	9.6	58.1	43.2	95.3
WestBred	WB4247	40.3	94.6	10.0	60.9	50.0	110.4
WestBred	WB4422	45.5	106.9	9.5	59.1	45.8	101.0
WestBred	WB4445CLP	52.7	123.8	9.6	61.2	43.9	96.9
WestBred	WB4699	35.0	82.1	10.0	55.6	WB4699	29.9
Average	Average	42.6	100.0	9.9	58.8	Average	100.0
CV (%)	CV (%)	5.5	5.5	0.8	1.2	CV (%)	4.5
LSD (0.05)	LSD (0.05)	4.7	10.4	0.4	2.1	LSD (0.05)	5.4
Heritability	Heritability	0.5	--	--	--	Heritability	0.3

*Yields must differ by more than the LSD value to be considered statistically different.
Top LSD group in bold.

Table 3. Belleville, Kansas Dryland Winter Wheat Variety Trial, 2024-2025



Yields must differ by more than the LSD value to be considered statistically different.
Top LSD group in bold.

Table 6. Ottawa, Kansas Dryland Hard Winter Wheat variety Trial, 2024-2025




Table 5. North Central Kansas dryland MULTI-YEAR winter wheat performance tests, 2023-2025

Brand / Name	Variety	2025		Belleville (BE ¹)		Beloit (BL ²)		Avg		BE		BL		Av	
		Avg	(bu/ a)	2024	yield (bu/ a)	2023	Avg	2024	yield (bu/ a)	2023	Avg	2025	Avg	2025	Avg
AgriPro	44	46	49	14	36	41	24	—	—	33	102	97	100	100	100
AP Bigfoot	39	41	55	20	39	38	26	—	—	32	90	88	89	89	89
AP Prolific	50	54	—	—	54	46	—	—	—	46	118	108	113	113	113
AP Sunbird	39	38	58	—	48	40	26	—	—	33	83	93	88	88	88
AP24 AX	AGSFCO	44	45	62	—	54	43	27	—	35	100	101	101	100	100
AG Golden	44	45	62	—	54	43	27	—	—	35	100	101	101	100	100
Armor	41	42	—	—	44	39	30	—	—	34	74	91	83	83	83
Arion Eagle 22AX	36	34	54	—	44	39	30	—	—	34	101	92	97	97	97
AR Turret 25	42	46	—	—	46	39	—	—	—	39	—	—	—	—	—
Croghan	42	44	52	—	48	40	34	—	—	37	97	94	95	95	95
CP7017AX	CP7869	46	49	60	—	55	44	28	—	36	108	104	106	106	106
KWA	KS Bill Snyder	41	42	72	—	57	40	25	—	32	92	95	93	93	93
KS Mako	41	42	73	23	46	39	27	—	—	33	92	92	92	92	92
KS Providence	50	53	54	21	43	47	29	—	—	38	118	110	114	114	114
LimaGrain	49	55	15	41	43	31	—	—	—	37	120	102	111	111	111
LCS Acorn AX	43	62	20	42	43	34	—	—	—	38	96	101	99	99	99
LCS Helix AX	40	43	—	—	43	37	21	—	—	29	95	88	91	91	91
LCS Radar	45	50	53	—	51	41	28	—	—	34	109	97	103	103	103
LCS Runner	39	41	19	38	37	26	—	—	—	31	91	86	88	88	88
LCS Steel AX	45	67	—	57	43	29	—	—	—	36	102	101	101	101	101
LCS Warbird AX	OGI	41	45	50	—	48	37	25	—	31	99	86	93	93	93
Paradox	41	45	50	—	48	37	25	—	—	31	99	86	93	93	93
Philips	46	49	—	—	49	43	—	—	—	43	108	100	104	104	104
PS Elevate	47	50	21	45	45	30	—	—	—	38	110	105	108	108	108
PlainsGold	49	50	—	—	50	49	—	—	—	49	110	115	113	113	113
Canvas	49	53	—	—	53	45	—	—	—	45	117	106	111	111	111
CO9410R	49	53	—	—	47	38	27	—	—	32	88	88	88	88	88
CO94007R	49	54	—	—	47	38	27	—	—	32	88	88	88	88	88
Sheridan	49	54	—	—	47	38	27	—	—	32	88	88	88	88	88
Polsky	48	47	55	—	51	48	29	—	—	38	104	112	108	108	108
Poldsky	45	49	66	16	43	42	26	—	—	34	107	98	103	103	103
Paradise	45	43	63	21	42	47	28	—	—	37	95	109	102	102	102
Rockstar	45	43	63	21	42	47	28	—	—	37	95	109	102	102	102
WB4422	WB4445CLP	45	50	60	—	55	40	35	—	38	110	95	102	102	102
WB4445CLP	46	46	55	21	41	45	26	—	—	36	101	107	104	104	104
WB4699	48	44	44	—	44	53	—	—	—	53	97	124	110	110	110
Average	32	30	41	24	32	35	27	—	—	31	66	82	74	74	74
CV (%)	4.4	4.4	0.6	0.4	—	—	—	—	—	—	—	—	—	—	—
LSD (0.05)	1.9	2.5	0.3	0.3	—	—	—	—	—	—	100	100	100	100	100


Yields must differ by more than the LSD value to be considered statistically different.
Top LSD group in bold.

¹BE=Belleville, KS; ²BL=Beloit, KS; Many Fitchell's field, Mitchell County.

Table 8. Southeast Kansas dryland MULTI-YEAR winter wheat performance tests, 2023-2025

Brand / Name	Variety A 2025	Ottawa (OT) ¹		Parsons (PA) ²		yield (bu/a)	yield (bu/a)	% of test average	OT 2023	PA 2025	Avg
		2024	2025	Avg	2024	2025					
AgPro	77	78	38	65	60	75	96	70	80	99	95
AP Prolific											
AGSECO	79	81	29	68	59	78	104	87	90	103	98
AG Radical											
KWA	71	76	28	63	56	66	81	66	71	97	83
Everest											
KS Providence	85	78	51	78	69	92	99	77	89	100	116
Zenda	75	81	39	69	63	69	85	58	71	103	87
LimaGrain											
LCS Helix AX	82	80	--	--	--	83	--	--	102	105	103
LCS Radar	73	81	--	--	--	66	--	--	103	82	93
OGI											
High Cotton	77	75	34	--	55	78	88	--	83	96	99
OK Corral	81	79	--	--	--	84	--	--	100	105	103
Phillips											
PS Elevate	76	78	--	--	--	74	--	--	100	93	96
Polansky											
Golden Hawk	81	75	46	--	61	87	98	--	93	96	110
Rockstar	84	80	40	73	64	87	96	71	85	102	110
WestBred											
WB4422	83	81	37	75	64	85	102	80	89	103	107
WB445CLP	78	79	--	--	--	77	--	--	100	97	99
WB4699											
Average ²	79	36	69	61	79	95	73	82	100	100	100

¹ OT=Ottawa, Kansas, East Central Experiment Field, Franklin County.
² PA=Parsons, Kansas, Southeast Research-Extension Center, Labette County.

Table 7. Parsons, Kansas Dryland Hard Winter Wheat Variety Trial, 2024-2025



● Daily Obs ● Accumulated Normal ● Accumulated Obs

Yields must differ by more than the LSD value to be considered statistically different. Top LSD group in bold.

Table 9. Southeast Kansas hard winter wheat performance tests, 2023-2025

Brand / Name	Variety A 2025	Ottawa (OT) ¹		Parsons (PA) ²		yield (bu/a)	yield (bu/a)	% of test average	OT 2023	PA 2025	Avg
		2024	2025	Avg	2024	2025					
AgPro	77	78	38	65	60	75	96	70	80	99	95
AP Prolific											
AGSECO	79	81	29	68	59	78	104	87	90	103	98
AG Radical											
KWA	71	76	28	63	56	66	81	66	71	97	83
Everest											
KS Providence	85	78	51	78	69	92	99	77	89	100	116
Zenda	75	81	39	69	63	69	85	58	71	103	87
LimaGrain											
LCS Helix AX	82	80	--	--	--	83	--	--	102	105	103
LCS Radar	73	81	--	--	--	66	--	--	103	82	93
OGI											
High Cotton	77	75	34	--	55	78	88	--	83	96	99
OK Corral	81	79	--	--	--	84	--	--	100	105	103
Phillips											
PS Elevate	76	78	--	--	--	74	--	--	100	93	96
Polansky											
Golden Hawk	81	75	46	--	61	87	98	--	93	96	110
Rockstar	84	80	40	73	64	87	96	71	85	102	110
WestBred											
WB4422	83	81	37	75	64	85	102	80	89	103	107
WB445CLP	78	79	--	--	--	77	--	--	100	97	99
WB4699											
Average ²	79	36	69	61	79	95	73	82	100	100	100

¹ OT=Ottawa, Kansas, East Central Experiment Field, Franklin County.
² PA=Parsons, Kansas, Southeast Research-Extension Center, Labette County.

Table 10. Parsons, Kansas Dryland Soft Winter Wheat Variety Trial, 2024-2025**Table 9. Ottawa, Kansas Dryland Soft Winter Wheat variety Trial, 2024-2025****Kansas State University East Central Kansas Experiment Field, Ottawa, Franklin County**

Planted	11/30/2024
Previous crop	Soybean
Primary tillage	Strip tillage
Irrigation	None
Harvested	6/26/2025
Fertility	230-26-26 lb/a N, P, K on 10/22 103-0-0 lb/a N, P, K on 3/20 0.3 oz/a Finesse + NIS on 4/11 applied with drone 5/12
Herbicide	Herbicide
Fungicide	Fungicide

The Parsons SWW trial had a dry start and not much of the crop emerged until April until harvest. The dryness persisted through March; however, conditions became extremely wet from mid April until harvest.

BRAND	NAME	YIELD (bu/a)	P AVG (%)	TW (lb/bu)	MOIST (%)	HT (in)	HEADING (day)	YIELD (bu/a)	P AVG (%)	TW (lb/bu)	MOIST (%)	HT (in)	HEADING (day)
AgriMAXX	503	94.4	99.9	56.2	14.2	4/28	31.5	AgriMAXX	503	97.1	60.0	11.3	
AgriMAXX	505	107.5	113.8	57.0	12.9	4/29	31.8	AgriMAXX	505	77.9	101.2	59.5	11.7
AgriMAXX	513	93.2	98.7	56.3	13.3	4/28	32.5	AgriMAXX	513	77.2	100.3	60.4	11.5
AgriMAXX	514	84.2	89.2	55.1	13.6	4/28	30.3	AgriMAXX	514	69.8	90.7	60.4	11.1
AgriMAXX	543	103.4	109.5	55.8	13.4	4/28	32.0	AgriMAXX	543	74.5	96.8	60.1	11.3
AgriMAXX	545	96.0	101.6	53.5	13.9	4/28	33.0	AgriMAXX	545	75.9	98.6	59.8	10.7
AgriMAXX	553	99.5	105.3	56.0	16.0	4/28	32.8	AgriMAXX	553	74.4	96.6	60.1	11.1
AgriMAXX	555	95.9	101.5	55.2	13.9	4/29	32.5	AgriMAXX	555	81.2	105.5	60.4	10.3
AgriMAXX	EXP 2405	95.7	101.3	55.3	15.2	4/28	29.5	AgriMAXX	EXP 2405	75.9	98.6	58.8	11.3
WestBred	WB2452	87.0	92.1	53.7	14.6	4/28	32.5	Beachners	K1202	80.0	103.9	59.9	11.2
WestBred	WB2545	99.5	105.3	55.9	15.2	4/28	30.5	WestBred	WB2452	77.7	101.0	60.2	9.9
WestBred	WB2606	92.7	98.1	56.0	13.3	4/30	31.3	WestBred	WB2545	82.7	107.4	59.3	11.9
Beachners	K1202	78.9	83.6	53.4	13.4	4/28	31.3	WestBred	WB2606	78.8	102.4	59.9	11.3
Average		94.5	100.0	55.3	14.1	4/28	31.6	Average		77.0	100.0	59.9	11.1
CV (%)		7.6	7.6	0.9	1.5		—	CV (%)		4.0	4.0	0.4	0.3
LSD (0.05)		7.7	8.2	1.2	0.9		—	LSD (0.05)		3.2	4.2	0.5	0.5
Heritability		0.6	—	—	—		—	Heritability		0.7	—	—	—

Yields must differ by more than the LSD value to be considered statistically different. Top LSD group in bold.

Top LSD group in bold.


Yields must differ by more than the LSD value to be considered statistically different.
Top LSD group in bold.

Table 11. Southeast Kansas soft MULTI-YEAR winter wheat performance test, 2023-2025

Brand / Name	Variety Avg	Ottawa (OT ¹)				Parsons (PA ²)				OT	PA	Avg
	2025	2025	2024	2023	Avg	2025	2024	2023	Avg	2025	PA	Avg
AgriMAXX												
503	85	75	46	84	68	94	105	77	92	97	100	99
505	93	78	51	79	70	107	103	86	99	101	114	108
513	85	77	45	78	67	93	101	81	92	100	99	99
514	77	70	36	76	60	84	105	85	91	91	89	90
543	89	75	--	--	--	103	--	--	--	97	109	103
545	86	76	49	--	62	96	101	--	99	99	102	100
553	87	74	--	--	--	99	--	--	--	97	105	101
555	89	81	--	--	--	96	--	--	--	106	102	104
EXP 2405	86	76	49	--	62	96	111	--	103	99	101	100
Beachmers												
K1202	79	80	--	--	--	79	--	--	--	104	84	94
WestBred												
WB2452	82	78	--	--	--	87	--	--	--	101	92	97
WB2545	91	83	--	--	--	99	--	--	--	107	105	106
WB2606	86	79	34	75	63	93	95	73	87	102	98	100
Average	77	44	79	67	94	102	84	93	100	100	100	100

¹ OT=Ottawa, Kansas, East Central Experiment Field, Franklin County.² PA=Parsons, Kansas, Southeast Research-Extension Center, Labette County.

Table 12. Lorraine, Kansas Dryland Winter Wheat Variety Trial, 2024-2025



The Lorraine dryland trial had favorable conditions for spring growth, tillering, and grain fill, with cooler-than-normal temperatures and timely rains.

BRAND	NAME	YIELD (bu/a)	P AVG (%)	TW (lb/bu)	MOIST (%)
AgriPro	AP Bigfoot	110.3	108.1	57.8	10.0
AgriPro	AP Prolific	93.5	91.6	56.3	9.2
AgriPro	AP Sunbird	113.0	110.7	57.2	10.1
AgriPro	AP24 AX	107.4	105.3	56.7	9.8
KWA	KS Ahearn	90.3	88.5	55.2	8.8
KWA	KS Bill Snyder	114.9	112.6	59.3	10.8
KWA	KS Mako	94.2	92.4	58.2	10.1
KWA	KS Providence	93.0	91.2	57.2	9.8
Limagrain	LCS Atomic AX	106.9	104.6	56.8	9.7
Limagrain	LCS Helix AX	101.9	99.8	58.0	10.3
Limagrain	LCS Radar	93.0	91.1	56.6	9.2
Limagrain	LCS Runner	101.8	99.8	57.2	9.9
Limagrain	LCS Steel AX	100.0	98.0	57.9	10.5
Limagrain	LCS Warbird AX	101.8	99.7	57.3	9.9
OGL	Doublestop CL+	92.0	90.2	60.4	11.3
OGL	High Cotton	100.1	98.1	57.6	9.6
OGL	Showdown	101.7	99.7	56.9	9.8
PlainsGold	Canvas	100.5	98.5	57.6	10.2
PlainsGold	CO19440R	106.7	104.6	58.4	10.4
PlainsGold	CO19D087R	113.0	110.8	55.2	8.7
PlainsGold	Crescent AX	108.7	106.5	57.8	10.3
PlainsGold	Kivari AX	106.7	104.6	56.7	9.7
PlainsGold	Sheridan	104.8	102.8	58.1	10.7
Polansky	Golden Hawk	98.8	96.8	57.2	9.7
Polansky	Rockstar	97.8	95.9	56.4	9.4
WestBred	WB4401	105.9	103.8	56.8	9.9
WestBred	WB4445CLP	106.0	103.9	57.7	10.1
WestBred	WB4699	96.2	94.3	55.2	8.4
WestBred	WB4422	90.7	88.9	58.4	10.4
WestBred	PS Elevate	102.8	100.8	57.5	10.0
Phillips	Average	102.1	100.1	57.3	9.9
	CV (%)	8.7	8.7	0.5	0.4
	LSD (0.05)	7.3	7.1	1.1	0.6
	Heritability	0.7	—	—	—

Yields must differ by more than the LSD value to be considered statistically different.
Top LSD group in bold.

Table 14. Assaria, Kansas Dryland Winter Wheat Variety Trial, 2024-2025

Planted	NAME	YIELD (bu/a)	P AVG (%)	TW (lb/bu)	MOIST (%)
10/15/2024 wheat	AP Bigfoot	65.1	89.0	55.3	8.6
minimum-till	78.1	106.8	56.4	8.8	
none	AP Prolific	76.5	104.6	56.9	9.5
6/20/2025	AP Sunbird	77.2	105.5	55.2	8.7
105-35-0-10-10 lb/a	AP24 AX	64.6	88.3	55.1	8.1
N, P, K, S, Cl	KWA	71.9	98.3	56.8	8.7
silt loam	KS Ahearn	79.0	108.1	56.6	9.1
2.2	KS Bill Snyder	70.9	97.0	57.2	9.1
OM %	KS Mako	75.7	103.5	57.6	9.6
pH	KS Providence	71.0	97.1	55.4	8.2
5.8	LCS Atomic AX	68.5	93.7	56.2	8.8
	LCS Helix AX	70.1	95.9	56.9	9.4
	LCS Radar	68.1	93.1	56.6	9.3
	LCS Runner	63.0	86.1	58.8	10.0
	LCS Steel AX	77.8	106.4	57.2	9.1
	LCS Warbird AX	75.8	103.7	55.5	8.6
	Limagrain	73.4	100.4	57.5	9.8
	Limagrain	69.7	95.3	56.9	9.1
	Limagrain	75.1	102.7	55.0	8.4
	Limagrain	71.0	97.1	57.4	9.5
	Limagrain	77.6	106.2	56.1	9.0
	Limagrain	71.8	98.2	57.2	9.9
	Limagrain	79.4	108.5	56.6	9.2
	Crescent AX	76.7	104.9	55.3	8.4
	Kivari AX	75.7	103.5	55.7	8.2
	Sheridan	70.9	96.9	57.9	10.1
	Golden Hawk	72.5	99.2	55.4	8.6
	Rockstar	77.1	105.5	57.5	9.4
	WB4401	82.2	112.5	58.0	9.3
	WestBred	Average	73.1	100.0	56.6
	WestBred	CV (%)	7.1	7.1	0.7
	WestBred	LSD (0.05)	5.2	7.0	1.0
	Phillips	Heritability	0.8	—	—

The Assaria dryland trial enjoyed a mild season with frequent rainfall and moderate temperatures.




Table 13. Hillsboro, Kansas Dryland Winter Wheat Variety Trial, 2024-2025

BRAND	NAME	YIELD (bu/a)	P AVG (%)	TW (lb/bu)	MOIST (%)
AgriPro	AP Bigfoot	65.1	89.0	55.3	8.6
AgriPro	AP Prolific	78.1	106.8	56.4	8.8
AgriPro	AP Sunbird	76.5	104.6	56.9	9.5
AgriPro	AP24 AX	77.2	105.5	55.2	8.7
KWA	KS Ahearn	64.6	88.3	55.1	8.1
KWA	KS Bill Snyder	77.3	105.7	57.4	9.2
KWA	KS Mako	71.9	98.3	56.8	8.7
KWA	KS Providence	79.0	108.1	56.6	9.1
Limagrain	LCS Atomic AX	70.9	97.0	57.2	9.1
Limagrain	LCS Helix AX	75.7	103.5	57.6	9.6
Limagrain	LCS Radar	71.0	97.1	55.4	8.2
Limagrain	LCS Runner	68.5	93.7	56.2	8.8
Limagrain	LCS Steel AX	70.1	95.9	56.9	9.4
Limagrain	LCS Warbird AX	68.1	93.1	56.6	9.3
OGL	Doublestop CL+	63.0	86.1	58.8	10.0
OGL	High Cotton	77.8	106.4	57.2	9.1
OGL	Showdown	75.8	103.7	55.5	8.6
PlainsGold	Canvas	73.4	100.4	57.5	9.8
PlainsGold	CO19410R	69.7	95.3	56.9	9.1
PlainsGold	CO19D087R	75.1	102.7	55.0	8.4
PlainsGold	Crescent AX	71.0	97.1	57.4	9.5
PlainsGold	Kivari AX	77.6	106.2	56.1	9.0
PlainsGold	Sheridan	71.8	98.2	57.2	9.9
Polansky	Golden Hawk	79.4	108.5	56.6	9.2
Polansky	Rockstar	76.7	104.9	55.3	8.4
WestBred	WB4401	75.7	103.5	55.7	8.2
WestBred	WB4445CLP	70.9	96.9	57.9	10.1
WestBred	WB4699	72.5	99.2	55.4	8.6
WestBred	WB4422	77.1	105.5	57.5	9.4
Phillips	PS Elevate	82.2	112.5	58.0	9.3
Phillips	Average	73.1	100.0	56.6	9.1
Phillips	CV (%)	7.1	7.1	0.7	
Phillips	LSD (0.05)	5.2	7.0	1.0	
Phillips	Heritability	0.8	—	—	

Yields must differ by more than the LSD value to be considered statistically different.

Top LSD group in bold.

Yields must differ by more than the LSD value to be considered statistically different.

Top LSD group in bold.

Table 16. Newton, Kansas Dryland Winter Wheat Variety Trial, 2024-2025

Planted Previous crop Primary tillage Irrigation Harvested Fertility Soil texture OM % pH	Private farm, Newton, Harvey County, 38.11624501, -97.44204565 10/15/2024 double cropped soybean no-till none 7/7/2025 130-30-5 lb/a N, P, K silty clay 1.5 5.8	Flickner Tech Farm 365 Day Accumulated Precipitation Accumulated Totals (in) Accumulated Obs. (in) ● Daily Obs. Accumulated Normal (in)			
The Newton dryland trial had a mixed season with extended dry periods that ended with frequent rains and high humidity. Test weights suffered from increased precipitation before harvest.					
BRAND	NAME	YIELD (bu/a)	P AVG (%)	TW (lb/bu)	MOIST (%)
Agri-Pro	AP Bigfoot	46.4	98.5	54.9	11.1
Agri-Pro	AP Proflic	46.4	98.5	53.8	9.4
Agri-Pro	AP Sunbird	50.8	107.8	55.7	10.9
Agri-Pro	AP24 AX	48.8	103.6	53.9	10.4
Armor	AR Iron Eagle 22AX	44.7	94.8	55.8	10.8
Armor	AR Turret 25	41.9	88.8	54.4	10.1
Cropian	CP7017AX	45.9	97.5	55.6	10.7
Cropian	CP7869	45.7	97.0	54.8	10.3
KWA	KS Ahearn	47.2	100.2	53.1	9.0
KWA	KS Bill Snyder	51.5	109.2	56.8	11.3
KWA	KS Mako	52.9	112.2	56.2	10.7
KWA	KS Providence	54.6	115.9	55.1	10.2
KWA	Zenda	43.0	91.2	55.6	10.8
LimaGrain	LCS Aries	41.4	87.7	54.4	9.8
LimaGrain	LCS Atomic AX	47.2	100.1	55.9	10.8
LimaGrain	LCS Cowie AX	43.1	91.5	55.5	11.1
LimaGrain	LCS Galloway AX	42.1	89.4	55.6	10.8
LimaGrain	LCS Helix AX	45.9	97.4	57.0	11.6
LimaGrain	LCS Radar	42.8	90.8	54.2	9.9
LimaGrain	LCS Runner	49.8	105.7	55.8	10.5
LimaGrain	LCS Steel AX	52.9	112.2	54.3	10.2
LimaGrain	LCS Valiant	38.4	81.6	54.0	9.5
LimaGrain	LCS Warbird AX	48.9	103.8	55.5	10.7
OGI	Breakthrough	43.0	91.2	56.6	11.6
OGI	Doublestop CL+	45.9	97.4	56.7	11.4
OGI	High Cotton	42.8	90.7	54.7	10.0
OGI	OK198417C	47.7	101.3	57.5	12.0
OGI	Paradox	37.4	79.3	52.1	8.6
OGI	Showdown	52.5	111.4	54.8	10.4
OGI	Smith's Gold	43.5	92.3	56.5	11.2
OGI	Strad CL+	40.8	86.6	55.8	11.2
PlainGold	Canvas	54.5	115.6	57.1	11.7

Table 15. East Central dryland multi-year winter wheat performance tests, 2023-2025

Brand / Name	Variety	2025		2024		2023		2025		2024		2023		Avg		EL	HL	AS	Avg
		2025	Avg																
AgriPro	AP Bigfoot	78	110	82	35	76	58	70	--	64	55	72	46	61	108	100	89	99	
AgriPro	AP Prolific	76	93	63	32	63	57	76	--	66	78	72	53	68	92	97	107	99	
AgriPro	AP Sunbird	83	113	65	--	59	--	59	--	59	77	72	77	--	--	111	100	105	105
AgriPro	AP24 AX	84	107	65	--	86	67	77	--	72	77	72	77	75	105	114	106	108	108
KWA	KWA Ahearn	69	90	75	27	64	53	73	--	63	65	74	50	63	89	90	88	89	
KWA	KWA Bill Snyder	86	115	76	--	96	65	65	--	65	77	80	--	79	113	110	106	110	
KWA	KWA Mako	77	94	61	48	68	64	64	--	64	72	78	62	71	92	110	98	100	
KWA	KWA Providence	78	93	66	50	70	63	76	--	70	79	77	58	71	91	108	108	103	
LimaGrain	LCS Atomic AX	79	107	58	34	66	59	76	--	67	71	68	53	64	105	101	97	101	
LimaGrain	LCS Helix AX	79	102	86	35	74	59	74	--	66	76	73	51	67	100	100	104	101	
LimaGrain	LCS Radar	70	93	--	--	47	--	47	--	47	71	--	--	--	91	80	97	89	
LimaGrain	LCS Runner	74	102	60	--	81	52	73	--	62	68	73	--	71	100	88	94	94	
LimaGrain	LCS Steel AX	75	100	70	37	69	56	75	--	66	70	73	58	67	98	96	97	96	
LimaGrain	LCS Warbird AX	75	102	49	--	76	55	69	--	62	68	72	--	70	100	95	93	96	
OGI	Doubleshot CL+	70	92	56	35	61	55	64	--	59	63	67	54	61	90	94	86	90	
OGI	High Cotton Showdown	78	100	65	--	83	55	73	--	64	78	73	--	75	98	94	106	100	
OGI	Phillips	82	102	53	37	64	68	74	--	71	76	75	49	67	100	115	104	106	
PlainGold	PS Elevation	81	103	--	--	58	--	58	--	58	82	--	--	--	101	100	112	104	
PlainGold	Sheidan	77	105	--	--	54	--	54	--	54	72	--	--	--	103	91	98	97	
PlainGold	Canvas	78	101	74	48	74	59	75	--	67	73	69	62	68	99	101	100	100	
PlainGold	CO19410R	77	107	--	--	56	--	56	--	56	70	--	--	--	105	95	95	98	
PlainGold	CO19003TR	81	113	--	--	56	--	56	--	56	75	--	--	--	111	96	103	103	
PlainGold	Crescent AX	81	109	65	31	68	64	73	--	68	71	61	52	61	107	108	97	104	
PlainGold	Kvari AX	78	107	61	47	72	51	77	--	64	78	81	54	71	105	86	106	99	
PlainGold	PoloSky	77	105	--	--	54	--	54	--	54	72	--	--	--	103	91	98	97	
PlainGold	Golden Hawk	80	99	64	--	81	61	74	--	68	79	66	--	73	97	104	109	103	
PlainGold	RocketStar	79	98	70	39	69	62	76	--	69	77	77	57	70	96	106	105	102	
WestRed	WB4401	81	106	66	33	68	62	75	--	68	76	70	56	67	104	105	103	104	
WestRed	WB4422	79	91	80	41	71	68	72	--	70	77	67	71	89	116	106	103	103	
WestRed	WB445CLP	78	106	72	--	89	58	78	--	65	71	78	--	74	104	98	97	100	
WestRed	WB4699	76	96	54	39	63	58	78	--	68	73	77	54	68	94	99	99	97	
WestRed	AVERAGE	102	105	65	37	68	59	72	--	65	73	72	53	66	100	100	100	100	

¹E=Lorraine, KS, farmer's field; Ellsworth County, Marion County.²H=Hillsboro, KS, farmer's field; Ellsworth County.³AS=Assaria, KS, farmer's field; Saline County.

Table 16 continued. Newton, Kansas Dryland Winter Wheat Variety Trial, 2024-2025

BRAND	NAME	YIELD (bu/a)	P AVG (%)	TW (lb/bu)	MOIST (%)	YIELD (bu/a)	P AVG (%)	TW (lb/bu)	MOIST (%)
KWA	KS Bill Snyder	65.6	112.5	58.9	14.7	52.2	110.7	56.5	11.6
KWA	KS Mako	63.3	108.5	58.6	13.5	45.9	97.4	54.7	10.7
KWA	KS Providence	57.9	99.3	58.8	14.5	49.9	105.9	56.5	11.5
KWA	Zenda	55.5	95.2	58.3	14.3	53.6	113.7	54.6	10.5
Linagrain	LCS Aries	55.9	95.9	57.5	14.1	Sheridan	41.6	88.2	55.1
Linagrain	LCS Atomic AX	58.7	100.6	58.4	14.8	Golden Hawk	51.2	108.6	53.5
Linagrain	LCS Cowie AX	60.7	104.2	58.7	13.7	Paradise	46.3	98.1	54.5
Linagrain	LCS Galloway AX	53.9	92.4	58.4	15.1	Rockstar	56.6	120.1	54.4
Linagrain	LCS Helix AX	57.7	98.9	59.0	14.3	WestBred	WB3347	91.4	57.0
Linagrain	LCS Radar	58.0	99.4	57.6	14.4	WestBred	WB4401	46.0	55.3
Linagrain	LCS Runner	64.5	110.6	59.0	14.7	WestBred	WB4422	54.5	115.6
Linagrain	LCS Steel AX	63.8	109.5	57.6	15.2	WestBred	WB445 CLP	46.3	98.3
Linagrain	LCS Valiant	60.7	104.1	58.0	13.6	WestBred	WB4699	44.6	94.6
Linagrain	LCS Warbird AX	54.2	93.0	58.1	15.6	WestBred	PS Elevate	56.0	118.8
OGL	Breathrough	52.6	90.2	58.3	15.1	Phillips	Average	47.1	100.0
OGL	Doublestop CL+	51.3	88.0	58.6	14.5	CV (%)	4.7	4.7	0.4
OGL	High Cotton	53.7	92.1	58.1	14.9	LSD (0.05)	5.0	10.7	0.5
OGL	OK198417C	53.7	92.1	59.3	14.8	Heritability	0.6	--	0.8
OGL	Paradox	56.0	96.1	57.9	13.8				--
OGL	Showdown	59.1	101.4	58.7	15.7				
OGL	Smith's Gold	57.6	98.9	59.5	15.9				
OGL	Strad CL+	53.8	92.3	58.3	15.1				
PlainGold	Canvas	62.3	106.8	59.4	15.2				
PlainGold	CO19410R	57.4	98.4	58.6	15.5				
PlainGold	CO19D087R	59.9	102.8	57.3	14.7				
PlainGold	Crescent AX	53.7	92.1	58.5	14.7				
PlainGold	Kivari AX	55.0	94.3	57.3	15.4				
PlainGold	Sheridan	58.2	99.8	57.5	14.8				
PlainGold	Golden Hawk	62.8	107.6	57.7	14.3				
PlainGold	Paradise	51.7	88.7	57.7	14.0				
PlainGold	Rockstar	63.5	108.9	57.6	14.4				
WestBred	WB4347	60.4	103.6	59.7	15.5				
WestBred	WB4401	57.0	97.7	59.1	15.1				
WestBred	WB4422	61.8	106.0	59.2	14.7				
WestBred	WB445 CLP	57.5	98.6	58.3	14.7				
WestBred	WB4659	66.1	113.3	57.4	13.6				
Philips	PS Elevate	60.2	103.2	57.8	14.3				
Philips	Average	58.3	100.0	58.2	14.7				
Philips	CV (%)	4.5	4.5	0.3	0.8				
Philips	LSD (0.05)	4.1	7.0	0.7	0.6				


Yields must differ by more than the LSD value to be considered statistically different.
Top LSD group in bold.

Table 16 continued. Newton, Kansas Dryland Winter Wheat Variety Trial, 2024-2025

BRAND	NAME	YIELD (bu/a)	P AVG (%)	TW (lb/bu)	MOIST (%)	YIELD (bu/a)	P AVG (%)	TW (lb/bu)	MOIST (%)
PlainsGold	CO19410R	52.2	110.7	56.5	11.6	PlainsGold	CO19D087R	45.9	97.4
PlainsGold	Crescent AX	49.9	105.9	56.5	11.5	PlainsGold	Kivari AX	53.6	113.7
PlainsGold	Sheridan	41.6	88.2	55.1	11.0	PlainsGold	Golden Hawk	51.2	108.6
PlainsGold	Golden Hawk	51.2	108.6	53.5	9.1	PlainsGold	Paradise	46.3	98.1
PlainsGold	Paradise	46.3	98.1	54.5	10.4	PlainsGold	Rockstar	56.6	120.1
PlainsGold	Rockstar	43.1	91.4	57.0	11.5	WestBred	WB3347	46.0	97.6
WestBred	WB3347	46.0	97.6	55.3	10.3	WestBred	WB4401	WB4422	WB445 CLP
WestBred	WB4401	46.0	97.6	56.7	10.9	WestBred	WB4422	46.3	98.3
WestBred	WB4422	46.3	98.3	55.5	10.8	WestBred	WB445 CLP	44.6	94.6
WestBred	WB445 CLP	44.6	94.6	52.6	8.3	WestBred	WB4699	PS Elevate	PS Elevate
WestBred	WB4699	44.6	94.6	54.9	10.6	Phillips	Average	47.1	100.0
Phillips	Average	47.1	100.0	55.2	10.6	CV (%)	4.7	4.7	0.5
Phillips	CV (%)	4.7	4.7	0.4	0.5	LSD (0.05)	5.0	10.7	0.8
Phillips	LSD (0.05)	5.0	10.7	--	--	Heritability	0.6	--	--

Yields must differ by more than the LSD value to be considered statistically different.
Top LSD group in bold.

Table 17. Hutchinson, Kansas Dryland Winter Wheat Variety Trial, 2024-2025



BRAND	NAME	YIELD (bu/a)	P AVG (%)	TW (lb/bu)	MOIST (%)	YIELD (bu/a)	P AVG (%)	TW (lb/bu)	MOIST (%)
Kansas State University South Central Experiment Field, Hutchinson, Reno County									
Planted									
Previous crop									
Primary tillage									
Irrigation									
Harvested									
Soil texture									
OM %									
pH									

The Hutchinson trial was very dry from planting throughout the winter and spring months. The wheat crop benefited greatly from cooler-than-normal temperatures and frequent rains during tillering and grain filling.

Table 21. Russell, Kansas Dryland Winter Wheat Variety Trial, 2024-2025

Planted 10/3/2024	Private farm, Russell, Russell County, 38.89417372, -98.84522122	Bunker Hill 3NE 365 Day Accumulated Precipitation
Previous crop grain sorghum/fallow		
Primary tillage conventional		
Irrigation none		
Harvested 6/25/2025		
Soil texture silt clay loam		
OM % 2.6		
pH 5.8		
Fertility 73-22-0-4 lb/a N, P, K, S on 10/24 30-0-0 lb/a N, P, K on 2/07		
The Russell dryland trial had excellent growth in early spring until it was afflicted with wheat streak mosaic virus (WSMV) in early May. KS Territory proved to be a standout in resistance to WSMV.		
YIELD (bu/a)	P AVG (lb/bu)	TW MOIST (%)
BRAND NAME		
AgriPro AP Bigfoot	47.2	91.2
AgriPro AP Sunbird	55.4	106.9
AgriPro AP24 AX	53.8	103.9
AGSECO AG Golden	50.8	98.2
Armor AR Iron Eagle 22AX	47.3	91.4
Armor AR Turret 25	45.5	87.8
Croplan CP7017AX	45.7	88.2
Croplan CP7869	47.9	92.4
KWA KS Bill Snyder	50.6	97.8
KWA KS Homesteader CL+	56.1	108.5
KWA KS Makro	50.9	98.4
KWA KS Providence	53.7	103.6
KWA KS Territory	67.6	130.7
KWA KS Western Star	51.3	99.0
Limagrain LCS Atomic AX	50.6	97.7
Limagrain LCS Helix AX	54.6	105.5
Limagrain LCS Mojo	51.1	98.6
Limagrain LCS Radar	43.3	83.7
Limagrain LCS Runner	50.4	97.3
Limagrain LCS Steel AX	46.1	89.0
Limagrain LCS Warbird AX	52.4	101.2
OGI Paradox	46.5	89.8
OGI Showdown	51.3	99.1
PlainsGold CO200037R	62.4	120.6
PlainsGold Canvas	52.9	102.1
PlainsGold CO19410R	55.7	107.6
PlainsGold CO19DD087R	55.0	106.3
PlainsGold Crescent AX	47.9	92.5
PlainsGold Guardian	52.2	100.8
PlainsGold Kivari AX	55.4	107.0
PlainsGold Sheridan	48.6	93.9
PlainsGold Whistler	58.7	113.4
Polansky Golden Hawk	45.7	88.4
Polansky High Country	44.3	85.6
Polansky Paradise	56.3	108.7
Polansky Rockstar	56.5	109.1

Table 20. South Central non-treated dryland MULTI-YEAR winter wheat performance test, 2023-2025

Brand Name	Variety Avg (bu/a)	yield (bu/a)					% of test average
		2023	2024	2025	2026	2027	
AgriPro AP Bigfoot	60	58	61	—	77	89	83
AgriPro AP Prolific	55	74	62	30	99	90	101
AgriPro AP Sunbird	72	72	—	—	97	—	—
AP24 AX	71	69	72	—	93	104	98
Armor	65	73	57	—	97	83	90
AR Iron Eagle 22AX	73	73	—	—	98	—	—
AR Turret 25	—	—	—	—	—	—	—
Croplan	50	69	57	24	93	82	89
CP7017AX	66	84	85	30	113	123	118
CP7869	—	—	—	—	—	—	—
KWA	—	—	—	—	—	—	—
KS Ahearn	59	77	71	30	104	103	107
KS Bill Snyder	88	88	—	—	118	—	—
KS Makro	58	73	74	25	98	108	101
KS Providence	65	87	80	29	117	115	115
Zenda	53	75	60	22	101	87	91
Limagrain	—	—	—	—	—	—	—
LCS Atomic AX	55	64	74	27	86	107	105
LCS Warbird AX	74	74	73	—	99	106	—
OGL	—	—	—	—	—	—	—
Doublestop CL+	55	72	63	29	97	91	113
High Cotton	72	80	64	—	108	93	100
OK Corral	55	70	70	23	95	101	95
OK198417C	69	69	—	—	93	—	—
OK2005CF-10C24	69	69	—	—	93	—	—
Paradox	53	74	62	24	99	89	94
Showdown	66	83	88	27	111	127	103
Smith's Gold	47	73	—	20	98	—	88
Strad CL+	53	66	68	24	88	98	93
PlainsGold	—	—	—	—	—	—	—
Canvas	76	84	68	—	113	99	106
CO19410R	84	84	—	—	113	—	—
CO19D087R	70	70	—	—	94	—	—
Crescent AX	74	78	70	—	104	101	103
Kvari AX	74	77	72	—	103	102	102
Shenidan	65	65	—	—	88	—	—
Polansky	—	—	—	—	—	—	—
Golden Hawk	75	80	71	—	107	103	105
Paradise	53	62	70	27	83	102	96
Rockstar	60	84	63	33	113	91	110
WestBred	—	—	—	—	—	—	—
WB4401	58	80	67	27	108	97	103
WB445CLP	77	71	83	—	95	120	108
WB659	60	80	75	26	108	108	99
Average	57	74	69	26	100	100	100

Wellington, KS, farmer's field, Sumner County


Figure 1. Russell, Kansas Dryland Winter Wheat Variety Trial, 2024-2025

Table 21 continued, Russell, Kansas Dryland Winter Wheat Variety Trial, 2024-2025

BRAND	NAME	YIELD (bu/a)	P AVG (%)	TW (lb/bu)	MOIST (%)
WestBred	WB4347	55.8	107.8	54.9	17.5
WestBred	WB4401	48.7	94.1	53.6	16.9
WestBred	WB4422	53.2	102.7	54.4	16.3
WestBred	WB4445CLP	53.4	103.1	55.3	17.1
WestBred	WB4595	45.9	88.6	56.0	17.8
WestBred	WB699	51.9	100.3	50.0	13.8
WestBred	WB792	55.6	107.4	54.8	18.2
Average		51.8	100.0	53.5	16.5
CV (%)		6.7	6.7	0.8	1.5
LSD (0.05)		5.2	10.0	2.1	1.6
Heritability		0.8	—	—	—

Yields must differ by more than the LSD value to be considered statistically different.
Top LSD group in bold.

Table 22, Larned, Kansas Dryland Winter Wheat Variety Trial, 2024-2025

BRAND	NAME	YIELD (bu/a)	P AVG (%)	TW (lb/bu)	MOIST (%)
Limagrain	LCS Radar	44.7	64.2	51.3	12.7
Limagrain	LCS Runner	58.3	83.7	54.2	12.2
Limagrain	LCS Steel AX	69.1	99.2	54.0	12.8
Limagrain	LCS Warbird AX	64.7	92.8	54.7	12.6
OGL	Paradox	67.5	96.9	53.1	11.6
PlainsGold	Showdown	70.0	100.5	54.7	12.5
PlainsGold	CO200037R	77.2	110.8	58.0	12.7
PlainsGold	Canvas	80.4	115.4	56.8	12.4
PlainsGold	CO19410R	79.8	114.5	56.4	11.3
PlainsGold	CO19D087R	77.4	111.2	54.3	13.5
PlainsGold	Crescent AX	67.3	96.5	55.1	12.7
PlainsGold	Guardian	81.0	116.3	57.9	12.4
PlainsGold	Kivari AX	70.6	101.3	54.6	12.6
PlainsGold	Sheridan	71.6	102.7	55.5	12.4
PlainsGold	Whistler	77.7	111.6	54.5	9.9
Polansky	Golden Hawk	74.2	106.5	54.3	12.8
Polansky	High Country	66.5	95.5	55.8	12.3
Polansky	Paradise	53.5	76.8	52.5	10.5
Polansky	Rockstar	70.0	100.5	53.8	12.6
WestBred	WB4347	84.7	121.6	56.3	12.8
WestBred	WB4401	55.3	79.4	52.4	11.6
WestBred	WB4422	60.0	86.1	54.5	12.2
WestBred	WB4445CLP	89.5	128.5	54.7	11.2
WestBred	WB4595	70.4	101.0	56.6	12.2
WestBred	WB4659	66.4	95.3	52.5	12.1
WestBred	WB4792	71.5	102.7	57.5	12.7
Average		69.7	100.0	54.8	12.2
CV (%)		8.9	8.9	1.7	1.2
LSD (0.05)		9.6	13.8	1.8	0.7
Heritability		0.6	—	—	—

Yields must differ by more than the LSD value to be considered statistically different.
Top LSD group in bold.

Table 22, Larned, Kansas Dryland Winter Wheat Variety Trial, 2024-2025





Table 22, Larned, Kansas Dryland Winter Wheat Variety Trial, 2024-2025

BRAND	NAME	YIELD (bu/a)	P AVG (%)	TW (lb/bu)	MOIST (%)
AgriPro	AP Bigfoot	57.6	82.7	53.7	12.2
AgriPro	AP Sunbird	67.5	96.9	53.6	12.4
AgriPro	AP24 AX	58.7	84.3	53.1	12.6
AGSECO	AG Golden	74.6	107.1	53.9	12.2
Armor	AR Iron Eagle 22AX	63.0	90.4	53.9	12.1
Armor	AR Turret 25	66.7	95.8	53.8	11.7
Croplan	CP7017AX	70.8	101.6	52.5	12.2
Croplan	CP7869	74.9	107.4	55.0	12.8
KWA	KS Bill Snyder	76.6	109.9	55.9	12.4
KWA	KS Homesteader Lt+	71.2	102.2	58.0	12.8
KWA	KS Mako	75.5	108.4	55.9	13.0
KWA	KS Providence	75.1	107.7	56.0	12.5
KWA	KS Territory	81.3	116.7	57.7	13.0
KWA	KS Western Star	69.5	99.7	55.8	12.7
LimaGrain	LCS Atomic AX	69.8	100.1	54.1	11.3
LimaGrain	LCS Helix AX	72.3	103.8	55.5	10.5

Timely rains at the Larned dryland trial led to good development despite an overall moisture deficit throughout the season.

Table 24. Colby, Kansas dryland winter wheat variety trial, 2024-2025

Planted 10/5/2024
Previous crop fallow (sorghum stalks)
Primary tillage no-till
Irrigation none
Harvested 7/7/2025
Fertility 7.2-24-0-4-0.6 lb/a
N, P, K, S, Zn in-furrow
25-0-0 lb/a N, P, K, On 3/10

Table 23. West Central Kansas dryland multi-year winter wheat performance test, 2023-2025											
Brand	Name	Variety Avg		Russell (RS)		Larned (LA ^a)		Avg			
		2025	2026	yield (bu/acre)	2023	2024	yield (bu/acre)	2025	yield (bu/acre)		
AgriPro	AP Bigfoot	68.3	98.8	9.4	61.1	24.5	52	47	58		
AgriPro	AP Roadrunner	75.7	110.2	9.2	58.5	27.7	61	48	57		
AgriPro	AP Sunbird	76.2	94.0	61.7	24.4	CP7869	61	53	59		
AgriPro	AP24 AX	74.0	107.0	9.5	56.0	25.3	64	51	57		
AGSECO	AG Golden (W) Joe	69.9	101.1	9.3	57.3	25.4	KS Homesteader CL+	56	50		
KWA	KWA Big Bow	67.9	98.2	9.3	61.5	29.3	KS Mako	51	50		
KWA	KWA Bill Snyder	77.4	112.0	9.4	61.8	27.2	KS Providence	54	56		
KWA	KWA Dallas	72.8	105.3	9.4	61.0	25.5	KS Western Star	74	68		
KWA	KWA Hamilton	68.2	98.6	9.4	60.1	25.2	LimaGrain	55	50		
KWA	KWA Homesteader CL+	67.3	97.4	9.3	62.2	26.8	LCS Atomic AX	60	51		
KWA	KWA Mako	70.7	102.2	9.3	61.8	26.3	LCS Helix AX	63	55		
KWA	KWA Provider	68.2	98.6	9.3	59.1	26.4	LCS Mojo	51	43		
KWA	KWA Territory	71.6	103.5	9.3	60.1	25.4	LCS Radar	54	46		
KWA	KWA Western Star	63.6	91.9	9.1	61.2	26.8	LCS Runner	50	46		
LCS	Limagrain	69.4	100.4	9.3	62.4	24.9	LCS Steel AX	58	56		
LCS	Limagrain	93.7	9.6	62.4	23.2	OGI	59	52	LCS Warbird AX	59	
LCS	Helix AX	64.8	83.0	9.1	58.4	26.6	Paradox	57	46	OGI	52
LCS	Radar	57.4	103.3	9.7	60.1	29.9	Showdown	61	51	Paradox	53
LCS	Steel AX	64.3	93.0	9.3	61.8	25.7	PlainsGold	70	62	Showdown	50
T-158	T-158	58.0	83.9	9.3	59.0	24.0	PlainsGold	67	52	PlainsGold	55
C0200037R	C0200037R	65.0	93.9	9.2	59.6	27.3	PlainsGold	72	63	PlainsGold	56
Canvas	Canvas	72.3	104.6	9.2	59.4	25.7	PlainsGold	72	54	PlainsGold	54
C019410R	C019410R	79.2	114.5	9.4	61.8	25.6	PlainsGold	68	59	PlainsGold	57
C0190087R	C0190087R	80.5	116.4	9.4	59.6	22.6	Golden Hawk	60	46	Golden Hawk	50
Guardian	Guardian	69.5	100.5	9.6	61.5	27.3	High Country	55	44	High Country	54
Shenidan	Shenidan	69.3	100.2	9.9	61.4	26.1	Paradise	55	56	Paradise	52
Whistler	Whistler	68.8	99.5	9.4	58.5	26.6	Rockstar	63	56	Rockstar	54
Polansky	Golden Hawk	65.7	95.1	9.8	60.8	24.6	WestBred	70	62	WestBred	57
Polansky	High Country	72.0	104.0	9.4	61.0	25.3	WB4422	52	49	WB4422	53
Polansky	Rockstar	67.9	98.2	9.1	59.4	25.8	WB4445CLP	71	53	WB4445CLP	42
Watley	TAM 112	64.5	93.2	9.6	62.1	24.5	WB4495	58	54	WB4495	31
Watley	TAM 115	63.6	92.0	9.6	63.3	27.3	WB4499	59	52	WB4499	44
Watley	TAM 204	63.2	91.3	9.3	54.6	27.3	Average	64	56	Average	28
WestBred	WB3447	76.5	110.7	9.5	63.3	28.0	WB4499	52	53	WB4499	34
WestBred	WB4422	67.8	98.1	9.3	59.1	27.5	Average	70	39	Average	44
WestBred	WB445CLP	74.1	107.1	9.6	62.8	26.2	WB4499	52	51	WB4499	51
WestBred	WB595	68.9	99.7	9.9	63.2	27.4	WB4499	100	100	WB4499	100
AVERAGE											
CV (%)											
LSD (0.05)											
Heritability											
*Yields must differ by more than the LSD value to be considered statistically different.											
(W)=white wheat variety											

^aRS=Russell, KS; farmer's field, Russell County.


^bLA=Larned, KS; farmer's field, Larned County.

^cSJ=St. John, KS; farmer's field, Stafford County. Never able to plant.

Table 26. Decatur, Kansas Dryland Winter Wheat Variety Trial, 2024-2025

Decatur, Kansas Dryland Winter Wheat Variety Trial, 2024-2025									
BRAND	NAME	YIELD (bu/a)	PAVG (%)	MOIST (lb/bu)	TW (in)	HT	PAGV (%)	MOIST (%)	YIELD (bu/a)
AgriPro	AP Bigfoot	54.1	100.2	9.2	59.2	26.2	—	—	—
AgriPro	AP Roadrunner	61.0	113.1	10.2	59.1	27.4	—	—	—
AgriPro	AP Sunbird	62.8	116.4	10.3	60.3	27.0	—	—	—
AgriPro	AP24 AX	61.6	114.1	10.2	57.8	28.4	—	—	—
AGSECO	AG Golden	52.7	97.6	10.1	59.5	25.2	—	—	—
KWA	(W) Joe	45.1	83.5	10.4	60.4	28.8	—	—	—
KWA	KS Big Bow	59.8	110.8	9.8	61.8	27.2	—	—	—
KWA	KS Bill Snyder	50.7	94.0	9.4	61.6	24.0	—	—	—
KWA	KS Dallas	58.8	108.9	10.2	60.4	28.2	—	—	—
KWA	KS Hamilton	50.2	93.1	10.3	61.1	26.0	—	—	—
KWA	KS Homesteader Cl+	49.6	91.9	10.1	61.6	27.4	—	—	—
KWA	KS Mako	45.4	84.0	10.0	59.8	27.0	—	—	—
KWA	KS Providence	59.6	110.5	9.4	60.3	28.0	—	—	—
KWA	KS Territory	52.9	98.0	9.2	62.1	25.4	—	—	—
KWA	KS Western Star	49.2	91.2	10.8	61.0	27.2	—	—	—
Limgrain	LCS Atomic AX	42.9	79.4	11.1	61.2	27.6	—	—	—
Limgrain	LCS Helix AX	48.8	90.4	10.8	64.1	25.2	—	—	—
Limgrain	LCS Radar	44.6	82.6	10.4	60.0	27.0	—	—	—
Limgrain	LCS Steel AX	60.5	112.2	9.8	60.5	30.8	—	—	—
Limgrain	T-558	44.7	82.7	10.3	58.4	26.0	—	—	—
OGI	Breakthrough	48.0	88.9	9.7	61.9	25.6	—	—	—
PlainsGold	C0200037R	55.8	103.5	10.3	60.5	28.0	—	—	—
PlainsGold	Canvas	57.8	107.1	9.9	61.2	26.8	—	—	—
PlainsGold	CC19410R	64.1	118.9	9.5	60.1	27.2	—	—	—
PlainsGold	CC19B087R	62.4	115.6	10.0	60.8	25.0	—	—	—
PlainsGold	Guardian	53.6	99.2	10.2	62.6	27.8	—	—	—
PlainsGold	Sheridan	48.2	89.3	10.1	61.0	26.4	—	—	—
PlainsGold	Whistler	56.7	105.1	9.4	60.5	30.0	—	—	—
Polansky	Golden Hawk	52.8	97.7	10.6	58.5	27.8	—	—	—
Polansky	High Country	59.5	110.3	10.3	58.8	27.0	—	—	—
Polansky	Rockstar	59.5	110.2	10.5	59.3	27.6	—	—	—
Watley	TAM 112	49.3	91.4	9.9	58.8	27.4	—	—	—
Watley	TAM 115	48.5	89.8	9.7	61.9	28.2	—	—	—
Watley	TAM 204	51.8	96.0	9.9	57.1	28.4	—	—	—
WestBred	WB4347	65.6	121.5	10.5	62.4	27.8	—	—	—
WestBred	WB4422	59.0	109.3	9.9	61.3	28.8	—	—	—
WestBred	WB4445CLP	56.9	105.4	9.8	61.6	27.4	—	—	—
WestBred	WB4595	46.5	86.2	10.6	63.2	27.4	—	—	—
WestBred	AVERAGE	54.0	100.0	10.1	60.6	27.2	—	—	—
	CV (%)	7.8	7.8	0.7	1.7	1.8	—	—	—
	LSD (0.05)	8.4	11.9	0.5	1.5	1.4	—	—	—
	Heritability	0.7	—	—	—	—	—	—	—

*Yields must differ by more than the LSD value to be considered statistically different. Top LSD group in bold.
(W)=white wheat variety

Table 25. Tribune, Kansas dryland winter wheat variety trial, 2024-2025

*Yields must differ by more than the LSD value to be considered statistically different.

(W)=white wheat variety

Table 32. Hugoton, Kansas Irrigated Winter Wheat Variety Trial, 2024-2025

BRAND	NAME	YIELD (bu/a)	PAYG (%)	TW (lb/bu)	MOIST (%)
AgriPro	AP Prolific	91.8	124.3	58.0	8.2
AgriPro	AP Roadrunner	54.4	73.6	52.3	8.6
AgriPro	AP Sunbird	61.7	83.5	55.5	8.2
AGSECO	AG Golden	71.7	97.1	53.5	8.5
KWA	KS Big Bow	73.5	99.5	55.3	8.4
KWA	KS Bill Snyder	77.0	104.2	58.7	8.2
KWA	KS Homesteader CL+	75.3	101.9	60.3	8.1
KWA	KS Mako	68.2	92.3	58.6	8.1
KWA	KS Providence	76.8	104.0	56.1	8.3
KWA	KS Territory	73.6	99.6	57.0	8.1
Limagrain	LCS Aries	71.4	96.6	57.0	8.6
Limagrain	LCS Atomic AX	73.8	99.9	56.9	8.3
Limagrain	LCS Helix AX	81.0	109.7	57.6	8.4
Limagrain	LCS Mojo	62.2	84.3	56.2	8.4
Limagrain	LCS Radar	87.4	118.3	55.8	8.3
Limagrain	LCS Steel AX	72.9	98.7	55.0	8.5
Limagrain	LCS Warbird AX	75.4	102.1	58.0	8.6
Limagrain	T-158	68.5	92.8	57.6	8.3
OGI	Breakthrough	61.9	83.8	58.5	8.3
PlainsGold	Canvas	64.1	86.8	53.3	8.6
PlainsGold	CO19DO8/R	48.3	65.4	54.1	8.5
PlainsGold	Sheridan	89.7	121.5	58.8	8.4
Polansky	Golden Hawk	75.0	101.6	55.5	8.5
Polansky	High Country	55.1	74.6	56.1	8.2
Polansky	Rockstar	85.5	115.8	56.2	8.4
Watley	TAM 112	56.4	76.3	58.3	8.1
Watley	TAM 115	77.3	104.7	59.7	8.2
Watley	TAM 204	90.6	122.6	52.5	8.8
WestBred	WB4347	63.1	85.4	56.7	8.1
WestBred	WB4422	84.9	114.9	57.4	8.1
WestBred	WB4445CLP	82.1	111.2	59.7	8.3
WestBred	WB4595	87.3	118.2	56.9	8.6
WestBred	WB4792	99.6	134.8	54.2	8.6
Average		73.9	100.0	56.6	8.4
CV (%)		9.7	9.7	1.2	0.3
LSD (0.05)		12.7	17.2	2.2	0.2
Heritability		0.5	—	—	—

Yields must differ by more than the LSD value to be considered statistically different. Top LSD group in bold.

Table 31. Garden City, Kansas Irrigated Winter Wheat Variety Trial, 2024-2025

BRAND	NAME	YIELD (bu/a)	PAYG (%)	TW (lb/bu)	MOIST (%)	LDG* (rating)	RODENT** (rating)
AgriPro	AP Prolific	110.7	101.6	58.4	8.2	0.8	0.3
AgriPro	AP Roadrunner	112.2	103.0	55.8	8.0	1.0	0.0
AgriPro	AP Sunbird	117.4	107.7	54.4	8.3	3.5	0.0
AGSECO	AG Golden	117.8	108.1	55.8	8.0	1.8	0.0
KWA	KS Big Bow	105.7	97.0	54.7	8.1	1.5	0.0
KWA	KS Bill Snyder	119.5	109.7	58.7	7.9	0.0	0.0
KWA	KS Homesteader CL+	106.1	97.4	59.7	7.8	1.3	0.3
KWA	KS Mako	117.5	107.9	59.7	7.9	1.0	0.0
KWA	KS Providence	108.9	99.9	56.8	8.2	0.0	0.0
KWA	KS Territory	117.3	107.6	59.4	7.8	0.3	0.0
Limagrain	LCS Arias	91.1	83.6	58.4	8.0	3.0	0.0
Limagrain	LCS Atomic AX	113.7	104.4	58.7	8.1	1.8	0.0
Limagrain	LCS Helix AX	121.7	111.7	58.9	7.9	1.5	0.3
Limagrain	LCS Mojo	106.0	97.3	57.7	8.0	0.5	0.0
Limagrain	LCS Radar	99.7	91.5	56.0	8.1	0.3	0.0
Limagrain	LCS Steel AX	104.1	95.5	57.3	8.4	0.8	0.0
Limagrain	LCS Warbird AX	112.9	103.6	58.8	8.1	1.8	0.0
Limagrain	T-158	110.3	101.2	58.5	7.9	0.8	0.0
OGI	Breakthrough	106.4	97.6	57.4	8.2	2.5	0.0
PlainsGold	Canvas	124.0	113.8	57.9	8.0	0.0	0.0
PlainsGold	CO19DO8/R	87.2	80.0	54.3	8.1	3.5	0.0
PlainsGold	Sheridan	100.3	92.0	60.6	8.0	0.3	0.0
Polansky	Golden Hawk	104.5	96.0	58.6	8.0	1.0	0.5
Polansky	High Country	96.6	88.7	54.3	8.4	4.0	0.0
Polansky	Rockstar	122.1	112.1	57.1	8.0	0.0	0.0
Watley	TAM 112	101.7	93.3	56.5	7.7	3.5	0.0
Watley	TAM 115	86.5	79.4	58.8	7.8	2.3	0.0
Watley	TAM 204	105.4	96.7	57.1	7.9	0.0	0.0
WestBred	WB4347	115.5	106.0	57.6	7.9	2.3	0.0
WestBred	WB4422	128.6	118.0	59.4	8.0	0.0	0.0
WestBred	WB4445CLP	114.4	105.0	58.4	8.2	0.5	0.0
WestBred	WB4595	105.6	96.9	57.4	8.5	0.0	0.0
WestBred	WB4792	104.0	95.4	57.1	8.4	0.0	0.0
WestBred	Average	108.9	100.0	57.6	8.1	1.2	0.0
	CV (%)		7.4	7.4	0.3	—	—
	LSD (0.05)		10.6	9.7	0.2	—	—
	Heritability		0.5	—	—	—	—

Yields must differ by more than the LSD value to be considered statistically different. Top LSD group in bold.

*Lodging scale 0-5: 0=no lodging; 5=completely flattened

**Rodent damage scale 0-5: 0=no damage; 5=完全ly damaged

