

2026 Kansas WHEAT SEED BOOK



KANSAS CROP
IMPROVEMENT
ASSOCIATION

KANSAS STATE
UNIVERSITY

Published by:

 **HIGH PLAINS**
JOURNAL™

**KANSAS PERFORMANCE
TESTS WITH WINTER WHEAT
VARIETIES**

REPORT OF PROGRESS 1200

Kansas State University Agricultural
Experiment Station and Cooperative
Extension Service

KANSAS CERTIFIED SEED

DIRECTORY of producers of field
crops including wheat, spring oats,
triticale, rye, canola, and winter barley

TABLE OF CONTENTS

KANSAS PERFORMANCE TESTS WITH WINTER WHEAT VARIETIES	
2026 WHEAT CROP REVIEW	5
Weather and Crop Development, Insects, and Harvest Statistics	
2026 PERFORMANCE TESTS	7
Varieties, Results and Variety Characterization, Electronic Access, Research and Duplication Policy, and Contributors	
TABLE 1 ENTRANTS	9
TABLE 2 COMPARISONS OF LEADING WINTER WHEAT VARIETIES--AGRONOMY AND QUALITY	9
TABLE 3 NORTH CENTRAL KANSAS DRYLAND MULTI-YEAR WINTER WHEAT PERFORMANCE TESTS, 2024-2026	10
TABLE 4 SOUTHEAST KANSAS MULTI-YEAR DRYLAND WINTER WHEAT PERFORMANCE TESTS, 2024-2026	12
TABLE 5 SOUTHEAST KANSAS MULTI-YEAR SOFT WINTER WHEAT PERFORMANCE TEST, 2024-2026	13
TABLE 6 EAST CENTRAL DRYLAND MULTI-YEAR WINTER WHEAT PERFORMANCE TESTS, 2024-2026	14
TABLE 7 SOUTH CENTRAL DRYLAND MULTI-YEAR WINTER WHEAT PERFORMANCE TESTS, 2024-2026	16
TABLE 8 SOUTH CENTRAL NON-TREATED DRYLAND MULTI-YEAR WINTER WHEAT PERFORMANCE TEST, 2024-2026	19
TABLE 9 WEST CENTRAL KANSAS MULTI-YEAR DRYLAND WINTER WHEAT PERFORMANCE TEST, 2024-2026	18
TABLE 10 WESTERN KANSAS DRYLAND MULTI-YEAR WINTER WHEAT PERFORMANCE TEST, 2024-2026	20
TABLE 11 WESTERN KANSAS IRRIGATED MULTI-YEAR WINTER WHEAT PERFORMANCE TESTS, 2024-2026	22
CONTRIBUTORS	24

KANSAS CERTIFIED SEED DIRECTORY			
KCIA DIRECTORS, OFFICERS & STAFF, PLANT VARIETY PROTECTION.....			
25			
HARD RED WINTER WHEAT			
26			
2464411	26	HIGH COTTON	29
AG GOLDEN	26	KIVARI AX.....	29
AP BALDY	26	KS AHEARN	29
AP BIGFOOT	26	KS BILL SNYDER.....	29
AP PROLIFIC.....	26	KS CHIKASKIA.....	30
AP SUNBIRD.....	26	KS DALLAS.....	30
AP TANGO.....	27	KS FLINTLOCK.....	30
AP18 AX	27	KS HAMILTON.....	30
AP24 AX	27	KS HOMESTEADER CL+	31
BOB DOLE	27	KS MAKO	31
BREADBOX.....	27	KS PROVIDENCE	31
BYRD CL PLUS.....	27	KS TERRITORY	32
CANVAS.....	27	KS TRADITION	32
CRESCENT AX.....	28	KS WESTERN STAR.....	33
DG RAMSAY	28	LANGIN	33
DOUBLESTOP CL PLUS.....	28	LARNED	33
EVEREST.....	28	LCS ARIES.....	33
GABRIEL.....	28	LCS ATOMIC AX	33
GOLDENHAWK.....	29	LCS CHROME.....	33
GUARDIAN	29	LCS COWIE AX	33
LCS GALLOWAY AX.....	33	SY MONUMENT.....	36
LCS HELIX AX	33	SY RUGGED	36
LCS MOJO.....	33	SY WOLVERINE.....	36
LCS RADAR	34	T158.....	36
LCS REVERE	34	WB-GRAINFIELD.....	36
LCS RUNNER	34	WB4347.....	36
LCS STEEL AX	34	WB4401.....	37
LCS TROUBADOUR AX	34	WB4422.....	37
LCS Warbird AX	34	WB4445CLP.....	37
MILESTONE	34	WB4459AX	38
OK CORRAL	34	WB4523.....	38
ORANGE BLOSSOM CL PLUS	34	WB4569.....	38
OUTLAW	35	WB4595.....	38
PARADISE.....	35	WB4650.....	38
PARADOX.....	35	WB4699.....	38
ROCK STAR.....	35	WB4739AX	38
SHERIDAN.....	35	WB4792.....	39
SHOWDOWN.....	35	WHISTLER.....	39
SMITH'S GOLD	36	WINTERHAWK.....	39
STRAD CL PLUS.....	36	ZENDA	39
HARD WHITE WINTER WHEAT			
39			
KS BIG BOW	39	KS SILVERADO	40
KS SNOW FOX	40	TELLURIDE.....	40
OTHER CROPS - TRITICALE, SPRING WHEAT, RYE, QUALITY ASSURANCE			
40			
KCIA BULK RETAIL FACILITIES			
42			
KCIA APPROVED CONDITIONERS			
43			

2026 WHEAT CROP REVIEW

Weather and Crop Development

2026 Kansas wheat growing season

The 2025-26 winter wheat growing season in Kansas was a season of hope and despair. The crop had, overall, a great start to the growing season. Anywhere from 3 to over 10 inches of precipitation accumulated in the wheat growing region of the state during the months of September, October, and November, which resulted in excellent conditions for crop emergence and early establishment. Moisture availability in some fields was excessive, with parts of south-central Kansas observing different levels of waterlogging. In addition, precipitation towards late October into November kept fields wet, and as a result, many growers could not finish planting all the areas that were originally intended for wheat. This resulted in a total of 7.3 million acres of winter wheat planted in the state, which is down 4% from the previous year. Despite a few localized drawbacks during planting, the 2025-26 Kansas winter wheat crop was off to an excellent start across the state, a rarity in Kansas where fall drought frequently plagues wheat emergence and stand establishment.

The above-average precipitation during the fall was accompanied by above-average temperatures, with temperature departures from normal ranging from +2 to +8°F across the state. This resulted in a large amount of biomass produced by the wheat crop, which in some cases was referred to as “too big” in parts of western Kansas. The greater biomass accumulated by the end of the fall resulted in greater water use, so the crop started to deplete the accumulated moisture early in the season.

Winter brought about dry weather with continued above-average temperatures. Virtually no precipitation accumulated in much of the wheat-growing region of the state, and temperatures were +4 to +8°F above normal. With these above-normal temperatures, the crop never really stopped growing, and additional biomass was produced during the winter. The production of biomass requires soil moisture; thus, the wheat crop continued to use water during the winter. It is important to remember that biomass production (and consequent water use) during the winter is unproductive unless the wheat is used as a dual-purpose crop (graze and grain), in which case the biomass is of financial value. However, water use during the winter rarely results in grain yield improvements since the crop is in the vegetative stages of development. Therefore, the continued water use by a growing crop during the winter further dried the soil profile, setting up for dry and warm conditions in early spring.

The winter conditions had three major consequences: First, the soil profile was dry prior to a critical phase of the crop's

development. Beyond the direct impact of drought on the crop per se (which was not yet apparent by late winter, but would soon be), these dry conditions also precluded any nitrogen or sulfur fertilizer applied to the wheat crop from infiltrating down into the root zone. The second impact was an increased population and activity of bird cherry oat aphids, transmitting barley yellow dwarf virus at higher rates than seen in many years in the state. The third consequence was an advanced phenology of the crop in response to the increased winter temperatures. Parts of south-central and southwest Kansas were already well into stem elongation in mid-March, which is sooner than average for the state. The problem with an earlier-than-usual crop development is that the crop is more exposed to potential freeze damage, since more advanced stages of crop development are more sensitive to cold. As expected, mid-March brought some extremely cold temperatures, with as many as 16 hours of temperatures below 24°F – a threshold that crops at the jointing stage can sustain freeze damage – and as many as 8 hours of temperatures below 12°F – which can cause damage to a crop in the tillering stages. This first freeze of the season caused considerable loss of foliage in northwest Kansas and loss of tillers in parts of central Kansas.

Conditions continued to be dry and warm through early spring. By April 30, little to no precipitation had fallen into the wheat growing region of the state, and temperature departure from normal was as high as +10°F. The crop continued its accelerated development, now showing severe symptoms of drought stress (shortened stature, rolled up blueish leaves, and dry down of lower leaves). The accelerated development was again hampered by a spring freeze in mid-to-late April, when the crop was primarily between the boot stages and heading of development in northwest Kansas to flowering and early grain filling in southeast Kansas. This time, temperatures remained below 32°F for as many as 9 straight hours, causing damage to the developing heads in much of the central corridor of the state. Another freeze damage in early May further reduced the yield potential of the crop in the northwest corner of the state. The accelerated development in south-central and southwest Kansas led some growers in the Barber County region to attempt harvest as early as May 20, resulting in exceptionally low yields and grain test weights.

While scattered rains accumulating in 3-6 inches of moisture and temperatures back near normal levels during the month of May brought relief to a stressed crop, the yield potential of the Kansas wheat crop had been compromised by early May. Many growers had already activated insurance due to expected yield levels less than 5-10

bushels per acre. Some of the May rainfall events also unfortunately came with hail across the state. In addition to drought and hail, many wheat fields across the state also started to show symptoms of wheat streak mosaic virus complex, especially in western Kansas. While the incidence of wheat streak mosaic virus complex was not as widespread as in the 2024-2025 season, the southwest corner of the state – with areas spanning from Hamilton County south to the Oklahoma border, and east to western Meade County – was severely impacted by the disease, with multiple fields being zeroed out in this region.

To further confound matters, the season-long drought turned into excessive precipitation. Growers observed as their fields, which were near harvest, started to become waterlogged in portions of the state. This was a particular problem near Solomon and Salina but much of south-central Kansas as well. The month of June brought anywhere from 2 to over 14 inches of precipitation in parts of the wheat growing region of the state, which contributed to a poor ending to the season. The consequences of this pre-harvest rainfall were (i) harvest was prolonged and delayed (ii) some fields started having issues with pre-harvest summer weeds, and (iii) a decrease in wheat quality as related to loss of test weight and accumulation of saprophytic fungi. These factors led to an estimated 17-20% abandonment of the wheat area in Kansas. The wheat that was able to be harvested had variable and low yield levels, with rare, good fields yielding 40-50 bushels per acre, but the majority ranging between 15 and 35 bushels per acre. (Romulo Lollato, Kansas State University Extension Wheat Specialist and Chip Redmond, Kansas State University Weather Data Library)

Insects

Prior to planting wheat in 2025, there was much concern about wheat curl mites that vector the wheat streak mosaic viruses. Wheat streak mosaic viruses had caused considerable concern, and sometimes significant wheat losses, in the previous 3-4 years. Because of this concern, growers were successfully vigilant in destroying as much volunteer wheat as possible at least 2 weeks prior to planting, and much less Wheat Streak Mosaic infection was detected than was originally projected. Destroying volunteer wheat in a timely manner eliminates the "green bridge" that mites, and other wheat pests, need to survive non-wheat growing months.

Armyworms were evident during planting time in some areas of the state, causing parts of some fields to be replanted. However, they were also not as problematic as feared, probably due to many growers that delayed planting a little to try to avoid some of these pests.

A few fields were affected by Hessian fly infestations. No large losses were reported; just a few spots in fields throughout the state were destroyed in the spring due to Hessian fly infestation.

Overall, no major pest problems affecting large areas of Kansas were reported, but enough to remind growers that pests are still around and competing for wheat every year. (Jeff Whitworth, Kansas State University Department of Entomology)

Harvest Statistics

The Kansas Agricultural Statistics' estimate of the 2026 crop was 346.8 million bushels from 7.3 million acres, a slight decrease from last year's crop. (December 2025, *Kansas Wheat History*, Kansas Agricultural Statistics)




Figure 2. Historical Kansas wheat production

KS Providence moved into the number one slot as the top-planted variety, accounting for 5.8% of the state's wheat planted acres. SY Wolverine ranked second with 4.5%. AP Prolific took the third spot with 3.5%; followed by Bob Dole in fourth place at 3.3%. Canvas was the fifth most popular variety at 2.8%. (March 2026, *Wheat Variety*, Kansas Agricultural Statistics)




Figure 3. Leading wheat varieties in Kansas; percentage of seeded acreage for the 2026 crop

2026 PERFORMANCE TESTS

The Kansas Agricultural Experiment Station annually compares both new and currently grown varieties in the state's major crop-producing areas. These performance tests generate unbiased performance information designed to help Kansas growers select wheat varieties suited for their area and conditions.

One-year or one-location results can be misleading because of the possibility of unusual weather or pest conditions. **Be sure to keep extenuating environmental conditions in mind when examining test results.** For more information please visit: agronomy.k-state.edu/outreach-and-services/crop-performance-tests.

Varieties

Public varieties are selected for inclusion in the tests on the basis of several criteria. Most represent new or established varieties from Oklahoma, Texas, and Colorado with potential for successful use in Kansas entered at the request of the originating institution.

Originators or marketers enter privately developed varieties voluntarily. Entrants choose both the entries and test sites. The 2026 entrants are listed in Table 1.

Results and Variety Characterization

Results from Kansas tests are presented in Tables 3 through 11. Yields are reported as bushels per acre (60 lb/bu) and are adjusted to a moisture content of 13% where moistures were reported at harvest. Yields also are converted to percentages of the test average to speed recognition of the highest-yielding entries. Multi-year averages are presented for those varieties entered more than 1 year.

Additional information such as test weight, heading date, and plant height is helpful for fine-tuning variety comparisons. Planting varieties with a range of maturities helps minimize weather risks.

At the bottom of each table is the (0.05) least significant difference (LSD) for each column of replicated data. One can think of the LSD as a "margin of error" that shows how big the difference between two varieties must be for one to be 95% confident that the difference is real. The use of the LSD is intended to reduce the chance of overemphasizing small differences. Small variations in soil structure, fertility, water-holding characteristics, and other test-site characteristics can cause considerable yield variation among plots of one variety.

Electronic Access

To access crop performance testing information electronically, visit the website at: agronomy.k-state.edu/outreach-and-services/crop-performance-tests

Research and Duplication Policy

When companies submit entries, permission is given to Kansas State University to test varieties and/or hybrids designated on the entry forms in the manner indicated in the test announcements. Seed submitted for testing should be a true sample of the seed being offered for sale.

All results from Kansas Crop Performance Tests belong to the university and the public and shall be controlled by the university to produce the greatest benefit to the public. Performance data may be used in the following ways: 1) Tables may be reproduced in their entirety, provided the source is referenced and data are not manipulated or reinterpreted; and 2) advertising statements by an individual company about the performance of its entries may be made as long as they are accurate statements about the data as published, with no reference to other companies' names or cultivars. In both cases, the following must be included with the reprint or ad citing the appropriate publication number and title: "See the official Kansas State University Agricultural Experiment Station and Cooperative Extension Service Report of Progress 1200 '2026 Kansas Performance Tests with Winter Wheat Varieties,' or the Kansas Crop Performance Test website, agronomy.k-state.edu/outreach-and-services/crop-performance-tests for details. Endorsement or recommendation by Kansas State University is not implied."

CONTRIBUTORS

Main Station, Manhattan

Jane Lingenfelter, Agronomy
Kelsey Andersen Onofre, Extension Plant Pathology
Romulo Lollato, Extension Agronomy
Chip Redmond, Kansas Weather Data Library
Jeff Whitworth, Extension Entomology

Experiment Fields

Eric Adee, Ottawa
Scott Dooley, Scandia
Darren Hibdon, Ottawa
Michael Larson, Scandia
Luiz Pradella, Manhattan
Keith Thompson, Hutchinson

Research Centers

Garth Blackburn, Parsons
Jeanne Falk-Jones, Colby
Lucas Haag, Tribune
Gretchen Sassenrath, Parsons

Cooperators

Mike and Tanner Brown, Colby
Marty Fletchall, Beloit
Gayle and Denton Haag, Decatur
Mike and Gregory Jordan
Brian Yutzy, Hutchinson

Brand names appearing in this publication are for product identification purposes only. No endorsement is intended, nor is criticism implied of similar products not mentioned.

Copyright 2026 Kansas State University Agricultural Experiment Station and Cooperative Extension Service. Contents of this publication may be freely reproduced for educational purposes. All other rights reserved. In each case, give credit to the author(s), 2026 Kansas Performance Tests with Winter Wheat Varieties, Kansas State University, August 2026. Contribution number 27-016-S from the Kansas Agricultural Experiment Station.

Table 1. Entrants in the 2026 Kansas wheat performance tests

AgriMAXX Wheat Company 7167 Highbanks Road Mascoutah, IL 62258 855-629-9432	Kansas Wheat Alliance 1900 Kimball Avenue Manhattan, KS 66502 785-320-4080	Pioneer Corteva Agriscience 9330 Zionsville Road Indianapolis, IN 46268 833-267-8382
AgriPro Wheat-Syngenta 11783 Ascher Rd. Junction City, KS 66441 620-532-6283	Limagrain Cereal Seeds 2040 SE Frontage Road Fort Collins, CO 80525 970-231-8875	PlainsGold 4026 S. Timberline Road Fort Collins, CO 80525 970-702-1460
AGSECO Star Seed Osborne, KS 67473 800-782-7311	Oklahoma Genetics, Inc P.O. Box 2113 Stillwater, OK 74076-2113 405-744-7741	Polansky Seed, Inc 2729 M Street Belleville, KS 66935 785-527-2271
CROPLAN 4001 Lexington Ave N Arden Hills, MN 55126 651-481-2222	Phillips Seed Company 980 KS-15 Navarre, KS 67451 800-643-4340	WestBred-Bayer Crop Sci. 800 North Lindbergh Boulevard St. Louis, MO 63167 314-694-1000
Dyna-Gro Nutrien Ag Solutions Loveland, CO 80538 970-685-3300		

Table 2. Comparisons of leading winter wheat varieties--agronomy and quality

Variety ₁	% of Kansas acres 2026	Agronomic Ratings ₂			Relative milling and quality ₃	Resistance or tolerance to: ₂										
		Straw strength ₂	Matur- ity	Height		Septoria										
						Soil- mosaic	Wheat mosaic	Barley dwarf	Leaf rust	Stem rust	Stripe rust	tritici blotch	Tan spot	Powd- mildew	Head scab	Hes- fly
KS Providence	5.8	2	5	6	AC	1	7	5	3	4	5	5	4	5	6	9
SY Wolverine	4.5	1	3	3	AC	1	5	5	4	1	7	4	4	3	9	9
AP Prolific	3.5	3	4	5	AC	1	8	5	4	5	5	--	5	7	6	9
Bob Dole	3.3	5	5	8	EX	1	8	7	1	1	1	3	3	5	5	9
Canvas	2.8	1	5	3	EX	5	1	--	6	2	4	--	5	--	--	8
AP Bigfoot	2.5	4	3	3	AC	1	3	5	1	1	3	3	3	2	7	9
SY Monument	2.5	5	8	6	AC	1	7	6	4	5	5	4	5	5	7	7
Winterhawk	2.4	5	5	8	AC	1	7	5	7	6	6	7	6	6	7	3
Whistler	2.2	6	7	8	EX	2	7	7	7	2	6		5	3	7	8
Rock Star	2.1	2	6	5	EX	1	6	6	5	3	2	3	3	7	6	--
WB 4792	2.1	2	7	5	EX	8	5	3	1	--	--	--	5	7	9	3
WB-Grainfield	1.7	3	6	7	AC	1	8	7	6	7	7	6	6	6	7	8
T158	1.6	1	3	5	AC	2	5	5	8	8	3	7	4	2	8	4
Byrd	1.4	6	6	7	EX	2	5	7	8	8	8	--	7	3	7	9
Doublestop CL Plus	1.4	2	9	7	AC	1	6	6	3	2	4	6	6	5	8	9
KS Dallas	1.4	5	5	5	AC	9	1	2	1	1	5	--	8	7	--	7
WB4422	1.3	1	5	7	AC	1	5	7	1	1	9	5	2	2	7	7
KS Territory	1.2	1	5	5	AC	5	1	5	3	3	7	--	5	--	3	1
Smith's Gold	1.1	5	5	5	EX	1	9	5	2	1	1	3	7	2	9	1
KS Bill Snyder	1.0	1	5	3	AC	3	3	5	1	3	1	5	3	3	9	7
Showdown	1.0	5	7	8	AC	1	9	5	5	5	3	3	5	5	9	2
TAM 114	0.9	4	6	6	EX	8	7	6	4	7	3	5	7	5	7	7
WB 4515	0.8	2	7	5	AC	1	9	3	7	1	5	5	5	9	9	5
Everest	0.8	5	1	6	LD	1	7	4	3	8	8	4	7	3	4	6
Paradise	0.8	5	4	5	EX	1	6	7	5	3	2	--	4	3	7	9
Joe+	0.6	2	7	7	AC	8	6	7	7	3	8	3	8	5	7	2
KS Western Star	0.6	2	4	6	AC	8	7	7	8	3	8	5	6	6	7	6
TAM 115	0.6	1	9	6	EX	7	3	5	1	1	1	--	--	1	--	3
WB 4401	0.6	5	3	3	EX	1	9	5	3	1	3	5	7	1	8	7
Gallagher	0.5	5	5	5	AC	1	9	5	3	3	1	5	7	5	9	2
LCS Chrome	0.5	2	7	7	AC	1	7	7	1	3	5	3	3	5	5	1
Oakley CL	0.5															
WB4458	0.5															
Blends	8.9															
Other White	1.0															
Other Red	31.2															
Other Soft	4.3															
-Hard white variety	Scale:	1=Best	1=Early	1=Short		1=Most resistant/tolerant										
		9=Poor	9=Late	9=Tall		9=Least resistant/tolerant										

1 Varieties and percentage seeded acreage from the March 2026 wheat variety survey, Kansas Agricultural Statistics, Topeka, KS.
2 Ratings by Andersen et al., Final ratings and descriptions of disease and insect pests are available in "Kansas Wheat Variety Guide 2026" Publication MF991 from Kansas State University.
3 Ratings from Ehmke et al., "Wheat Varieties for Kansas and the Great Plains 2026" EX= most desirable baking quality; AC=acceptable baking quality; LD= least desirable baking quality.

Table 3. North Central Kansas dryland MULTI-YEAR winter wheat performance tests, 2024-2026

Brand / Name	Variety Avg	Belleville (BE)				Beloit (BL)				BE	BL	Avg
	2026	2026	2025	2024	Avg	2026	2025	2024	Avg	2026		
	(bu/a)	yield (bu/a)				yield (bu/a)				% of test average		
AgriPro												
AP Prolific	52	59	41	55	52	46	38	26	37	107	101	104
AP Sunbird	48	54	54	--	54	43	46	--	45	98	96	97
AP Tango	53	58	--	--	58	49	--	--	49	105	109	107
AP24 AX	50	55	38	58	50	44	40	26	37	100	98	99
AGSECO												
AG Golden	52	55	45	62	54	49	43	27	40	100	108	104
Croplan												
CP7017AX	47	51	44	52	49	43	40	34	39	93	95	94
CP7599CLP	53	56	--	--	56	49	--	--	49	102	109	106
Dyna-Gro												
Milestone	45	41	--	--	41	48	--	--	48	75	107	91
Ramsay	51	56	--	--	56	46	--	--	46	102	101	102
KWA												
KS Bill Snyder	46	55	42	72	56	37	40	25	34	101	83	92
KS Chikaskia	53	63	--	--	63	42	--	--	42	115	94	104
KS Flintlock	53	64	--	--	64	42	--	--	42	117	94	105
KS Mako	50	57	42	73	57	42	39	27	36	104	94	99
KS Providence	56	64	53	54	57	48	47	29	41	116	107	112
KS Tradition	55	62	--	--	62	48	--	--	48	112	106	109
Limagrain												
LCS Aries	48	50	--	--	50	46	--	--	46	91	102	97
LCS Highnoon	49	53	--	--	53	44	--	--	44	97	99	98
LCS Mojo	45	55	--	--	55	35	--	--	35	100	77	88
LCS Radar	41	52	43	43	46	30	37	21	29	95	67	81
LCS Troubadour AX	53	56	--	--	56	51	--	--	51	102	112	107
LCS Warbird AX	50	56	46	67	56	45	43	29	39	102	99	101
OGI												
Doublestop CL+	50	51	--		51	50	--		50	93	110	102
Orange Blossom CL+	53	59	--	--	59	48			48	108	105	107
Paradox	47	53	45	50	49	41	37	25	34	96	91	93
Showdown	51	56	--		56	45	--		45	102	100	101
Phillips												
PS1985	54	55	49	--	52	52	43	--	48	101	116	109
PlainsGold												
Canvas	50	51	50	65	55	49	45	30	41	92	109	100
CO19410R	54	59	50	--	54	50	49	--	50	107	111	109
Gabriel	46	45	--	--	45	46	--	--	46	82	102	92
Outlaw	48	55	53	--	54	41	45	--	43	100	92	96
Polansky												
Golden Hawk	49	54	47	55	52	44	48	29	40	99	97	98
Rockstar	48	55	43	63	54	42	47	28	39	100	93	97
WestBred												
WB4347	51	51	50	60	54	51	40	35	42	94	114	104
WB4422	51	57	46	55	53	44	45	26	38	103	99	101
WB4445CLP	54	58	44	--	51	50	53	--	52	106	111	109
WB4459AX	47	50	--	--	50	44	--	--	44	91	98	95
WB4792	46	49	--	--	49	42	--	--	42	89	94	92
Average	50	55	45	56	52	45	43	28	39	100	100	100
CV (%)	--	4	5	4	--	6	6	2	--	4	6	--
LSD (0.05)*	--	5	5	8	--	4	5	3	--	8	10	--

*Yields must differ by more than the LSD value to be considered statistically different.

Belleville				Beloit			
Location	Field	North Central Kansas Experiment Field			Private Farm		
	GPS Coordinates	39.880965			39.358027		
		-97.675942			-98.209734		
	County	Republic			Mitchell		
	Cooperators	Scott Dooley/Michael Larson			Mike and Gregory Jordan		
		Luiz Pradella					
Management	Type	Dryland			Dryland		
	Tillage	no-till			no-till		
	Previous Crop	soybean			soybean		
	Fertilizer applied at planting	30-0-0 lbs/a N, P, K			--		
	Fertilizer applied in-season	60-0-0 lbs/a N, P,K			107-0-0-10 lbs/a N, P, K, S		
	Planting Date	10/20/2025			10/16/2025		
	Harvest Date	7/1/2026			7/9/2026		
Environment	Abiotic Stress	drought, wind, hail			drought, wind		
	Biotic Stress	none noted			none noted		
	Seasonal Rainfall	19.5"			17.1"		
		Belleville 2W 365 Day Accumulated Precipitation 			Mitchell 365 Day Accumulated Precipitation 		

Table 4. SOUTHEAST Kansas MULTI-YEAR dryland winter wheat performance tests, 2024-2026

Brand / Name	Variety Avg		Ottawa (OT)			Parsons (PA)			OT		PA		PA	
	2026	2026	2025	2024	Avg	2026	2025	2024	Avg	2026	2026	Avg	2026	2026
	(bu/a)		yield (bu/a)			yield (bu/a)			% of test average			heading (date)		ht (in)
AGRIPRO														
AP Prolific	71	67	78	38	61	75	75	96	82	102	94	98	4/14	30
AGSECO														
AG Radical	73	70	81	29	60	76	78	104	86	107	96	101	4/13	30
KWA														
KS Providence	72	70	78	51	66	74	92	99	88	107	93	100	4/14	27
KS Flintlock	77	63	--	--	63	91	--	--	91	96	115	106	4/13	30
OGI														
High Cotton	67	67	75	34	59	67	78	88	78	102	84	93	4/12	30
OK Corral	69	64	79	--	71	74	84	--	79	98	94	96	4/14	31
Orange Blossom CL+	68	63	--	--	63	73	--	--	73	96	91	94	4/14	33
PHILLIPS														
PS1985	79	62	78	--	70	96	74	--	85	95	121	108	4/14	29
POLANSKY														
Golden Hawk	75	62	75	46	61	89	87	98	91	94	112	103	4/15	30
Rockstar	74	68	80	40	63	79	87	96	87	103	100	102	4/15	27
Average	72	66	79	36	60	79	79	95	84	100	100	100	4/13	30
CV (%)	--	4	4	6	--	4	6	5	--	4	4	--	--	--
LSD (0.05)*	--	3	2	6	--	8	9	7	--	5	10	--	--	--

*Yields must differ by more the LSD value to be considered statistically different.

	Ottawa		Parsons	
	Field	East Central Experiment Field	Field	Southeast Agricultural Research Center
Location	GPS Coordinates	38.3212 -95.1439	37.2156 -95.1715	
	County	Franklin	Labette	
	Cooperators	Eric Adee/Darren Hibdon	Gretchen Sassenrath/Garth Blackburn	
Management	Type	Dryland HWW	Dryland HWW	
	Tillage	strip-till	no-till	
	Previous Crop	soybean	soybean	
	Fertilizer applied at planting	20-50-50 lbs/a N, P, K	150-50-50 lbs/a N, P, K	
	Fertilizer applied in-season	103 lbs N	--	
	Planting Date	11/17/2025	10/2/2025	
	Harvest Date	7/13/2026	6/11/2026	
Environment	Abiotic Stress	waterlogged soils end of season	late freezes during boot stage	
	Biotic Stress	none noted	fusarium, leaf rust	
	Seasonal Rainfall	31.6"	27.1"	
	Ottawa 25E 365 Day Accumulated Precipitation		Parsons 365 Day Accumulated Precipitation	

Table 5. SOUTHEAST Kansas MULTI-YEAR SOFT winter wheat performance test, 2024-2026

Variety Avg		Ottawa (OT)				Parsons (PA)				OT	PA	Avg	PA	
Brand / Name	2026	2026	2025	2024	Avg	2026	2025	2024	Avg		2026		2026	
	(bu/a)	yield (bu/a)				yield (bu/a)				% of test average			heading (date)	ht (in)
AGRIMAXX														
503	79	76	75	46	66	83	94	105	94	105	100	102	4/13	30
513	76	76	77	45	66	76	93	101	90	106	91	98	4/13	30
543	79	71	75	--	73	87	103	--	95	98	104	101	4/13	29
545	79	75	76	49	67	83	96	101	93	103	100	101	4/13	29
555	75	72	81	--	76	79	96	--	88	99	95	97	4/13	30
564	76	69	--	--	69	82	--	--	82	96	99	97	4/13	31
575	84	72	--	--	72	97	--	--	97	100	116	108	4/16	30
EXP 2605	79	74	--	--	74	84	--	--	84	102	101	101	4/13	29
PIONEER														
P25R65	82	76	--	38	57	89	--	105	97	105	107	106	4/13	30
P25R800	67	62	--	--	62	73	--	--	73	86	87	87	4/13	29
Average	78	72	77	44	64	83	94	102	93	100	100	100	4/13	30
CV (%)	--	8	4	8	--	7	8	6	--	8	--	--	--	--
LSD (0.05)*	--	4	3	5	--	6	8	12	--	6	--	--	--	--

*Yields must differ by more than the LSD value to be considered statistically different.

	Ottawa		Parsons	
	Field	East Central Experiment Field	Field	Southeast Agricultural Research Center
Location	GPS Coordinates	38.3212 -95.1439	37.2156 -95.1715	
	County	Franklin	Labette	
	Cooperators	Eric Adey/Darren Hibdon	Gretchen Sassenrath/Garth Blackburn	
Management	Type	Dryland SWW	Dryland SWW	
	Tillage	strip-till	no-till	
	Previous Crop	soybean	soybean	
	Fertilizer applied at planting	20-50-50 lbs/a N, P, K	150-50-50 lbs/a N, P, K	
	Fertilizer applied in-season	103 lbs N	--	
	Planting Date	11/17/2025	10/2/2025	
	Harvest Date	7/13/2026	6/11/2026	
Environment	Abiotic Stress	waterlogged soils end of season	late freezes during boot stage	
	Biotic Stress	none noted	fusarium, leaf rust	
	Seasonal Rainfall	31.6"	27.07"	

Ottawa 2SE 365 Day Accumulated Precipitation

Accumulated Obs — Accumulated Normal ● Daily Obs

Parsons 365 Day Accumulated Precipitation

Accumulated Obs — Accumulated Normal ● Daily Obs

Table 6. East Central dryland MULTI-YEAR winter wheat performance tests, 2024-2026

Brand / Name	Variety Avg	Lorraine (LR)				Assaria (AS)				LR	AS	Avg
	2026	2026	2025	2024	Avg	2026	2025	2024	Avg		2026	
	(bu/a)	yield (bu/a)				yield (bu/a)				% of test average		
AgriPro												
AP Prolific	45	47	110	82	80	43	78	72	64	80	101	91
AP Sunbird	43	48	113	--	80	39	77	--	58	81	92	87
AP24 AX	51	59	107	65	77	44	77	72	64	100	103	102
AP Tango	50	54	--	--	54	45	--	--	45	92	106	99
Dyna-Gro												
Milestone	51	57	--	--	57	45	--	--	45	97	107	102
Ramsay	59	73	--	--	73	46	--	--	46	124	109	116
KWA												
KS Bill Snyder	57	68	115	76	86	45	77	80	67	116	107	112
KS Chikaskia	55	64	--	--	64	45	--	--	45	109	106	108
KS Flintlock	56	67	--	--	67	46	--	--	46	114	108	111
KS Mako	48	56	94	61	70	40	72	78	63	95	95	95
KS Providence	50	52	93	66	70	47	79	77	68	89	111	100
Limagrain												
LCS Aries	53	62	--	--	62	45	--	--	45	104	107	106
LCS Atomic AX	38	39	107	58	68	37	71	68	59	67	89	78
LCS Cowie AX	49	57	--	--	57	41	--	--	41	97	96	97
LCS Helix AX	51	57	102	86	82	45	76	73	65	97	106	102
LCS Highnoon	56	69	--	--	69	42	--	--	42	117	100	109
LCS Mojo	47	51	--	--	51	42	--	--	42	87	100	93
LCS Radar	53	65	93	--	79	42	71	--	57	110	100	105
LCS Steel AX	63	80	100	70	83	46	70	73	63	136	110	123
LCS Troubadour AX	51	58	--	--	58	45	--	--	45	99	105	102
LCS Warbird AX	45	47	102	49	66	42	68	72	61	81	100	90
OGI												
High Cotton	38	41	100	65	69	34	78	73	62	70	80	75
Orange Blossom CL+	45	55	--	--	55	35	--	--	35	93	82	88
Phillips												
PS1985	55	66	103	--	84	44	82	--	63	112	103	108
PlainsGold												
Bernd	52	63	--	--	63	40	--	--	40	107	95	101
Canvas	56	64	101	74	80	48	73	69	63	109	112	111
CO19410R	59	71	107	--	89	46	70	--	58	121	109	115
Gabriel	53	63	--	--	63	43	--	--	43	106	101	104
Outlaw	57	69	113	--	91	45	75	--	60	117	106	111
Polansky												
Golden Hawk	52	66	99	64	76	38	79	66	61	112	90	101
Rockstar	45	50	98	70	73	41	77	77	65	85	96	90
WestBred												
WB4347	49	60	--	--	60	39	--	--	39	102	92	97
WB4422	53	66	91	80	79	41	77	70	63	111	97	104
WB4445CLP	43	49	106	72	76	36	71	78	62	83	86	84
WB4459AX	48	54	--	--	54	42	--	--	42	92	100	96
WB4569	45	50	--	--	50	40	--	--	40	86	94	90
AVERAGE	51	59	102	65	75	42	73	72	62	100	100	100
CV (%)	--	8	9	11	--	3	7	5	--	8	3	--
LSD (0.05)*	--	9	7	9	--	3	5	9	--	15	8	--

*Yields must differ by more than the LSD value to be considered statistically different.




	Lorraine	Assaria	Hillsboro
Location	Field	Private Farm	Private Farm
	GPS Coordinates	38.55110764 -98.35409847	38.67137901 -97.60321044
	County	Ellsworth	Saline
	Cooperators	Brian Yutzy	Brian Yutzy
Management	Type	Dryland	Dryland
	Tillage	no-till	no-till
	Previous Crop	wheat	soybean
	Fertilizer applied at planting	20-50-50 lbs/a N, P, K	20-50-50 lbs/a N, P, K
	Fertilizer applied in-season	--	--
	Planting Date	10/17/2025	10/23/2025
	Harvest Date	6/12/2026	6/16/2026
Environment			Abandoned
	Abiotic Stress	none noted	hailed-out
	Biotic Stress	none noted	none noted
	Seasonal Rainfall	11.51"	17.84"
Environment	Lorraine 365 Day Accumulated Precipitation 		
	Gypsum 365 Day Accumulated Precipitation 		
	Rock Springs 365 Day Accumulated Precipitation 		

Table 7. South Central dryland MULTI-YEAR winter wheat performance tests, 2024-2026

Brand / Name	Variety Avg	Newton (NW)				Hutchinson (HT)				NW	HT	Avg
	2026	2026	2025	2024	Avg	2026	2025	2024	Avg	2026		
	(bu/a)	yield (bu/a)				yield (bu/a)				% of test average		
AgriPro												
AP Prolific	49	35	46	106	62	63	54	52	56	92	102	97
AP Sunbird	54	44	51	--	47	63	55	--	59	116	102	109
AP24 AX	49	41	49	100	63	58	59	32	50	107	93	100
AP Tango	54	40	--	--	40	69	--	--	69	105	111	108
AGSECO												
AG Golden	55	40	--	--	40	70	--	--	70	106	113	109
Croplan												
CP7017AX	45	33	46	93	57	58	60	51	56	87	93	90
CP7599CLP	49	38	--	--	38	60	--	--	60	99	97	98
Dyna-Gro												
Milestone	44	30	--	--	30	58	--	--	58	80	93	87
Ramsay	50	38	--	--	38	63	--	--	63	101	101	101
KWA												
KS Bill Snyder	51	35	51	104	63	68	66	53	62	93	109	101
KS Chikaskia	52	39	--	--	39	64	--	--	64	102	104	103
KS Flintlock	61	51	--	--	51	71	--	--	71	134	114	124
KS Mako	49	36	53	99	63	62	63	43	56	96	100	98
KS Providence	45	36	55	101	64	53	58	40	50	96	85	91
KS Tradition	55	44	--	--	44	65	--	--	65	117	105	111
Limagrain												
LCS Aries	52	42	41	--	42	62	56	--	59	111	100	106
LCS Atomic AX	46	38	47	93	59	55	59	61	58	100	88	94
LCS Cowie AX	47	35	43	--	39	58	61	--	60	92	94	93
LCS Helix AX	42	31	46	92	56	52	58	57	56	82	84	83
LCS Highnoon	48	33	--	--	33	64	--	--	64	87	102	95
LCS Mojo	47	36	--	--	36	58	--	--	58	94	93	94
LCS Radar	46	36	43	--	40	55	58	--	57	96	89	93
LCS Steel AX	53	41	53	98	64	65	64	43	57	108	105	107
LCS Troubadour AX	55	42	--	--	42	67	--	--	67	110	109	109
LCS Warbird AX	50	37	49	94	60	63	54	61	59	99	102	100
OGI												
Doublestop CL+	45	31	46	93	57	58	51	57	55	83	93	88
High Cotton	49	38	43	99	60	60	54	46	53	100	96	98
OK Corral	46	33	--	--	33	59	--	--	59	89	95	92
Orange Blossom CL+	46	35	--	--	35	57	--	--	57	92	92	92
Paradox	50	40	37	94	57	59	56	56	57	106	95	100
Showdown	50	41	52	100	64	59	59	64	61	110	95	102
Wyatt	48	34	--	--	34	62	--	--	62	89	100	94
Phillips												
PS1985	54	39	56	--	48	69	60	--	65	104	111	108
PlainsGold												
Canvas	54	42	54	89	62	66	62	61	63	111	107	109
CO19410R	50	39	52	--	46	60	57	--	59	104	97	101
Crescent AX	46	35	50	82	56	57	54	54	55	94	91	93
Gabriel	53	38	--	--	38	68	--	--	68	101	110	105
Kivari AX	54	44	54	84	61	65	55	55	58	115	105	110
Outlaw	50	39	46	--	42	62	60	--	61	103	99	101
Polansky												
Golden Hawk	52	38	51	102	64	67	63	63	64	100	108	104
Rockstar	51	39	57	96	64	64	64	47	58	102	103	103
WestBred												
WB4347	49	34	43	--	39	65	--	--	65	91	104	97
WB4422	51	37	54	105	65	65	62	55	61	99	105	102
WB4445CLP	46	36	46	97	60	57	58	54	56	96	91	94
WB4459AX	53	38	--	--	38	67	--	--	67	102	108	105
WB4569	51	37	--	--	37	65	--	--	65	99	104	101
Average	50	38	47	95	60	62	58	51	57	100	100	100
CV (%)	--	5	5	6	--	5	5	6	--	5	5	--
LSD (0.05)*	--	4	5	5	--	5	4	8	--	10	7	--

*Yields must differ by more than the LSD value to be considered statistically different.

Table 8. South Central non-treated dryland MULTI-YEAR winter wheat performance test, 2024-2026

Brand/ Name	Variety Avg				Avg	2026	2025	2024	Avg
	2026	2026	2025	2024					
	(bu/a)	yield (bu/a)				% of test average			
AgriPro									
AP Prolific	52	52	74	62	63	108	99	90	99
AP Sunbird	49	49	72	--	60	101	97	--	99
AP24 AX	47	47	69	72	63	98	93	104	98
AP Tango	51	51	--	--	51	105	--	--	105
Croplan									
CP7017AX	51	51	69	57	59	105	93	82	93
CP7599CLP	53	53	--	--	53	110	--	--	110
Dyna-Gro									
Milestone	35	35	--	--	35	72	--	--	72
Ramsay	46	46	--	--	46	94	--	--	94
KWA									
KS Bill Snyder	51	51	88	--	69	105	118	--	111
KS Chikaskia	44	44	--	--	44	90	--	--	90
KS Flintlock	61	61	--	--	61	126	--	--	126
KS Mako	54	54	73	74	67	112	98	108	106
KS Providence	56	56	87	80	74	116	117	115	116
KS Tradition	62	62	--	--	62	127	--	--	127
Limagrain									
LCS Aries	47	47	--	--	47	96	--	--	96
LCS Atomic AX	50	50	64	74	63	104	86	107	99
LCS Cowie AX	50	50	--	--	50	104	--	--	104
LCS Highnoon	45	45	--	--	45	92	--	--	92
LCS Warbird AX	53	53	74	73	67	110	99	106	105
OGI									
Doublestop CL+	45	45	72	63	60	94	97	91	94
High Cotton	50	50	80	64	65	103	108	93	101
OK Corral	41	41	71	70	61	85	95	101	94
Orange Blossom CL+	43	43	--	--	43	88	--	--	88
Paradox	38	38	74	62	58	79	99	89	89
Showdown	53	53	83	88	75	110	112	127	116
Wyatt	44	44	--	--	44	90	--	--	90
PlainsGold									
Canvas	45	45	84	68	66	93	113	99	102
CO19410R	53	53	84	--	68	108	113	--	111
Crescent AX	51	51	78	70	66	106	105	101	104
Gabriel	39	39	--	--	39	82	--	--	82
Kivari AX	46	46	77	72	65	96	103	102	100
Outlaw	50	50	70	--	60	104	94	--	99
Polansky									
Golden Hawk	44	44	80	71	65	92	107	103	101
Rockstar	47	47	84	63	65	97	113	91	100
AVERAGE	48	48	74	69	64	100	100	100	100
CV (%)	--	5	8	6	--	5	8	6	--
LSD (0.05)*	--	6	8	8	--	12	10	12	--

*Yields must differ by more than the LSD value to be considered statistically different.

Wellington

Location	Field	Private Farm
	GPS Coordinates	37.1876135 -97.38696831
	County	Sumner
	Cooperators	Brian Yutzy
Management	Type	Dryland
	Tillage	minimum-till
	Previous Crop	wheat
	Fertilizer applied at planting	113-0-0 lbs/a N, P, K
	Fertilizer applied in-season	--
	Planting Date	10/15/2025
	Harvest Date	6/10/2026
Environment	Abiotic Stress	minimal freeze
	Biotic Stress	leaf rust
	Seasonal Rainfall	15.24"
	Haysville 3SE 365 Day Accumulated Precipitation	

Table 9. WEST CENTRAL Kansas MULTI-YEAR dryland winter wheat performance test, 2024-2026

Variety Avg			St. John (SJ)			Larned (LA)				SJ	LA	Avg
Brand / Name	2026	2026	2025	2024	Avg	2026	2025	2024	Avg	2026		
	(bu/a)	yield (bu/a)				yield (bu/a)				% of test average		
AgriPro												
AP Prolific	44	43	--	--	43	46	--	33	39	93	96	94
AP Sunbird	44	46	--	--	46	41	68	47	52	101	85	93
AP Tango	43	43	--	--	43	42	--	--	42	94	88	91
AP24 AX	45	45	--	--	45	44	59	41	48	98	92	95
AGSECO												
AG Golden	46	42	--	--	42	51	75	39	55	91	105	98
Croplan												
CP7017AX	48	46	--	--	46	51	71	39	54	99	105	102
CP7599CLP	47	51	--	--	51	42	--	--	42	111	88	99
Dyna-Gro												
Milestone	46	51	--	--	51	42	--	--	42	111	87	99
Ramsay	50	46	--	--	46	54	--	--	54	100	113	107
KWA												
KS Bill Snyder	58	50	--	--	50	65	77	37	60	110	136	123
KS Flintlock	50	47	--	--	47	54	--	--	54	102	111	107
KS Homesteader CL+	46	44	--	--	44	49	71	--	60	96	101	99
KS Mako	47	43	--	--	43	52	76	41	56	93	107	100
KS Providence	47	45	--	--	45	48	75	36	53	99	101	100
KS Territory	54	43	--	--	43	64	81	38	61	94	133	113
KS Tradition	60	46	--	--	46	73	--	--	73	101	152	127
Limagrain												
LCS Aries	44	46	--	--	46	42	--	--	42	99	88	94
LCS Cowie AX	44	45	--	--	45	43	--	--	43	98	90	94
LCS Highnoon	50	50	--	--	50	51	--	--	51	109	106	107
LCS Mojo	45	48	--	--	48	42	51	--	46	104	87	96
LCS Radar	47	45	--	--	45	50	45	34	43	98	103	100
LCS Troubadour AX	44	49	--	--	49	40	--	--	40	107	83	95
LCS Warbird AX	44	46	--	--	46	42	65	39	49	101	87	94
OGI												
Breakthrough	33	34	--	--	34	32	--	--	32	74	66	70
OK Corral	38	38	--	--	38	39	--	--	39	83	81	82
Showdown	39	40	--	--	40	39	70	46	52	87	81	84
Wyatt	45	50	--	--	50	40	--	--	40	108	83	95
Phillips												
PS1985	53	48	--	--	48	58	--	--	58	105	122	113
PlainsGold												
Bernd	47	46	--	--	46	47	--	--	47	101	99	100
Canvas	53	52	--	--	52	54	80	39	58	113	113	113
CO19410R	55	46	--	--	46	64	80	--	72	101	133	117
Crescent AX	38	42	--	--	42	34	67	41	47	92	71	81
Gabriel	50	49	--	--	49	51	77	--	64	107	105	106
Kivari AX	52	49	--	--	49	54	71	44	56	106	113	110
Outlaw	49	51	--	--	51	46	77	--	62	111	96	104
Whistler	58	48	--	--	48	69	78	--	73	104	143	124
Polansky												
Golden Hawk	46	46	--	--	46	46	74	38	53	100	96	98
High Country	41	42	--	--	42	41	67	45	51	92	85	88
Rockstar	43	42	--	--	42	45	70	45	53	91	93	92
WestBred												
WB4347	44	46	--	--	46	43	85	40	56	99	90	94
WB4422	55	51	--	--	51	60	60	36	52	110	124	117
WB4445CLP	45	48	--	--	48	41	90	41	57	104	86	95
WB4459AX	50	53	--	--	53	48	--	--	48	115	99	107
WB4569	44	44	--	--	44	45	--	--	45	96	93	95
WB4792	41	43	--	--	43	39	72	41	51	93	81	87
AVERAGE	47	46	--	--	46	48	70	39	52	100	100	100
CV (%)	--	6	--	--	--	6	9	6	--	6	6	--
LSD (0.05)*	--	4	--	--	--	9	10	4	--	9	18	--

*Yields must differ by more than the LSD value to be considered statistically different.






		St. John	Larned	Russell
Location	Field	Private Farm	Private Farm	Private Farm
	GPS Coordinates	38.08653501 -98.7658779	38.20330788 -99.09257332	38.89327728 -98.8454469
	County	Stafford	Pawnee	Russell
	Cooperators	Brian Yutzy	Brian Yutzy	Brian Yutzy
Management	Type	Dryland	Dryland	Dryland
	Tillage	minimum-till	no-till	conventional
	Previous Crop	fallow	grain sorghum/cover crop	wheat
	Fertilizer applied at planting	113-0-0 lbs/a N, P, K	113-0-0 lbs/a N, P, K	113-0-0 lbs/a N, P, K
	Fertilizer applied in-season	--	--	--
	Planting Date	12/9/2025	10/13/2025	10/18/2025
	Harvest Date	6/12/2026	6/12/2026	Abandoned
Environment	Abiotic Stress	herbicide drift, drought	drought, hail	drought, hail
	Biotic Stress	--	--	Wheat Streak Mosaic
	Seasonal Rainfall	5.45"	10.47"	11.46"
		 St John 1NW 365 Day Accumulated Precipitation	 Larned 6SW 365 Day Accumulated Precipitation	 Hays 365 Day Accumulated Precipitation

Table 10. Western Kansas dryland MULTI-YEAR winter wheat performance test, 2024-2026

Brand / Name	Variety Avg	Colby (CO)				Tribune (TR)				Decatur (DC)				CO	TR	DC	Avg
	2026	2026	2025	2024	Avg	2026	2025	2024	Avg	2026	2025	2024	Avg	2026			
	(bu/a)	yield (bu/a)				yield (bu/a)				yield (bu/a)				% of test average			
AgriPro																	
AP Sunbird	44	24	76	60	53	45	82	62	63	63	63	89	72	72	95	99	88
AP24 AX	44	24	74	74	57	54	79	51	61	55	62	85	67	74	113	87	91
AP Tango	49	32	--	--	32	51	--	--	51	64	--	--	64	97	107	102	102
AGSECO																	
AG Golden	52	39	70	67	59	48	84	68	67	68	53	75	65	118	102	107	109
Dyna-Gro																	
Milestone	40	23	--	--	23	36	--	--	36	62	--	--	62	70	76	98	81
Ramsay	53	31	--	--	31	54	--	--	54	73	--	--	73	95	114	116	108
KWA																	
KS Big Bow	50	40	77	67	61	48	82	70	67	61	60	84	68	120	102	97	106
KS Bill Snyder	50	28	73	77	59	48	87	62	66	74	51	83	69	85	101	118	101
KS Flintlock	52	30	--	--	30	46	--	--	46	79	--	--	79	90	98	125	105
KS Homesteader CL+	48	32	67	--	50	49	85	--	67	63	50	--	57	98	104	100	100
KS Providence	47	34	68	69	57	42	87	67	65	64	60	114	79	104	90	101	98
KS Territory	50	37	72	65	58	46	91	69	69	67	53	91	70	111	98	106	105
KS Tradition	60	26	--	--	26	68	--	--	68	86	--	--	86	78	143	137	119
Limagrain																	
LCS Aries	46	35	--	--	35	35	--	--	35	67	--	--	67	107	73	106	95
LCS Cowie AX	40	18	--	--	18	42	--	--	42	59	--	--	59	55	89	94	80
LCS Helix AX	41	27	65	66	53	39	82	58	60	56	49	78	61	82	82	89	84
LCS Highnoon	49	44	--	--	44	40	--	--	40	63	--	--	63	134	84	101	106
LCS Mojo	39	27	--	--	27	33	--	--	33	57	--	--	57	81	70	90	80
LCS Radar	48	32	57	67	52	45	72	51	56	66	45	94	68	97	95	104	99
LCS Steel AX	49	29	71	62	54	41	75	60	59	75	61	84	73	89	87	120	98
LCS Troubadour AX	48	35	--	--	35	47	--	--	47	63	--	--	63	107	99	100	102
OGI																	
Breakthrough	35	30	58	52	47	32	79	56	56	44	48	82	58	90	68	69	76
Wyatt	45	34	--	--	34	45	--	--	45	57	--	--	57	103	95	90	96
PlainsGold																	
Bernd	52	43	--	--	43	56	--	--	56	57	--	--	57	131	118	91	113
Canvas	48	38	72	66	59	48	77	66	64	59	58	81	66	114	102	94	103
CO19410R	54	40	79	--	60	62	85	--	73	59	64	--	62	122	131	94	116
Gabriel	47	34	65	--	50	49	74	--	62	57	56	--	56	104	104	90	99
Outlaw	52	40	81	--	60	51	85	--	68	66	62	--	64	121	108	104	111
Sheridan	45	28	69	--	49	44	79	--	61	63	48	--	56	85	92	100	93
Whistler	62	37	69	66	57	84	85	77	82	67	57	88	71	112	177	106	132
Polansky																	
High Country	46	34	72	59	55	42	91	59	64	62	60	89	70	102	88	98	96
Rockstar	50	42	68	65	58	42	84	64	63	66	59	84	70	128	89	105	107
WestBred																	
WB4347	49	49	77	76	67	45	88	65	66	54	66	92	71	149	96	85	110
WB4422	44	23	68	59	50	42	71	48	54	68	59	92	73	70	88	107	88
WB4445CLP	44	26	74	69	56	48	81	63	64	58	57	96	70	79	102	92	91
WB4459AX	46	35	--	--	35	49	--	--	49	54	--	--	54	106	104	86	99
WB4792	51	40	--	--	40	56	--	--	56	58	--	--	58	122	119	92	111
Average	48	33	69	65	56	47	81	60	63	63	54	88	68	100	100	100	100
CV (%)	--	6	6	8	--	9	6	6	--	5	8	8	--	6	9	5	--
LSD (0.05)*	--	7	5	8	--	9	6	7	--	8	6	8	--	21	20	12	--

*Yields must differ by more than the LSD value to be considered statistically different.

		Colby	Tribune	Decatur
Location	Field	Private Farm	Southwest Research Extension Center	Private Farm
	GPS Coordinates	39.222849 -101.203792	38.468992 -101.77505	39.995125 -100.254589
	County	Thomas	Greeley	Decatur
	Cooperators	Solomon Creek Farms Mike and Tanner Brown	Lucas Haag	Gayle and Denton Haag
Management	Type	Dryland	Dryland	Dryland
	Tillage	no-till	no-till	no-till
	Previous Crop	Fallow (sorghum stalks)	Fallow (sorghum stalks)	Fallow (corn stalks)
	Fertilizer applied at planting	8-26-0-4-1 lbs/a N, P, K, S, Zn	12-40-0 lbs/a N, P, K	115-73-0 lbs/a N, P, K
	Fertilizer applied in-season	7-0.4-0-0.4 lbs/a N, P, K, S foliar	100 lbs/a N	--
	Planting Date	10/9/2025	10/8/2025	10/15/2025
	Harvest Date	7/11/2026	7/9/2026	7/12/2026
Environment	Abiotic Stress	drought	drought	drought
	Biotic Stress	none noted	none noted	none noted
	Seasonal Rainfall	10.72"	7.42"	7.55"
		Colby 365 Day Accumulated Precipitation 		
		Tribune 365 Day Accumulated Precipitation 		
	Oberlin 7NE 365 Day Accumulated Precipitation 			



		Garden City		Hugoton	
Location	Field	Southwest Research-Extension Center		Private farm	
	GPS Coordinates	37.98940102 -100.811039		37.27161138 -101.2801862	
	County	Finney		Stevens	
	Cooperators	Brian Yutzy/Logan Simon		Brian Yutzy	
Management	Type	Dryland		Dryland	
	Tillage	minimum-till		no-till	
	Previous Crop	corn		corn	
	Fertilizer applied at planting	80 lbs/a N		--	
	Fertilizer applied in-season	--		80 lbs/a N	
	Planting Date	10/1/2025		10/7/2025	
	Harvest Date	Abandoned		Abandoned	
Environment	Abiotic Stress	drought and hail		drought	
	Biotic Stress	none noted		none noted	
	Seasonal Rainfall	7.84"		6.9"	
					

Table 11. Western Kansas irrigated MULTI-YEAR winter wheat performance tests, 2024-2026

Brand / Name	Variety Avg	Colby (CO)				Garden City (GC)				Hugoton (HG)				CO	GC	HG	Avg
	2026	2026	2025	2024	Avg	2026	2025	2024	Avg	2026	2025	2024	Avg	2026	2026	2026	
		yield (bu/a)				yield (bu/a)				yield (bu/a)				% of test average			
AgriPro																	
AP Prolific	72	69	95	78	81	67	111	100	93	79	92	128	100	78	76	95	83
AP Sunbird	97	106	94	88	96	100	117	91	103	85	62	157	101	121	114	102	112
AP24 AX	80	93	--	--	93	59	--	--	59	89	--	--	89	105	67	106	93
AP Tango	89	88	--	--	88	93	--	--	93	87	--	--	87	100	106	104	103
AGSECO																	
AG Golden	94	99	100	91	97	104	118	114	112	80	72	145	99	113	118	96	109
Dyna-Gro																	
Milestone	82	83	--	--	83	87	--	--	87	75	--	--	75	94	99	90	94
Ramsay	84	84	--	--	84	81	--	--	81	86	--	--	86	96	92	103	97
KWA																	
KS Big Bow	101	106	103	87	99	106	106	111	108	92	74	156	107	120	121	110	117
KS Bill Snyder	88	78	96	90	88	90	120	116	109	97	77	139	104	89	103	116	103
KS Flintlock	67	50	--	--	50	68	--	--	68	84	--	--	84	57	78	101	79
KS Homesteader CL+	93	108	89	--	98	84	106	--	95	86	75	--	81	123	96	103	107
KS Providence	87	87	99	85	90	90	109	102	100	83	77	167	109	99	103	99	100
KS Territory	87	62	100	87	83	100	117	90	102	100	74	141	105	71	114	120	102
KS Tradition	104	110	--	--	110	96	--	--	96	105	--	--	105	125	109	126	120
Limagrain																	
LCS Aries	89	87	96	--	91	96	91	--	93	86	71	--	78	99	109	103	103
LCS Helix AX	71	70	108	89	89	60	122	119	100	83	81	153	106	79	68	99	82
LCS Highnoon	89	95	--	--	95	85	--	--	85	88	--	--	88	108	97	106	104
LCS Mojo	65	62	73	--	67	69	106	--	88	64	62	--	63	70	79	76	75
LCS Radar	78	78	91	75	81	82	100	97	93	72	87	133	97	88	94	87	90
LCS Steel AX	81	93	93	74	87	86	104	88	93	65	73	136	91	106	98	78	94
LCS Troubadour AX	93	102	--	--	102	95	--	--	95	83	--	--	83	115	109	100	108
OGI																	
Breakthrough	75	73	81	72	75	75	106	88	90	76	62	128	89	83	86	91	86
Wyatt	83	90	--	--	90	93	--	--	93	67	--	--	67	102	106	81	96
PlainsGold																	
Canvas	98	97	103	94	98	108	124	105	112	88	64	153	102	110	123	106	113
CO19410R	108	115	--	--	115	116	--	--	116	93	--	--	93	131	133	111	125
Gabriel	97	93	--	--	93	99	--	--	99	99	--	--	99	105	113	118	112
Outlaw	93	98	95	--	96	98	87	--	93	83	48	--	66	111	112	100	108
Polansky																	
High Country	85	100	93	82	92	73	97	96	89	82	55	164	100	114	83	98	99
Rockstar	85	84	96	82	87	84	122	103	103	88	86	90	88	95	96	106	99
WestBred																	
WB4347	95	124	98	--	111	90	115	--	103	71	63	--	67	140	103	85	109
WB4422	79	74	92	69	78	78	129	92	100	84	85	115	95	84	89	101	91
WB4445CLP	80	81	92	--	87	86	114	--	100	74	82	--	78	92	98	89	93
WB4569	67	67	--	--	67	--	--	--	--	--	--	--	--	76	--	--	76
WB4792	86	--	85	--	85	95	104	--	99	78	100	--	89	--	108	93	100
Average	86	88	93	84	88	88	109	98	98	83	74	136	98	100	100	100	100
CV (%)	--	10	8	6	--	7	7	10	--	6	10	11	--	10	7	6	--
LSD (0.05)*	--	16	7	7	--	14	11	10	--	10	13	19	--	19	15	11	--

*Yields must differ by more than the LSD value to be considered statistically different.

	Colby	Garden City	Hugoton	
Location	Field	Northwest Agricultural Experiment Field	Southwest Research-Extension Center	Private farm
	GPS Coordinates	39.292196 -101.065971	37.98453854 -100.812033	37.27161138 -101.2801862
	County	Thomas	Finney	Stevens
	Cooperators	Lucas Haag Jeanne Falk Jones	Brian Yutzzy Logan Simon	Brian Yutzzy
Management	Type	Irrigated	Irrigated	Irrigated
	Tillage	conventional	minimum-till	no-till
	Previous Crop	grain sorghum	corn	corn
	Fertilizer applied at planting	80 lbs/a N	113-0-0 N, P, K	--
	Fertilizer applied in-season	--	--	80 lbs/a N
	Planting Date	10/5/2025	10/1/2025	10/7/2025
Harvest Date	7/13/2026	6/30/2026	6/22/2026	
Environment	Abiotic Stress	none noted	animal damage	drought, hail, wind, freeze
	Biotic Stress	none noted	none noted	none noted
	Seasonal Rainfall	10.72" 4.8" irrigation	7.84"	6.9"
	Colby 365 Day Accumulated Precipitation Garden City 365 Day Accumulated Precipitation Satanta 365 Day Accumulated Precipitation Accumulated Obs — Accumulated Normal ● Daily Obs Accumulated Obs — Accumulated Normal ● Daily Obs Accumulated Obs — Accumulated Normal ● Daily Obs			

To access crop performance testing information electronically, visit our website. The information contained in this publication, plus more, is available for viewing or downloading at:

www.agronomy.k-state.edu/outreach-and-services/crop-performance-tests

Excerpts from the
University Research Policy Agreement with Cooperating Seed Companies

Permission is hereby given to Kansas State University (KSU) to test varieties and/or hybrids designated on the attached entry forms in the manner indicated in the test announcements. I certify that seed submitted for testing is a true sample of the seed being offered for sale.

I understand that all results from Kansas Crop Performance Tests belong to the University and the public and shall be controlled by the University so as to produce the greatest benefit to the public. Performance data may be used in the following ways: 1) Tables may be reproduced in their entirety provided the source is referenced and data are not manipulated or reinterpreted; 2) Advertising statements by an individual company about the performance of its entries may be made as long as they are accurate statements about the data as published, with no reference to other companies' names or cultivars. In both cases, the following must be included with the reprint or ad citing the appropriate publication number and title: "See the official Kansas State University Agricultural Experiment Station and Cooperative Extension Service Report of Progress 1200, '2026 Kansas Performance Tests with Winter Wheat Varieties,' or the Kansas Crop Performance Test website, agronomy.k-state.edu/outreach-and-services/crop-performance-tests, for details. Endorsement or recommendation by Kansas State University is not implied."

Contributors

Main Station, Manhattan

Jane Lingenfelser, Assistant Agronomist
Romulo Lollato, Extension Agronomy Wheat Specialist
Kelsey Andersen Onofre, Extension Plant Pathology
Chip Redmond, Kansas Mesonet Data Library
Jeff Whitworth, Extension Entomology

Experiment Fields

Eric Adey, Ottawa
Scott Dooley, Scandia
Darren Hibdon, Ottawa
Michael Larson, Scandia
Keith Thompson, Hutchinson

Research Centers

Garth Blackburn, Parsons
Jeanne Falk-Jones, Colby
Lucas Haag, Colby and Tribune
Gretchen Sassenrath, Parsons

Cooperators

Mike and Tanner Brown, Colby
Marty Fletchall, Beloit
Gayle and Denton Haag,
Decatur County
Brian Yutzy, Hutchinson

Copyright 2026 Kansas State University Agricultural Experiment Station and Cooperative Extension Service. Contents of this publication may be freely reproduced for educational purposes. All other rights reserved. In each case, give credit to the author(s), 2026 Kansas Performance Tests with Winter Wheat Varieties, Kansas State University, August 2026, Contribution no. 27-016-S from the Kansas Agricultural Experiment Station.

Brand names appearing in this publication are for product identification purposes only. No endorsement is intended, nor is criticism implied of similar products not mentioned.

Publications from Kansas State University are available at:
www.ksre.ksu.edu

Kansas State University Agricultural Experiment Station and Cooperative Extension Service

K-State Research and Extension is an equal opportunity provider and employer.

SRP 1200 August 2026